Received by OCD: 1/29/2023 8:00:18 AM

1625 N. French Dr., Hobbs, NM 88240 Phone: (575) 393-6161 Fax: (575) 393-0720

Phone: (5/5) 393-6161 District II

811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

District III

1000 Rio Brazos Road, Aztec, NM 87410 Phone: (505) 334-6178 Fax: (505) 334-6170

<u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3460 Fax: (505) 476-3462 State of New Mexico

Energy Minerals and Natural Resources

Oil Conservation Division

1220 South St. Francis Dr.

Santa Fe, NM 87505

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE

Page 1 of 14
Form C-101
Revised July 18, 2013

Revised July 18, 2013

☐ AMENDED REPORT

^{1.} Operator Name and Address SCO Permian, LLC									* OGRID Number 330782					
	4925 Greenville Ave., Suite 1030 Dallas TX 75206 (214) 390-4076										^{3.} API Number 30-025-50947			
4. Prope	erty Code					5. Property Na Eunice 16 S	ame tate		l .		6. Well	l No.		
			•			7. Surface Loc	cation			•				
UL - Lot D	Section 16	Towns 22 S	•	Range 36 E	Lot	Idn Feet from 990		/S Line N	Feet From 930	E/W Lin	e	County Lea		
	1		I		8	Proposed Botton	1 Hole Loca	tion						
UL - Lot Section Township Range D 16 22 S 36 E			Lot	Idn Feet from 990	m N	/S Line N	Feet From 930	E/W Lin	e	County Lea				
						^{9.} Pool Inform	ation							
				Eur	nice; Se	Pool Name ven Rivers-Queer	n, South					Pool Code 24130		
11		1	12			12 0 44 0		I 14.		1				
	rk Type A		12.	Well Type O		13. Cable/Rotary R			^{14.} Lease Type S		15. Ground Level Elevation 3567'			
	ultiple V		^{17.} Pr	oposed Depth 5000'		^{18.} Formation San Andres		^{19.} Contractor to be determined			^{20.} Spud Date Jan. 30, 2023			
Depth to Grou	ınd water	·		Distar	ance from nearest fresh water well			Distance to nearest surface water			ater			
175′	in CP 000	70			0	0.46 mi NW of CP 00070			*	3500′ SW o	f depr	ression		
⊠A closed-l	oop systei	m will b	e used in	ıstead of lin	ed pits.									
				21.	Propo	sed Casing and	Cement Pr	ogram						
Туре	Но	ole Size	Cas	ing Size	Ca	nsing Weight/ft	Settin	g Depth Sacks of		of Cement		Estimated TOC		
Surface	1.	2.25"	9.	.625"		36# J-55 GL -		- 500′ 21		210		GL		
Production 7.875" 5.5#						17# J-55 GL – 5000'			1050		GL			
				Casin	g/Cem	ent Program: A	dditional (Comments						
GL – 500': f	resh-wate	er spud	mud, 50	0′ – TD: bri	ne wat	er; Adding a zone	- will apply	for DHC if	both zones s	uccessful				
				22.	Propo	sed Blowout Pre	vention Pr	ogram						
	Туре	;			Working	g Pressure (psi)		Test Pressur	re (psi)		Mar	nufacturer		
annı	ular & do	uble ra	ms			5000		2500			Sc	chaffer		

Approved By:

Approved Date: 02/27/2023

Conditions of Approval Attached

Title:

OIL CONSERVATION DIVISION

Expiration Date: 02/27/2025

of my knowledge and belief.

Printed name: Brian Wood

Title: Consultant

Date: 1-20-23

Signature:

19.15.14.9 (B) NMAC \square , if applicable.

E-mail Address: brian@permitswest.com

 23 . I hereby certify that the information given above is true and complete to the best

I further certify that I have complied with 19.15.14.9 (A) NMAC and/or

Phone: 505 466-8120

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico

Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102 Revised August 1, 2011 Submit one copy to appropriate District Office

☐ AMENDED REPORT

WELL LOCATION AN	D ACREAGE DEDICATION PLAT
------------------	---------------------------


¹ API Number 30-025-50947	² Pool Code 24130	EUNICE; SEVEN RIVERS-QUEEN, SOUTH				
⁴ Property Code	5 Pı	roperty Name	⁶ Well Number			
⁷ OGRID No.		EUNICE 16 STATE 8 Operator Name				
330782	SCO PE	ERMIAN, LLC	⁹ Elevation 3567.5			
oulet no Continue To 1		urface Location				

L or lot no. Section Township Lot Idn North/South line Range Feet from the Feet from the East/West line County D 16 22 S 36 E 990 NORTH 930 WEST LEA

Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
¹² Dedicated Acres	s 13 Joint	or Infill 14	Consolidatio	n Code			¹⁵ Order No.		

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



I. Operator: SCO Permian, LLC

State of New Mexico Energy, Minerals and Natural Resources Department

Submit Electronically Via E-permitting

Date: 01 /20 /23

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

NATURAL GAS MANAGEMENT PLAN

This Natural Gas Management Plan must be submitted with each Application for Permit to Drill (APD) for a new or recompleted well.

Section 1 – Plan Description Effective May 25, 2021

OGRID: 3307892

II. Type: ☐ Original &	☑ Amendment	due to □ 19.15.27.9	9.D(6)(a) NMA	C □ 19.15.27.9.D	(6)(b) NMAC ☑	Other.
If Other, please describe	e: adding a zo	one (7 Rivers-Que	en) to previou	sly approved Sa	n Andres	
III. Well(s): Provide the be recompleted from a s	e following int single well pad	Formation for each n or connected to a co	ew or recomple entral delivery p	eted well or set of point.	wells proposed to	o be drilled or proposed to
Well Name	API	ULSTR	Footages	Anticipated	Anticipated	Anticipated
Eunice 16 State 1	30-025-50947	D-16-22s-36e	990 FNL & 930 FWL	Oil BBL/D	Gas MCF/D	Produced Water BBL/D
San Andres				50	150	500
Seven Rivers - Queen				10	25	350
V. Anticipated Schedul proposed to be recomple Well Name	le: Provide the	M BZ State G-16 following informati gle well pad or conn	on for each nev	v or recompleted wal delivery point. Completion		s proposed to be drilled or
		Span Zano	Date	Commencement		
Eunice 16 State 1	30-025-	1-30-23	2-5-23	2-15-23	2-25-23	3-1523
VII. Operational Pract Subsection A through F	tices: ☑ Attack of 19.15.27.8 I t Practices: ☑	n a complete descrip NMAC. I Attach a complete	ption of the act	ions Operator wil	l take to comply	nt to optimize gas capture. with the requirements of tices to minimize venting

Section 2 - Enhanced Plan

			E APRIL 1, 2022			
Beginning April 1, reporting area must	2022, an operator th complete this section	at is not in compliance	with its statewide natural g	as cap	pture requirement for the applicable	
☑ Operator certific capture requirement	es that it is not require t for the applicable re	red to complete this sec porting area.	tion because Operator is in	comp	liance with its statewide natural gas	
IX. Anticipated Na	tural Gas Productio	on:				
W	Vell ell	API	Anticipated Average Natural Gas Rate MCF/D)	Anticipated Volume of Natural Gas for the First Year MCF	
X. Natural Gas Ga	thering System (NG	(GS):				
Operator System		ULSTR of Tie-in	Anticipated Gathering Av Start Date		Available Maximum Daily Capacity of System Segment Tie-in	
production operation the segment or portion the segment of the s	ns to the existing or pon of the natural gas The natural gas gat from the well prior to Operator does g system(s) described	lanned interconnect of t gathering system(s) to v hering system □ will □ the date of first product □ does not anticipate that above will continue to	he natural gas gathering syste which the well(s) will be com will not have capacity to g tion.	em(s), nected ather	ated pipeline route(s) connecting the and the maximum daily capacity of d. 100% of the anticipated natural gas the same segment, or portion, of the pressure caused by the new well(s).	
Section 2 as provide	d in Paragraph (2) of	rts confidentiality pursi Subsection D of 19.15.2 he basis for such asserti	27.9 NMAC, and attaches a f	SA 19 full de	778 for the information provided in scription of the specific information	

Section 3 - Certifications Effective May 25, 2021

Operator certifies that, after reasonable inquiry and based on the available information at the time of submittal:

☑ Operator will be able to connect the well(s) to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system; or

□ Operator will not be able to connect to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system. If Operator checks this box, Operator will select one of the following:

Well Shut-In. □ Operator will shut-in and not produce the well until it submits the certification required by Paragraph (4) of Subsection D of 19.15.27.9 NMAC; or

Venting and Flaring Plan. □ Operator has attached a venting and flaring plan that evaluates and selects one or more of the potential alternative beneficial uses for the natural gas until a natural gas gathering system is available, including:

- (a) power generation on lease;
- (b) power generation for grid;
- (c) compression on lease;
- (d) liquids removal on lease;
- (e) reinjection for underground storage;
- (f) reinjection for temporary storage;
- (g) reinjection for enhanced oil recovery;
- (h) fuel cell production; and
- (i) other alternative beneficial uses approved by the division.

Section 4 - Notices

- 1. If, at any time after Operator submits this Natural Gas Management Plan and before the well is spud:
- (a) Operator becomes aware that the natural gas gathering system it planned to connect the well(s) to has become unavailable or will not have capacity to transport one hundred percent of the production from the well(s), no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised venting and flaring plan containing the information specified in Paragraph (5) of Subsection D of 19.15.27.9 NMAC; or
- (b) Operator becomes aware that it has, cumulatively for the year, become out of compliance with its baseline natural gas capture rate or natural gas capture requirement, no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised Natural Gas Management Plan for each well it plans to spud during the next 90 days containing the information specified in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and shall file an update for each Natural Gas Management Plan until Operator is back in compliance with its baseline natural gas capture rate or natural gas capture requirement.
- 2. OCD may deny or conditionally approve an APD if Operator does not make a certification, fails to submit an adequate venting and flaring plan which includes alternative beneficial uses for the anticipated volume of natural gas produced, or if OCD determines that Operator will not have adequate natural gas takeaway capacity at the time a well will be spud.

to the best of my kno	owledge and acknowledge that a false statement may be subject to civil and criminal penalties under the Oil
and Gas Act.	16c1)/
Signature:	Strkox
Printed Name:	Brian Wood
Title:	Consultant
E-mail Address:	brian@permitswest.com
Date:	1-20-23
Phone:	505 466-8120
	OIL CONSERVATION DIVISION
	(Only applicable when submitted as a standalone form)
Approved By:	
Title:	
Title: Approval Date:	
Approval Date:	
Approval Date:	
Approval Date:	

I certify that, after reasonable inquiry, the statements in and attached to this Natural Gas Management Plan are true and correct

VI. SEPARATION EQUIPMENT

SCO Permian, LLC tentatively plans to install a 4' x 20' heater-treater based on estimated volumes. Associated equipment will include:

fuel safety shut-off valve gas scrubber oil tanks (two 500 bbl) separator (3-phase) vapor recovery tower vapor recovery piping for all tanks water tank (one 500 bbl)



VII. Operational Practices

NMAC 19.15.27.8 (A) Venting & Flaring of Natural Gas

1. SCO Permian, LLC will comply NMAC 19.15.27.8 – venting and flaring of gas during drilling, completion, or production that constitutes waste as defined in 19.15.2 is banned.

NMAC 19.15.27.8 (B) Venting & Flaring During Drilling

- 1. SCO will capture or combust gas if technically feasible during drilling operations using best industry practices.
- 2. A flare stack with a 100% capacity for expected volume will be set on the pad ≥100 feet from the nearest well head and storage tank.
- 3. In an emergency, SCO will vent gas in order to avoid substantial impact. SCO will report vented or flared gas to the NMOCD.

NMAC 19.15.27.8 (C) Venting & Flaring During Completion or Recompletion

- 1. Facilities will be built and ready from the first day of flowback
- 2. Test separator will be properly separate gas and liquids. Temporary test separator will be used initially to process volumes. In addition, separator will be tied into flowback tanks which will be tied into the gas processing equipment for sale down a pipeline.
- 3. Should the facility not be ready to process gas, or the gas does not meet quality standards, then storage tanks will be set that are tied into gas busters or a temporary flare to manage all gas. This flare would meet the following requirements:
 - a) An appropriate sized flare stack with an automatic igniter
 - b) SCO analyzes gas samples twice a week
 - c) SCO flows the gas into a gathering line as soon as the pipeline specifications are met
 - d) SCO provides the NMOCD with pipeline specifications and natural gas data.

NMAC 19.15.27.8 (D) Venting & Flaring During Production

SCO will not vent or flare natural gas except:

- 1. During an emergency or malfunction
- 2. To unload or clean-up liquid holdup in a well to atmospheric pressure, provided
 - a) SCO does not vent after the well achieves a stabilized rate and pressure
 - b) SCO will be on-site while unloading liquids by manual purging and take all reasonable actions to achieve a stabilized rate and pressure as soon as possible



- c) SCO will optimize the system to minimize gas venting if the well is equipped with a plunger lift or auto control system
- d) Best management practices will be used during downhole well maintenance.
- 3. During the first year of production from an exploratory well provided
 - a) SCO receives approval from the NMOCD
 - b) SCO stays in compliance with NMOCD gas capture requirements
 - c) SCO submits an updated C-129 form to the NMOCD
- 4. During the following activities unless prohibited
 - a) Gauging or sampling a storage tank or low-pressure production vessel
 - b) Loading out liquids from a storage tank
 - c) Repair and maintenance
 - d) Normal operation of a gas-activated pneumatic controller or pump
 - e) Normal operation of a storage tank but not including venting from a thief hatch
 - f) Normal operation of dehydration units
 - g) Normal operations of compressors, engines, turbines, valves, flanges, & connectors
 - h) During a Braden head, packer leaka test, or production test lasting <24 hours
 - i) When natural gas does not meet the gathering line specifications
 - j) Commissioning of lines, equipment, or facilities only for as long as necessary to purge introduced impurities.

NMAC 19.15.27.8 (E) Performance Standards

- 1. SCO used a safety factor to design the separation and storage equipment. The equipment will be routed to a vapor recovery system and uses a flare as back up for startup, shutdown, maintenance, or malfunction of the VRU system.
- 2. SCO will install a flare that will handle the full facility vapor volume in case the VRU fails. It will have an auto-ignition system.
- 3. Flare stacks will be appropriately sized and designed to ensure proper combustion efficiency
 - a) Flare stacks installed or replaced will be equipped with an automatic ignitor or continuous pilot.
 - b) Previously installed flare stacks will be retrofitted within 18 months of May 25, 2021 with an automatic ignitor, continuous pilot, or technology that alerts SCO to flare malfunction.
 - c) Flare stacks replaced after May 25, 2021 will be equipped with an automatic ignitor or continuous pilot if at a well or facility with an average production of ≤60 Mcfd of natural gas.
 - d) Flare stacks will be located >100 feet from well head and storage tanks and securely anchored.
- 4. SCO will conduct an audio/visual/olfactory inspection on all components for leaks and defects every week.



- 5. SCO will make and keep records of AVO inspections available to the NMOCD for at least 5 years.
- 6. SCO may use a remote or automated monitoring technology to detect leaks and releases in lieu of AVO inspections with prior NMOCD approval.
- 7. Facilities will be designed to minimize waste.
- 8. SCO will resolve emergencies as promptly as possible.

NMAC 19.15.27.8 (F) Measuring or Estimating Vented & Flared Natural Gas

- 1. SCO will have meters on both the low pressure and high-pressure sides of the flares. Volumes will be recorded in the SCADA system.
- 2. SCO will install equipment to measure the volume of flared natural gas that has an average production of \geq 60 Mcfd.
- 3. SCO's measuring equipment will conform to industry standards.
- 4. Measurement system will be designed such that it cannot be bypassed except for inspections and servicing the meters.
- 5. SCO will estimate the volume of vented or flared gas using a methodology that can be independently verified if metering is not practicable due to low flow rate or pressure.
- 6. SCO will estimate the volume of vented and flared gas based on the results of an annual GOR test for wells that do not require measuring equipment reported on form C-116.
- 7. SCO will install measuring equipment whenever the NMOCD determines that metering is necessary.




VIII. Best Management Practices

SCO Permian LLC will minimize venting during maintenance by:

- 1. Designing and operating system to route storage tank and process equipment emissions to the VRU. If the VRU is not operable, then vapors will be routed to the flare.
- 2. Scheduling maintenance for multiple tasks to minimize the need for blowdowns.
- 3. After completion of maintenance, gas will be flared until it meets pipeline specifications.





EUNICE 16 STATE NO. 1

Estimated Tops

Rustler	1,435
Yates	3,130'
Seven Rivers	3,360'
Queen	3,750'
Grayburg	3,980'
San Andres	4,390'

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 180416

CONDITIONS

Operator:	OGRID:
SCO PERMIAN, LLC	330782
5728 NW 132nd Street	Action Number:
Oklahoma City, OK 73142	180416
	Action Type:
	[C-101] Drilling Non-Federal/Indian (APD)

CONDITIONS

Created By	Condition	Condition Date
БУ		Date
pkautz	REQUIRES DHC APPROVAL BEFORE WELL CAN BE PRODUCE COMINGLED IN THE WELLBORE	2/27/2023