

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (505) 393-6161 Fax: (505) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (505) 748-1283 Fax: (505) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☒ AMENDED REPORT
AS DRILLED

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-025-46718	² Pool Code 97895	³ Pool Name WC-025 G-08 S213304D; BONE SPRING
⁴ Property Code 332638	⁵ Property Name SOMBRERO 18 3BS FED COM	⁶ Well Number 2H
⁷ GRID No. 331165	⁸ Operator Name EARTHSTONE OPERATING, LLC	⁹ Elevation 3901.3'


¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
N	7	21S	33E		775	SOUTH	1785	WEST	LEA

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
N	18	21S	33E		92	SOUTH	1718	WEST	LEA
¹² Dedicated Acres 160.0	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.						

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.





Chisholm Sombrero 18 Fed 3BS Com 2H to 16960' MD Survey Geodetic

Report (Def Survey)

Report Date: August 12, 2021 - 01:18 PM
Client: Chisholm
Field: NM Lea County (NAD 83)
Structure / Slot: Chisholm Sombrero Pad / Chisholm Sombrero 18 Fed 3BS Com 2H
Well: Chisholm Sombrero 18 Fed 3BS Com 2H
Borehole: Original Borehole
UWI / API#: Unknown / 30-025-46718
Survey Name: Chisholm Sombrero 18 Fed 3BS Com 2H to 16960' MD
Survey Date: June 21, 2021
Tort / AHD / DDI / ERD Ratio: 219.429 * / 6181.250 ft / 6.286 / 0.520
Coordinate Reference System: NAD83 New Mexico State Plane, Eastern Zone, US Feet
Location Lat / Long: N 32° 29' 17.87322", W 103° 36' 50.59976"
Location Grid N/E Y/X: N 542121.410 ftUS, E 763117.780 ftUS
CRS Grid Convergence Angle: 0.3864 °
Grid Scale Factor: 0.99996542
Version / Patch: 2.10.824.0

Survey / DLS Computation: Minimum Curvature / Lubinski
Vertical Section Azimuth: 179.600 ° (Grid North)
Vertical Section Origin: 0.000 ft, 0.000 ft
TVD Reference Datum: RKB
TVD Reference Elevation: 3927.300 ft above MSL
Seabed / Ground Elevation: 3901.300 ft above MSL
Magnetic Declination: 6.486 °
Total Gravity Field Strength: 988.4601mgn (9.80665 Based)
Gravity Model: GARM
Total Magnetic Field Strength: 47904.023 nT
Magnetic Dip Angle: 60.251 °
Declination Date: June 21, 2021
Magnetic Declination Model: HDGM 2021
North Reference: Grid North
Grid Convergence Used: 0.3864 °
Total Corr Mag North->Grid North: 6.0992 °
Local Coord Referenced To: Well Head

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°/100ft)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")	Closure (ft)	Closure Azimuth (°)
SHL	0.00	0.00	0.00	0.00	0.00	0.00	0.00	N/A	542121.41	763117.78	N 32 29 17.87 W 103 36 50.60		0.00	0.00
	201.00	0.05	120.61	201.00	0.05	-0.04	0.08	0.02	542121.37	763117.86	N 32 29 17.87 W 103 36 50.60		0.09	120.61
	288.00	0.10	108.77	288.00	0.09	-0.09	0.18	0.06	542121.32	763117.96	N 32 29 17.87 W 103 36 50.60		0.20	116.16
	379.00	0.20	208.65	379.00	0.25	-0.25	0.18	0.26	542121.16	763117.96	N 32 29 17.87 W 103 36 50.60		0.31	144.75
	468.00	0.30	172.90	468.00	0.62	-0.62	0.13	0.20	542120.79	763117.91	N 32 29 17.87 W 103 36 50.60		0.64	167.87
	548.00	0.21	75.89	548.00	0.80	-0.79	0.30	0.48	542120.62	763118.08	N 32 29 17.87 W 103 36 50.60		0.85	159.18
	638.00	1.49	55.07	637.99	0.09	-0.08	1.42	1.44	542121.33	763119.20	N 32 29 17.87 W 103 36 50.58		1.42	93.33
	732.00	2.77	52.53	731.92	-1.97	2.00	4.23	1.37	542123.41	763122.01	N 32 29 17.89 W 103 36 50.55		4.67	64.68
	826.00	1.83	52.50	825.84	-4.24	4.29	7.22	1.00	542125.70	763125.00	N 32 29 17.92 W 103 36 50.52		8.40	59.25
	920.00	1.98	78.31	919.79	-5.47	5.54	10.00	0.92	542126.95	763127.78	N 32 29 17.93 W 103 36 50.48		11.43	61.03
	1015.00	1.10	44.58	1014.76	-6.43	6.52	12.25	1.29	542127.93	763130.03	N 32 29 17.94 W 103 36 50.46		13.87	61.97
	1109.00	0.58	38.77	1108.75	-7.44	7.53	13.18	0.56	542128.94	763130.96	N 32 29 17.95 W 103 36 50.45		15.18	60.25
	1202.00	1.06	46.08	1201.74	-8.40	8.50	14.09	0.53	542129.91	763131.87	N 32 29 17.96 W 103 36 50.43		16.46	58.91
	1297.00	1.23	91.26	1296.72	-8.97	9.08	15.75	0.94	542130.49	763133.52	N 32 29 17.96 W 103 36 50.42		18.18	60.02
	1390.00	1.09	228.72	1389.71	-8.37	8.48	16.08	2.33	542129.89	763133.86	N 32 29 17.96 W 103 36 50.41		18.18	62.20
	1476.00	4.86	265.66	1475.59	-7.58	7.66	11.83	4.70	542129.07	763129.61	N 32 29 17.95 W 103 36 50.46		14.09	57.07
	1570.00	6.51	261.61	1569.12	-6.57	6.58	2.59	1.81	542127.99	763120.37	N 32 29 17.94 W 103 36 50.57		7.07	21.45
	1663.00	8.18	243.40	1661.37	-2.91	2.85	-8.55	3.06	542124.26	763109.23	N 32 29 17.90 W 103 36 50.70		9.01	288.45
	1724.00	8.76	230.04	1721.71	1.96	-2.08	-15.99	3.35	542119.33	763101.79	N 32 29 17.85 W 103 36 50.79		16.12	262.60
	1797.00	8.36	224.02	1793.90	9.30	-9.46	-23.94	1.34	542111.95	763093.84	N 32 29 17.78 W 103 36 50.88		25.74	248.43
	1828.00	7.92	211.00	1824.59	12.73	-12.91	-26.60	6.10	542108.50	763091.18	N 32 29 17.75 W 103 36 50.91		29.57	244.11
	1857.00	7.05	207.04	1853.34	16.01	-16.21	-28.44	3.49	542105.20	763089.34	N 32 29 17.71 W 103 36 50.93		32.74	240.32
	1890.00	6.33	207.57	1886.11	19.42	-19.63	-30.20	2.19	542101.78	763087.58	N 32 29 17.68 W 103 36 50.95		36.02	236.98
	1921.00	5.53	208.92	1916.95	22.23	-22.45	-31.72	2.62	542098.96	763086.06	N 32 29 17.65 W 103 36 50.97		38.86	234.71
	1951.00	4.69	203.73	1946.83	24.61	-24.84	-32.91	3.19	542096.57	763084.87	N 32 29 17.63 W 103 36 50.99		41.23	232.96
	1998.00	3.65	197.53	1993.70	27.79	-28.02	-34.13	2.41	542093.39	763083.65	N 32 29 17.60 W 103 36 51.00		44.16	230.61
	2044.00	2.77	176.63	2039.63	30.29	-30.53	-34.51	3.15	542090.88	763083.27	N 32 29 17.57 W 103 36 51.01		46.08	228.50
	2138.00	1.56	195.18	2133.57	33.79	-34.03	-34.71	1.47	542087.38	763083.07	N 32 29 17.54 W 103 36 51.01		48.61	225.57
	2233.00	2.25	183.77	2228.51	36.90	-37.14	-35.17	0.83	542084.27	763082.61	N 32 29 17.51 W 103 36 51.01		51.15	223.44
	2326.00	2.37	139.30	2321.44	40.18	-40.42	-34.04	1.88	542080.99	763083.74	N 32 29 17.48 W 103 36 51.00		52.84	220.10
	2420.00	2.06	134.87	2415.37	42.87	-43.09	-31.57	0.38	542078.32	763086.21	N 32 29 17.45 W 103 36 50.97		53.42	216.23
	2514.00	1.93	133.24	2509.32	45.16	-45.36	-29.22	0.15	542076.05	763088.56	N 32 29 17.43 W 103 36 50.94		53.96	212.79
	2608.00	2.45	96.56	2603.25	46.49	-46.68	-26.07	1.56	542074.73	763091.71	N 32 29 17.41 W 103 36 50.91		53.47	209.19
	2701.00	3.24	87.24	2696.14	46.63	-46.78	-21.47	0.98	542074.63	763096.31	N 32 29 17.41 W 103 36 50.85		51.47	204.66
	2794.00	3.57	83.26	2788.97	46.20	-46.31	-15.97	0.44	542075.10	763101.81	N 32 29 17.42 W 103 36 50.79		48.99	199.03
	2888.00	3.30	58.56	2882.81	44.48	-44.56	-10.76	1.59	542076.86	763107.02	N 32 29 17.43 W 103 36 50.73		45.84	193.58
	2983.00	4.04	49.11	2977.61	40.90	-40.94	-5.90	1.00	542080.47	763111.88	N 32 29 17.47 W 103 36 50.67		41.36	188.20
	3076.00	3.11	51.12	3070.43	37.20	-37.21	-1.46	1.01	542084.20	763116.32	N 32 29 17.51 W 103 36 50.62		37.24	182.24
	3159.00	3.33	55.85	3153.31	34.56	-34.54	2.15	0.31	542086.87	763119.93	N 32 29 17.53 W 103 36 50.58		34.61	176.44
	3264.00	3.43	52.51	3258.14	31.09	-31.04	6.98	0.37	542090.37	763124.76	N 32 29 17.57 W 103 36 50.52		31.82	167.32
	3358.00	4.20	52.57	3351.93	27.32	-27.24	11.95	0.82	542094.17	763129.73	N 32 29 17.60 W 103 36 50.46		29.74	156.32
	3451.00	3.34	52.92	3444.73	23.65	-23.53	16.81	0.93	542097.88	763134.59	N 32 29 17.64 W 103 36 50.41		28.92	144.46
	3544.00	2.03	43.45	3537.63	20.85	-20.71	20.11	1.48	542100.71	763137.89	N 32 29 17.67 W 103 36 50.37		28.86	135.84
	3641.00	1.13	29.91	3634.59	18.78	-18.63	21.77	1.00	542102.78	763139.55	N 32 29 17.69 W 103 36 50.35		28.65	130.56
	3737.00	0.99	16.39	3730.57	17.17	-17.01	22.47	0.30	542104.40	763140.25	N 32 29 17.70 W 103 36 50.34		28.19	127.13
	3832.00	0.59	355.96	3825.56	15.90	-15.74	22.67	0.51	542105.67	763140.45	N 32 29 17.72 W 103 36 50.34		27.60	124.77
	3925.00	0.32	351.49	3918.56	15.16	-15.00	22.60	0.29	542106.41	763140.38	N 32 29 17.72 W 103 36 50.34		27.12	123.58
	4018.00	0.52	28.64	4011.56	14.53	-14.38	22.76	0.35	542107.03	763140.54	N 32 29 17.73 W 103 36 50.34		26.92	122.28
	4112.00	0.50	40.84	4105.55	13.85	-13.69	23.23	0.12	542107.72	763141.01	N 32 29 17.74 W 103 36 50.33		26.97	120.51
	4206.00	0.37	49.30	4199.55	13.35	-13.18	23.73	0.15	542108.23	763141.51	N 32 29 17.74 W 103 36 50.32		27.15	119.05
	4300.00	0.24	59.88	4293.55	13.05	-12.89	24.13	0.15	542108.52	763141.91	N 32 29 17.74 W 103 36 50.32		27.36	118.10
	4394.00	0.20	62.29	4387.55	12.88	-12.71	24.45	0.04	542108.70	763142.23	N 32 29 17.75 W 103 36 50.32		27.56	117.47
	4488.00	0.18	49.61	4481.55	12.71	-12.54	24.71	0.05	542108.87	763142.48	N 32 29 17.75 W 103 36 50.31		27.71	116.91
	4582.00	0.29	14.83	4575.55	12.39	-12.21	24.88	0.19	542109.20	763142.66	N 32 29 17.75 W 103 36 50.31		27.72	116.15
	4675.00	0.32	22.32	4668.55	11.92	-11.75	25.04	0.05	542109.68	763142.82	N 32 29 17.76 W 103 36 50.31		27.66	115.13
	4769.00	0.32	8.30	4762.55	11.42	-11.24	25.18	0.08	542110.17	763142.95	N 32 29 17.76 W 103 36 50.31		27.57	114.07
	4863.00	0.39	10.55	4856.54	10.85	-10.67	25.27	0.08	542110.74	763143.05	N 32 29 17.77 W 103 36 50.31		27.43	112.89
	4956.00	0.32	357.63	4949.54	10.28	-10.10	25.32	0.11	542111.31	763143.10	N 32 29 17.77 W 103 36 50.30		27.26	111.74
	5050.00	0.34	5.37	5043.54	9.74	-9.56	25.33	0.05	542111.85	763143.11	N 32 29 17.78 W 103 36 50.30		27.08	110.67
	5144.00	0.35	359.30	5137.54	9.17	-8.99	25.36	0.04	542112.42	763143.14	N 32 29 17.78 W 103 36 50.30		26.90	109.53
	5238.00	0.36	7.43	5231.54	8.59	-8.41	25.39	0.05	542113.00	763143.17	N 32 29 17.79 W 103 36 50.30		26.75	108.33
	5333.00	0.31	344.67	5326.54	8.05	-7.87	25.36	0.15	542113.54	763143.14	N 32 29 17.79 W 103 36 50.30		26.56	107.24
	5427.00	0.32	353.55	5420.53	7.54	-7.36	25.27	0.05	542114.05	763143.04	N 32 29 17.80 W 103 36 50.31		26.32	106.25
	5521.00	0.34	1.38	5514.53	7.00	-6.82	25.24	0.05	542114.59	763143.02	N 32 29 17.80 W 103 36 50.31		26.15	105.17
	5614.00	0.41	349.00	5607.53	6.40	-6.22	25.19	0.11	542115.19	763				

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°/100ft)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")	Closure (ft)	Closure Azimuth (°)
	8508.00	5.95	199.39	8485.80	275.73	-275.91	-25.42	0.27	541845.51	763092.36	N 32 29 15.14 W	103 36 50.92	277.08	185.26
	8602.00	5.71	199.45	8579.31	284.71	-284.92	-28.59	0.26	541836.50	763092.36	N 32 29 15.06 W	103 36 50.96	286.35	185.73
	8698.00	5.74	200.86	8674.83	293.68	-293.90	-31.89	0.15	541827.52	763085.89	N 32 29 14.97 W	103 36 51.00	295.63	186.19
	8792.00	5.41	202.44	8768.39	302.14	-302.39	-35.26	0.39	541819.03	763082.52	N 32 29 14.88 W	103 36 51.04	304.44	186.65
	8886.00	5.88	199.97	8861.93	310.74	-311.01	-38.59	0.56	541810.41	763079.19	N 32 29 14.80 W	103 36 51.07	313.40	187.07
	8980.00	5.86	191.41	8955.44	319.95	-320.24	-41.19	0.93	541801.18	763076.59	N 32 29 14.71 W	103 36 51.11	322.88	187.33
	9074.00	5.28	193.00	9049.00	328.85	-329.16	-43.11	0.64	541792.26	763074.67	N 32 29 14.62 W	103 36 51.13	331.97	187.46
	9168.00	2.57	181.40	9142.77	335.17	-335.48	-44.13	2.99	541785.94	763073.65	N 32 29 14.56 W	103 36 51.14	338.37	187.49
	9263.00	3.32	177.03	9237.64	340.04	-340.36	-44.04	0.82	541781.06	763073.74	N 32 29 14.51 W	103 36 51.14	343.20	187.37
	9356.00	5.30	181.12	9330.37	347.03	-347.35	-43.96	2.15	541774.32	763073.79	N 32 29 14.44 W	103 36 51.14	350.12	187.22
	9451.00	5.63	182.57	9424.94	356.07	-356.39	-44.28	0.38	541765.04	763073.50	N 32 29 14.35 W	103 36 51.14	359.13	187.08
	9544.00	4.62	183.20	9517.57	364.36	-364.68	-44.70	1.09	541756.74	763073.08	N 32 29 14.27 W	103 36 51.15	367.41	186.99
	9638.00	6.50	202.91	9611.13	373.03	-373.37	-46.98	2.82	541748.06	763070.80	N 32 29 14.18 W	103 36 51.18	376.31	187.17
	9733.00	6.67	185.44	9705.51	383.46	-383.81	-49.60	2.11	541737.61	763068.19	N 32 29 14.08 W	103 36 51.21	387.00	187.36
	9826.00	7.04	179.66	9797.85	394.53	-394.89	-50.07	0.84	541726.54	763067.71	N 32 29 13.97 W	103 36 51.22	398.05	187.23
	9921.00	7.27	178.29	9892.11	406.36	-406.72	-49.86	0.30	541714.71	763067.92	N 32 29 13.85 W	103 36 51.21	409.76	187.09
	10015.00	7.01	187.84	9985.38	417.98	-418.35	-50.47	1.29	541703.08	763067.32	N 32 29 13.74 W	103 36 51.22	421.38	186.88
	10109.00	7.12	190.85	10078.67	429.37	-429.75	-52.34	0.41	541691.68	763065.44	N 32 29 13.62 W	103 36 51.24	432.93	186.94
	10201.00	6.63	198.69	10170.01	439.99	-440.38	-55.12	1.15	541681.04	763062.66	N 32 29 13.52 W	103 36 51.28	443.82	187.13
	10296.00	6.43	197.91	10264.39	450.22	-450.64	-58.51	0.23	541670.79	763059.27	N 32 29 13.42 W	103 36 51.32	454.42	187.40
	10390.00	6.53	195.23	10357.79	460.36	-460.80	-61.54	0.34	541660.62	763056.25	N 32 29 13.32 W	103 36 51.35	464.89	187.61
	10485.00	6.60	202.54	10452.17	470.59	-471.06	-65.05	0.88	541650.37	763052.73	N 32 29 13.22 W	103 36 51.40	475.53	187.86
	10579.00	5.38	195.31	10545.66	479.81	-480.30	-68.28	1.52	541641.13	763049.50	N 32 29 13.13 W	103 36 51.43	485.13	188.09
	10674.00	4.52	181.87	10640.31	487.84	-488.34	-69.58	1.51	541633.09	763048.20	N 32 29 13.05 W	103 36 51.45	493.27	188.11
	10768.00	4.38	176.16	10734.02	495.12	-495.62	-69.46	0.49	541625.81	763048.32	N 32 29 12.97 W	103 36 51.45	500.46	187.98
	10862.00	3.40	155.00	10827.81	501.24	-501.73	-68.04	1.83	541619.70	763049.74	N 32 29 12.91 W	103 36 51.43	506.32	187.72
	10956.00	3.61	165.20	10921.64	506.64	-507.11	-66.11	0.70	541614.31	763051.87	N 32 29 12.86 W	103 36 51.41	511.41	187.43
	11050.00	4.38	161.11	11015.41	512.91	-513.37	-64.19	0.87	541608.06	763053.59	N 32 29 12.80 W	103 36 51.39	517.37	187.13
	11134.00	3.34	156.20	11099.22	518.20	-518.65	-62.16	1.30	541602.78	763055.62	N 32 29 12.75 W	103 36 51.37	522.36	186.83
	11195.00	4.17	159.50	11160.08	521.91	-522.35	-60.67	1.41	541599.08	763057.11	N 32 29 12.71 W	103 36 51.35	525.86	186.63
	11242.00	9.93	167.69	11206.71	527.49	-527.91	-59.21	12.41	541593.52	763058.58	N 32 29 12.65 W	103 36 51.33	531.22	186.40
	11288.00	15.58	175.50	11251.56	537.54	-537.96	-57.88	12.81	541583.47	763059.91	N 32 29 12.55 W	103 36 51.32	541.06	186.14
	11335.00	20.13	180.93	11296.29	551.93	-552.34	-57.51	10.30	541569.09	763060.27	N 32 29 12.41 W	103 36 51.31	555.33	185.94
	11383.00	24.12	180.36	11340.75	570.00	-570.42	-57.71	8.32	541551.01	763060.08	N 32 29 12.23 W	103 36 51.32	573.33	185.78
	11430.00	27.94	179.41	11382.97	590.82	-591.24	-57.65	8.18	541530.39	763060.13	N 32 29 12.03 W	103 36 51.32	593.84	185.57
	11476.00	31.96	182.25	11422.82	613.57	-613.99	-58.02	9.26	541507.44	763059.76	N 32 29 11.80 W	103 36 51.33	616.73	185.40
	11523.00	35.65	183.58	11461.87	639.67	-640.10	-59.37	8.01	541481.33	763058.42	N 32 29 11.54 W	103 36 51.34	642.85	185.30
	11571.00	39.05	184.93	11500.02	668.69	-669.13	-61.54	7.29	541452.30	763056.24	N 32 29 11.26 W	103 36 51.37	671.96	185.25
	11618.00	44.94	185.30	11534.94	699.97	-700.44	-64.35	12.54	541421.00	763053.44	N 32 29 10.95 W	103 36 51.41	703.39	185.25
	11664.00	50.20	185.86	11565.96	733.73	-734.22	-67.65	11.47	541387.22	763050.13	N 32 29 10.61 W	103 36 51.45	737.33	185.26
	11711.00	55.16	185.41	11594.45	770.89	-771.32	-69.40	10.58	541350.04	763046.46	N 32 29 10.25 W	103 36 51.49	774.69	185.28
	11759.00	58.65	184.12	11620.65	810.93	-811.47	-74.65	7.61	541309.97	763043.13	N 32 29 9.85 W	103 36 51.54	814.90	185.26
	11806.00	63.06	182.44	11643.54	851.88	-852.44	-76.98	9.89	541269.00	763040.80	N 32 29 9.44 W	103 36 51.57	855.91	185.16
	11853.00	65.91	181.66	11663.78	894.26	-894.83	-78.40	6.25	541228.62	763039.39	N 32 29 9.02 W	103 36 51.59	898.26	185.01
	11900.00	69.82	180.75	11681.49	937.77	-938.34	-79.41	8.51	541183.10	763038.37	N 32 29 8.59 W	103 36 51.60	941.70	184.84
	11948.00	72.53	180.24	11696.98	983.19	-983.77	-79.80	5.73	541137.68	763037.98	N 32 29 8.14 W	103 36 51.61	987.00	184.64
	11995.00	75.13	180.45	11710.06	1028.32	-1028.90	-80.07	5.55	541092.54	763037.71	N 32 29 7.70 W	103 36 51.62	1032.02	184.45
	12042.00	76.47	180.03	11721.59	1073.88	-1074.47	-80.26	2.98	541046.98	763037.52	N 32 29 7.25 W	103 36 51.62	1077.46	184.27
	12089.00	78.23	179.41	11731.88	1119.74	-1120.32	-80.04	3.96	541001.13	763037.75	N 32 29 6.79 W	103 36 51.62	1123.18	184.09
	12136.00	82.00	179.11	11739.95	1166.03	-1166.61	-79.44	8.05	540954.84	763038.34	N 32 29 6.34 W	103 36 51.62	1169.32	183.90
	12183.00	84.38	178.77	11745.52	1212.69	-1213.27	-78.57	5.11	540908.18	763039.21	N 32 29 5.87 W	103 36 51.61	1215.81	183.71
	12230.00	87.71	178.50	11748.77	1259.57	-1260.14	-77.46	7.11	540861.32	763040.33	N 32 29 5.41 W	103 36 51.60	1262.52	183.52
	12324.00	89.07	178.59	11751.41	1353.51	-1354.07	-75.07	1.45	540767.39	763042.71	N 32 29 4.88 W	103 36 51.58	1356.15	183.17
	12405.00	89.14	177.87	11752.67	1434.48	-1435.02	-72.57	0.89	540686.44	763045.21	N 32 29 3.68 W	103 36 51.56	1436.85	182.90
	12499.00	89.46	177.57	11753.82	1528.42	-1528.94	-68.83	0.47	540592.53	763048.95	N 32 29 2.75 W	103 36 51.52	1530.49	182.58
	12592.00	89.41	179.28	11754.74	1621.39	-1621.90	-66.27	1.84	540499.57	763051.51	N 32 29 1.83 W	103 36 51.50	1623.25	182.34
	12687.00	89.45	179.76	11755.68	1716.39	-1716.89	-65.48	0.51	540404.59	763052.30	N 32 29 0.89 W	103 36 51.50	1718.14	182.18
	12782.00	89.55	179.83	11756.51	1811.38	-1811.88	-65.14	0.13	540309.59	763052.64	N 32 28 59.95 W	103 36 51.50	1813.05	182.06
	12876.00	89.46	180.42	11757.32	1905.38	-1905.88	-65.34	0.63	540251.60	763052.44	N 32 28 59.02 W	103 36 51.51	1907.00	181.96
	12970.00	89.68	180.62	11758.03	1999.36	-1999.87	-65.54	0.32	540121.61	763051.59	N 32 28 58.08 W	103 36 51.53	2000.97	181.90
	13065.00	89.51	181.16	11758.70	2094.33	-2094.86	-67.67	1.60	540026.63	763050.11	N 32 28 57.15 W	103 36 51.55	2095.95	181.85
	13159.00	89.57	181.20	11759.46	2188.30	-2188.83	-69.61	0.08	539932.66	763048.17	N 32 28 56.22 W	103 36 51.58	2189.94	181.82
	13253.00	91.83	179.85	11758.31	2282.27	-2282.82	-70.47	2.80	539838.68	763047.31	N 32 28 55.29 W	103 36 51.60	2283.90	181.77
	13347.00	91.76	179.16	11755.36	2376.22	-2376.77	-69.66	0.74	539744.73	763048.12	N 32 28 54.36 W	103 36 51.60	2377.79	181.68
	13441.00	91.66	178.58	11752.56	2470.17	-2470.70	-67.81	0.63	539650.80	763049.98	N 32 28 53.43 W	103 36 51.59	2471.64	181.57
	13535.00	89.87	179.42	11751.30	2564.15	-2564.68	-66.17	2.10	539556.83	763051.62	N 32 28 52.50 W	103 36 51.57	2565.53	181.48
	13630.00	87.77	180.26	11753.26	2659.13	-2659.65	-65.90	2.38						

Intent ☐ As Drilled ☒

API # 30-025-46718		
Operator Name: EARTHSTONE OPERATING, LLC	Property Name: SOMBRERO 18 3BS FED COM	Well Number 2H

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
N	7	21S	33E		246	SOUTH	1739	WEST	LEA
Latitude 32.486848					Longitude -103.614259				NAD 83

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
C	18	21S	33E		322	NORTH	1715	WEST	LEA
Latitude 32.485288					Longitude -103.614339				NAD 83

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
N	18	21S	33E		116	SOUTH	1718	WEST	LEA
Latitude 32.471992					Longitude -103.614324				NAD 83

Is this well the defining well for the Horizontal Spacing Unit? ☒Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018

Well Name: STETSON 7 FED COM	Well Location: T21S / R33E / SEC 7 / SESW / 32.488092 / -103.614834	County or Parish/State: LEA / NM
Well Number: 602H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM50346	Unit or CA Name:	Unit or CA Number:
US Well Number: 300254671800X1	Well Status: Drilling Well	Operator: CHISHOLM ENERGY OPERATING LLC

Subsequent Report

Sundry ID: 2633885

Type of Submission: Subsequent Report

Date Sundry Submitted: 09/13/2021

Date Operation Actually Began: 07/31/2021

Type of Action: Hydraulic Fracturing

Time Sundry Submitted: 03:13

Actual Procedure: 07/31/2021-PBTD @ 16929'MD -RUN CBL W/EST TOC @ 580' MD 08/01/2021- SET CBP @ 16915'MD -PRESSURE TEST 5.5" CSG TO 9850 PSI, 30 MIN, GOOD TEST -PERFORATE STAGE 1 @ 16907' - 16744' MD 08/11-08/23/2021-PERFORATE STAGE 2-27 @ 16727'-12064' MD -FRACTURE ALL STAGES W/665 BBLS HCI + 244403 BBLS SW W/6948038# 100 MESH + 3767618# 40/70 SAND 08/24-08/27/2021-DRILL OUT 09/01/2021-TURN WELL OVER TO PRODUCTION 09/04/2021-TURN WELL TO FLOWBACK **REQUEST FOR OCD OF EXTENSION OF TIME TO FILE BLM-APPROVED FORM 3160-4**

Well Name: STETSON 7 FED COM	Well Location: T21S / R33E / SEC 7 / SESW / 32.488092 / -103.614834	County or Parish/State: LEA / NM
Well Number: 602H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM50346	Unit or CA Name:	Unit or CA Number:
US Well Number: 300254671800X1	Well Status: Drilling Well	Operator: CHISHOLM ENERGY OPERATING LLC

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: JENNIFER ELROD	Signed on: SEP 13, 2021 03:13 PM
Name: CHISHOLM ENERGY OPERATING LLC	
Title: Senior Regulatory Technician	
Street Address: 801 CHERRY STREET, SUITE 1200-UNIT 20	
City: Fort Worth	State: TX
Phone: (817) 953-3728	
Email address: jelrod@chisholmenergy.com	

Field Representative

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: Jonathon W Shepard	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Accepted	Disposition Date: 10/15/2021
Signature: Jonathon Shepard	

Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017													
WELL COMPLETION OR RECOMPLETION REPORT AND LOG								1. WELL API NO. 30-025-46718										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name SOMBRERO 18 3BS FEDERAL COM										
								6. Well Number: 2H										
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER																		
8. Name of Operator EARTHSTONE OPERATING, LLC						9. OGRID 331165												
10. Address of Operator 1400 WOODLOCH FOREST, STE. 300 ATTN: REG THE WOODLANDS, TX 77380						11. Pool name or Wildcat (97895) WC-025 G-08 S213304D; BONE SPRING												
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County								
Surface:	N	7	21S	33E		775	SOUTH	1785	WEST	LEA								
BH:	N	18	21S	33E		92	SOUTH	1718	WEST	LEA								
13. Date Spudded 06/24/2021	14. Date T.D. Reached 07/22/2021		15. Date Rig Released 07/25/2021			16. Date Completed (Ready to Produce) 09/05/2021		17. Elevations (DF and RKB, RT, GR, etc.) 3900' GR										
18. Total Measured Depth of Well 16,960' MD/11,894' TVD			19. Plug Back Measured Depth 16,929' MD/ 11,893' TVD			20. Was Directional Survey Made? YES		21. Type Electric and Other Logs Run GAMMA, MWD, CBL										
22. Producing Interval(s), of this completion - Top, Bottom, Name 12,064' - 16,907'; (97895) WC-025 G08 S213304D; BONE SPRING																		
23. CASING RECORD (Report all strings set in well)																		
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED								
20"		94# J-55		1760'		26"		3570 SX-CLASS C		0								
13.375"		54.5# J-55		3606'		17.5"		2485 SX-CLASS C		0								
9.625"		40# J-55		5796'		12.25"		1380 SX-CLASS C		0								
5.5"		20# P-110		16,933'		8.75"		1645 SX-CLASS H		0								
24. LINER RECORD						25. TUBING RECORD												
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET											
26. Perforation record (interval, size, and number) 12,064' - 16,907' 0.42", 40 HOLES/STAGE 27 STAGES 1080 TOTAL HOLES					27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>DEPTH INTERVAL</th> <th>AMOUNT AND KIND MATERIAL USED</th> </tr> <tr> <td>12,064' - 16,907'</td> <td>665 BBLS HCl + 244,403 BBLS SW W/</td> </tr> <tr> <td></td> <td>6,948,038 # 100 MESH + 3,767,618# 40/70</td> </tr> <tr> <td></td> <td>SAND</td> </tr> </table>						DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED	12,064' - 16,907'	665 BBLS HCl + 244,403 BBLS SW W/		6,948,038 # 100 MESH + 3,767,618# 40/70		SAND
DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED																	
12,064' - 16,907'	665 BBLS HCl + 244,403 BBLS SW W/																	
	6,948,038 # 100 MESH + 3,767,618# 40/70																	
	SAND																	
28. PRODUCTION																		
Date First Production 09/09/2021		Production Method (Flowing, gas lift, pumping - Size and type pump) FLOWING				Well Status (Prod. or Shut-in) PROD												
Date of Test 10/04/2021	Hours Tested 24	Choke Size 64/64	Prod'n For Test Period	Oil - Bbl 822	Gas - MCF 1220	Water - Bbl. 2882	Gas - Oil Ratio 1484											
Flow Tubing Press. 0	Casing Pressure 235	Calculated 24-Hour Rate	Oil - Bbl. 822	Gas - MCF 1220	Water - Bbl. 2882	Oil Gravity - API - (Corr.) 44												
29. Disposition of Gas (Sold, used for fuel, vented, etc.) SOLD & FLARED							30. Test Witnessed By MURPHY WELL CONTROL											
31. List Attachments																		
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.							33. Rig Release Date:											
34. If an on-site burial was used at the well, report the exact location of the on-site burial:																		
Latitude _____ Longitude _____ NAD83																		
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief Signature <i>Deborah Marberry</i> Name DEBORAH MARBERRY Printed DEBORAH MARBERRY Title SR. REGULATORY ANALYST Date 12/16/2022																		
E-mail Address DMARBERRY@EARTHSTONEENERGY.COM																		

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy Rustler -	T. Canyon	T. Ojo Alamo	T. Penn A"
T. Salt Salado	T. Strawn	T. Kirtland	T. Penn. "B"
B. Salt	T. Atoka	T. Fruitland	T. Penn. "C"
T. Yates 3477' MD	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers	T. Devonian	T. Cliff House	T. Leadville
T. Queen	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware San 5922' MD	T. Morrison	
T. Drinkard	T. Bone Springs 8952 MD	T. Todilto	
T. Abo	T. Capitan Reef - 3687 MD	T. Entrada	
T. Wolfcamp 1	T. 1st Bone Spring -9997 MD	T. Wingate	
T. Penn	T. 2nd Bone Spring-10552 MD	T. Chinle	
T. Cisco (Bough C)	T. 3rd Bone Spring 11537 MD	T. Permian	

No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.


No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

From To Thickness
In Feet Lithology



Last Updated: 11/11/2021 12:50 PM



Field Name			Lease Name			Well No.		
Sombrero 18 Fed 3BS Com 2H			Sombrero 18 Fed Com			3BS 2H		
County			State			API No.		
LEA			New Mexico			30025467180000		
Version		Version Tag						
0		As Drilled						
GL (ft)	KB (ft)	Section	Township/Block			Range/Survey		
3,900.0	3,926.0	7	21S			33E		
Operator			Well Status		Latitude		Longitude	
Chisholm Energy			ESP		32.488298		-103.614055	
Dist. N/S (ft)	Dir. N/S	Dist. E/W (ft)	Dir. E/W		Footage From			
775	FSL	1785	FEL					
Prop Num				Spud Date		Comp. Date		
				6/24/2021		8/11/2021		
Additional Information								
Other 1			Other 2		Other 3		Other 4	
Prepared By			Updated By			Last Updated		
sbrodbeck			sbrodbeck			11/11/2021 12:50 PM		
Hole Summary								
Date	Diam. (in)	Top (MD ft)	Bottom (MD ft)	Memo				
6/24/2021	26.000	80	1,775					
7/3/2021	17.500	1,775	3,618					
7/9/2021	12.250	3,618	5,820					
7/12/2021	8.750	5,820	12,371					
7/20/2021	8.500	12,371	16,960					
Tubular Summary								
Date	Description	O.D. (in)	Wt (lb/ft)	Grade	Top (MD ft)	Bottom (MD ft)		
7/1/2021	Surface Casing	20.000	94.00	J-55	0	1,760		
7/7/2021	Intermediate Casing	13.375	54.50	J-55	0	3,606		
7/11/2021	Intermediate Casing	9.625	40.00	J-55	0	5,796		
7/24/2021	Production Casing	5.500	20.00	P-110	0	16,933		
Casing Cement Summary								
C	Date	No. Sx	Csg. O.D. (in)	Top (MD ft)	Bottom (MD ft)	Memo		
	7/2/2021	2,375	20.000	0	704			
	7/2/2021	1,195	20.000	704	1,760			
	7/7/2021	1,675	13.375	0	2,056			
	7/7/2021	810	13.375	2,056	3,606			
	7/11/2021	1,030	9.625	0	4,033			
	7/11/2021	350	9.625	4,033	5,796			
	7/25/2021	590	5.500	4,130	10,670			
	7/25/2021	1,055	5.500	10,670	16,933			
Perforation Summary								
C	Date	Perf. Status	Formation		OA Top (MD ft)	OA Bottom (MD ft)		
	8/23/2021	Open	3rd Bone Spring		12,064	16,906		



Last Updated: 11/11/2021 12:50 PM

Field Name		Lease Name		Well No.	County		State		API No.		
Sombrero 18 Fed 3BS Com 2H		Sombrero 18 Fed Com		3BS 2H	LEA		New Mexico		30025467180000		
Version	Version Tag				Spud Date		Comp. Date		GL (ft)	KB (ft)	
0 As Drilled					6/24/2021		8/11/2021		3,900.0	3,926.0	
Section	Township/Block		Range/Survey		Dist. N/S (ft)	Dir. N/S	Dist. E/W (ft)		Dir. E/W	Footage From	
7	21S		33E		775	FSL	1,785		FEL		
Operator			Well Status			Latitude		Longitude		Prop Num	
Chisholm Energy			ESP			32.488298		-103.614055			
Other 1		Other 2			Other 3				Other 4		
Last Updated		Prepared By				Updated By					
11/11/2021 12:50 PM		sbrodbeck				sbrodbeck					
Additional Information											

Hole Summary

Date	Diam. (in)	Top (MD ft)	Bottom (MD ft)	Memo
6/24/2021	26.000	80	1,775	
7/3/2021	17.500	1,775	3,618	
7/9/2021	12.250	3,618	5,820	
7/12/2021	8.750	5,820	12,371	
7/20/2021	8.500	12,371	16,960	

Tubular Summary

Date	Description	No. Jts	O.D. (in)	Wt (lb/ft)	Grade	Coupling	Top (MD ft)	Bottom (MD ft)	Memo
7/1/2021	Surface Casing	42	20.000	94.00	J-55	BTC	0	1,760	
7/7/2021	Intermediate Casing	91	13.375	54.50	J-55	BTC	0	3,606	
7/11/2021	Intermediate Casing	142	9.625	40.00	J-55	LTC	0	5,796	
7/24/2021	Production Casing	396	5.500	20.00	P-110	BTC	0	16,933	

Casing Cement Summary

C	Date	No. Sx	Yield (ft3/sk)	Vol. (ft3)	Csg. O.D. (in)	Top (MD ft)	Bottom (MD ft)	Description	Memo
	7/2/2021	2,375	1.68	3,990	20.000	0	704		
	7/2/2021	1,195	1.33	1,589	20.000	704	1,760		
	7/7/2021	1,675	2.79	4,673	13.375	0	2,056		
	7/7/2021	810	1.33	1,077	13.375	2,056	3,606		
	7/11/2021	1,030	2.79	2,874	9.625	0	4,033		
	7/11/2021	350	1.33	552	9.625	4,033	5,796		
	7/25/2021	590	2.80	1,652	5.500	4,130	10,670		
	7/25/2021	1,055	1.50	1,583	5.500	10,670	16,933		

Perforation Summary

C	Date	Stage	Perf. Status	Formation	Closed Date	Memo
	8/23/2021	1-27	Open	3rd Bone Spring		
Top (MD ft)	Bottom (MD ft)	SPF	Shots	Phasing (deg)	Interval Memo	
12,064	12,226					
12,244	12,406					
12,424	12,586					
12,604	12,766					
12,784	12,946					
12,964	13,126					
13,144	13,306					
13,324	13,486					
13,504	13,666					
13,684	13,846					
13,864	14,026					




Last Updated: 11/11/2021 12:50 PM

C	Date	Stage	Perf. Status	Formation			Closed Date	Memo
	Top (MD ft)	Bottom (MD ft)	SPF	Shots	Phasing (deg)	Interval Memo		
	14,044	14,206						
	14,224	14,386						
	14,404	14,566						
	14,584	14,746						
	14,764	14,926						
	14,944	15,106						
	15,124	15,286						
	15,304	15,466						
	15,484	15,646						
	15,664	15,826						
	15,844	16,006						
	16,024	16,186						
	16,204	16,366						
	16,384	16,546						
	16,564	16,726						
	16,744	16,906						

Last Updated: 11/11/2021 12:50 PM

Field Name		Lease Name				Well No.		County	State	API No.	
Sombbrero 18 Fed 3BS Com 2H		Sombbrero 18 Fed Com				3BS 2H		LEA	New Mexico	30025467180000	
Version	Version Tag					Spud Date		Comp. Date	G.L. (ft)	K.B. (ft)	
0	As Drilled					6/24/2021		8/11/2021	3,900.0	3,926.0	
Sec.	Township/Block	Range/Survey	Dist. N/S (ft)	N/S Line	Dist. E/W (ft)	E/W Line	Footage From	Latitude	Longitude		
7	21S	33E	775	FSL	1785	FEL		32.488298	-103.614055		
Well Status		PropNum	Operator		Last Updated			Prepared By		Updated By	
ESP			Chisholm Energy		11/11/2021 12:50:14 PM			sbrodbeck		sbrodbeck	

Additional Information



District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 168063

ACKNOWLEDGMENTS

Operator: Earthstone Operating, LLC 1400 Woodloch Forest; Ste 300 The Woodlands, TX 77380	OGRID: 331165
	Action Number: 168063
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 168063

CONDITIONS

Operator: Earthstone Operating, LLC 1400 Woodloch Forest; Ste 300 The Woodlands, TX 77380	OGRID: 331165
	Action Number: 168063
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	File 3160-4 Completion Report within 10 days to NMOCD after BLM approval.	3/3/2023