

Submit a Copy To Appropriate District
Office
District I – (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II – (575) 748-1283
811 S. First St., Artesia, NM 88210
District III – (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV – (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-37487
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name PRESLEY "34"
8. Well Number 001
9. OGRID Number 330423
10. Pool name or Wildcat Trinity (Wolfcamp)
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3799' GR

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other

2. Name of Operator
Extex Operating Company

3. Address of Operator
1616 S. Voss Rd. Suite 400 77057

4. Well Location

Unit Letter _____ C _____ : _____ 510 _____ feet from the _____ NORTH _____ line and _____ 1510 _____ feet from the _____ WEST _____ line
Section 34 Township 12S Range 38E NMPM County LEA

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☒ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐
CLOSED-LOOP SYSTEM ☐
OTHER: REQUEST TO EXTEND TA WITH MIT TEST ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐
Extex Performed & Passed Witnessed MIT Test ☐
OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Extex wishes to temporarily abandon this well until oil and gas prices recover for uphole completion operations.

**Condition of Approval: notify
OCD Hobbs office 24 hours
prior of running MIT Test & Chart**

Procedure:

POH with production equipment. RIH with CIBP. Set CIBP at 9,465'. Notify OCD for MIT and perform MIT on well.
Wellbore diagram attached.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Bryce Mueller TITLE _____ Production Engineer _____ DATE 3/23/2022

Type or print name Bryce Mueller E-mail address: bmueller@extex.net PHONE: 817-944-7406

For State Use Only

APPROVED BY: Kerry Fortner TITLE Compliance Officer A DATE 3/27/23
Conditions of Approval (if any):

Extex Operating Company

5065 Westheimer, Suite 625
Houston, TX 77056
713.953.0824

June 27, 2022

MIT Work Plan

1. Notify OCD Minimum 24 Hours before MIT is to be performed
2. RU to well with pump & pressure recorder
3. Pressure up well to minimum 550 PSI
4. Monitor & Record Pressure for minimum of 30 Minutes.
5. RD & Secure Well

Wellbore Schematic

Printed: 3/22/2023

Page 1

PRESLEY 34 # 1		Co. Well ID: 300139.01		API # 3002537487	
PRESLEY 34 # 1, 3/22/2023		510 FNL & 1510 FWL	GL Elev: 3,711.00	KOP:	
		Section 34, Township 12S, Range 38E		EOC:	
		County, State: LEA, NM		Fill Depth:	
		Aux ID: AUX00199		PBTD:	
		'KB' correction: ; All Depths Corr To:		TD:	9,705.00
				BOP:	

Hole Size			
Diameter	Top At	Btm At	Date Drilled
17.5000	0.00	452.00	10/17/2005
12.2500	452.00	4,500.00	10/17/2005
7.8750	4,500.00	9,795.00	10/17/2005

Surface Casing								Date Ran: 10/17/2005
Description	#	Diameter	Weight	Grade	Length	Top At	Btm At	
Casing		13.3750	48.00	H40	452.00	0.00	452.00	
Casing					0.00	452.00	452.00	

Intermediate Casing								Date Ran: 10/17/2005
Description	#	Diameter	Weight	Grade	Length	Top At	Btm At	
Casing		8.6250	32.00	J55	4,500.00	0.00	4,500.00	

Production Casing								Date Ran: 10/17/2005
Description	#	Diameter	Weight	Grade	Length	Top At	Btm At	
Casing		5.5000	17.00	J55	9,615.00	0.00	9,615.00	

Cement								
Top At	Btm At	I D	O D	TOC Per	# - Type	# Sx	Class	Wt.
0.00	452.00	13.375	17.500	Circ		495	c	
1234.0	4500	8.625	12.25	TS		1420	c	
4,690.00	9,615.00	5.500	7.875	Calc		1170	H	

Zone and Perfs

WOLFCAMP

Comments / Completion Summary

MATRIX

Perforations

Top	Bottom	Formation	Status	Opened	Closed	# / Ft	Ttl #
9,512.00	9,540.00	WOLFCAMP	A	10/17/2005			


Tubing								Date Ran: 10/25/2005
Description	#	Diameter	Weight	Grade	Length	Top At	Btm At	
Tubing		2.8750	6.50		9,152.00	0.00	9,152.00	

Rods								Date Ran: 4/29/2015
Description	#	Diameter	Rod Box	Grade	Length	Top At	Btm At	
Polish Rod Liner	1	1.7500			18.00	-18.00	0.00	
Polish Rod	1	1.5000			30.00	0.00	30.00	
Rods	1	1.0000			20.00	30.00	50.00	
Rods	145	1.0000		FG	5,437.50	50.00	5,487.50	
FG								
Rods	69	1.0000			1,725.00	5,487.50	7,212.50	
Steel								
Rods	72	0.8750			1,750.00	7,212.50	8,962.50	
Steel								
Sinker Bars	6	1.5000			150.00	8,962.50	9,112.50	
1.5 K-Bars								
Pump	1	1.2500			32.00	9,112.50	9,144.50	
25-125-RHBC-30-6-2								
Gas Anchor	1	1.2500			8.00	9,144.50	9,152.50	

Wellbore Schematic

Printed: 3/22/2023

Page 1



District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 199685

CONDITIONS

Operator: Extex Operating Company 1616 S. Voss Road Houston, TX 77057	OGRID: 330423
	Action Number: 199685
	Action Type: [C-103] NOI Temporary Abandonment (C-103I)

CONDITIONS

Created By	Condition	Condition Date
kfortner	Run TA status MIT/BHT test	3/27/2023