

Submit 1 Copy To Appropriate District Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) 1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐		WELL API NO. 30-025-45908
2. Name of Operator Kaiser-Francis Oil Company		5. Indicate Type of Lease STATE ☐ FEE ☐ FED ☐
3. Address of Operator P.O. Box 21468, Tulsa, OK 74121		6. State Oil & Gas Lease No.
4. Well Location Unit Letter <u>F</u> : <u>2,507</u> feet from the <u>North</u> line and <u>1,555</u> feet from the <u>West</u> line Section <u>6</u> Township <u>24S</u> Range <u>34E</u> NMPM County <u>Lea</u>		7. Lease Name or Unit Agreement Name Bell Lake Unit South
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3,618' GR		8. Well Number 207H
9. OGRID Number 12361		10. Pool name or Wildcat Bell Lake; Bone Spring, South

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:				SUBSEQUENT REPORT OF:			
PERFORM REMEDIAL WORK	☐	PLUG AND ABANDON	☐	REMEDIAL WORK	☐	ALTERING CASING	☐
TEMPORARILY ABANDON	☐	CHANGE PLANS	☐	COMMENCE DRILLING OPNS.	☐	P AND A	☐
PULL OR ALTER CASING	☐	MULTIPLE COMPL	☐	CASING/CEMENT JOB	☐		
DOWNHOLE COMMINGLE	☐						
CLOSED-LOOP SYSTEM	☐						
OTHER:	☐			OTHER:	☒	Update Spacing Acreage	☒

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Kaiser-Francis Oil Company requests to update the dedicate acreage for the Bell Lake Unit South 207H to 476.14 acres.

Spud Date: 1/14/2021 Rig Release Date: 3/3/2021

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE *Christina Opfer* TITLE Regulatory Manager DATE 3/29/2023
 Type or print name Christina Opfer E-mail address ChristinaO@kfoc.net PHONE 918-491-4468

For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____

Conditions of Approval (if any):

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1,
2011
Submit one copy to appropriate
District Office
☒ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-025-45908	² Pool Code 98264	³ Pool Name Bell Lake; Bone Spring, South
⁴ Property Code 316707	⁵ Property Name BELL LAKE UNIT SOUTH	⁶ Well Number 207H
⁷ OGRID No. 12361	⁸ Operator Name KAISER-FRANCIS OIL CO.	⁹ Elevation 3615.7

¹⁰ Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
F	6	24 S	34 E		2507	NORTH	1555	WEST	LEA

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
4	7	24 S	34 E		330	SOUTH	350	WEST	LEA

¹² Dedicated Acres 476.14	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No. R-14600
--	-------------------------------	----------------------------------	---

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

¹⁷ OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Christina Opfer

3/29/23

Signature

Date

Christina Opfer

Printed Name

ChristinaO@kfoc.net

E-mail Address

¹⁸ SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

JANUARY 6, 2021

Date of Survey

Signature and Seal of Professional Surveyor:

Certificate Number: **PHILIP J. HARRIS, P.S. 12797**
SURVEY NO. 5933C

Intent ☒ As Drilled ☐API #
30-025-45908

Operator Name: KAISER-FRANCIS OIL CO.	Property Name: BELL LAKE UNIT SOUTH	Well Number 207H
---	---	----------------------------

Kick Off Point (KOP)

UL F	Section 6	Township 24S	Range 34E	Lot	Feet 2507	From N/S NORTH	Feet 1555	From E/W WEST	County LEA
Latitude 32.2469497					Longitude 103.5124945			NAD 83	

First Take Point (FTP)

UL	Section 6	Township 24S	Range 34E	Lot 6	Feet 2600	From N/S SOUTH	Feet 410	From E/W WEST	County LEA
Latitude 32.2464819					Longitude 103.5161972			NAD 83	

Last Take Point (LTP)

UL	Section 7	Township 24S	Range 34E	Lot 4	Feet 330	From N/S SOUTH	Feet 350	From E/W WEST	County LEA
Latitude 32.2257295					Longitude 103.5163840			NAD 83	

Is this well the defining well for the Horizontal Spacing Unit?

☒

Is this well an infill well?

☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.


API #

Operator Name:	Property Name:	Well Number
----------------	----------------	-------------

KZ 06/29/2018

SECTION 6, TOWNSHIP 24 SOUTH, RANGE 34 EAST, N.M.P.M.
LEA COUNTY, STATE OF NEW MEXICO
SITE MAP

NOTE: LATITUDE AND LONGITUDE COORDINATES ARE SHOWN USING THE NORTH AMERICAN DATUM OF 1983 (NAD83) LISTED NEW MEXICO STATE PLANE EAST COORDINATES ARE GRID (NAD83). BASIS OF BEARING AND DISTANCES USED ARE NEW MEXICO STATE PLANE EAST COORDINATES MODIFIED TO THE SURFACE. ELEVATION VALUES ARE NAVD88.



010 50 100 200

SCALE 1" = 100'

DIRECTIONS TO LOCATION

FROM STATE HIGHWAY 128 AND CR 21 (DELAWARE BASIN ROAD) GO NORTH ON CR 21 2.6 MILES, TURN LEFT ON BELL LAKE ROAD AND GO WEST 0.1 OF A MILE TO A ROAD SURVEY AND FOLLOW FLAGS SOUTH 119' TO THE NORTH EDGE OF PAD FOR THIS LOCATION.

I, FILIMON F. JARAMILLO, A NEW MEXICO REGISTERED PROFESSIONAL SURVEYOR CERTIFY THAT I DIRECTED AND AM RESPONSIBLE FOR THIS SURVEY, THAT THIS SURVEY IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF AND THAT IT MEETS THE MINIMUM STANDARDS FOR SURVEYING IN NEW MEXICO.

FILIMON F. JARAMILLO, 12/29/2020

MADDOX SURVEYING, INC.

301 SOUTH CANAL
(575) 234-3341


CARLSBAD, NEW MEXICO

KAISER-FRANCIS OIL CO.
BELL LAKE UNIT SOUTH 207H
LOCATED 2507 FT. FROM THE NORTH LINE
AND 1555 FT. FROM THE WEST LINE OF
SECTION 6, TOWNSHIP 24 SOUTH,
RANGE 34 EAST, N.M.P.M.
LEA COUNTY, STATE OF NEW MEXICO

JANUARY 6, 2021

SURVEY NO. 5933C

SECTION 6, TOWNSHIP 24 SOUTH, RANGE 34 EAST, N.M.P.M.
LEA COUNTY, STATE OF NEW MEXICO
LOCATION VERIFICATION MAP



USGS/4UAD MAP:
BELL LAKE

NOT TO SCALE

KAISER-FRANCIS OIL CO.
BELL LAKE UNIT SOUTH 207H
LOCATED 2507 FT. FROM THE NORTH LINE
AND 1555 FT. FROM THE WEST LINE OF
SECTION 6, TOWNSHIP 24 SOUTH,
RANGE 34 EAST, N.M.P.M.
LEA COUNTY, STATE OF NEW MEXICO


JANUARY 6, 2021

MADRON SURVEYING, INC.

301 SOUTH CANAL
(575) 234-3341

SURVEY NO. 5933C
CARLSBAD, NEW MEXICO

SECTION 6, TOWNSHIP 24 SOUTH, RANGE 34 EAST, N.M.P.M.
LEA COUNTY, STATE OF NEW MEXICO
VICINITY MAP



DISTANCES IN MILES

NOT TO SCALE

DIRECTIONS TO LOCATION

FROM STATE HIGHWAY 128 AND CR 21 (DELAWARE BASIN ROAD) GO NORTH ON CR 21 2.6 MILES, TURN LEFT ON BELL LAKE ROAD AND GO WEST 0.1 OF A MILE TO A ROAD SURVEY AND FOLLOW FLAGS SOUTH 119' TO THE NORTH EDGE OF PAD FOR THIS LOCATION.

KAISER-FRANCIS OIL CO.
BELL LAKE UNIT SOUTH 207H
LOCATED 2507 FT. FROM THE NORTH LINE
AND 1555 FT. FROM THE WEST LINE OF
SECTION 6, TOWNSHIP 24 SOUTH,
RANGE 34 EAST, N.M.P.M.
LEA COUNTY, STATE OF NEW MEXICO

JANUARY 6, 2021

MADRON SURVEYING, INC.

301 SOUTH CANAL
(575) 234-3341SURVEY NO. 5933C
CARLSBAD, NEW MEXICO

SECTION 6, TOWNSHIP 24 SOUTH, RANGE 34 EAST, N.M.P.M.
LEA COUNTY, STATE OF NEW MEXICO
AERIAL PHOTO



NOT TO SCALE
AERIAL PHOTO:
GOOGLE EARTH
NOVEMBER 2017

KAISER-FRANCIS OIL CO.
BELL LAKE UNIT SOUTH 207H
LOCATED 2507 FT. FROM THE NORTH LINE
AND 1555 FT. FROM THE WEST LINE OF
SECTION 6, TOWNSHIP 24 SOUTH,
RANGE 34 EAST, N.M.P.M.
LEA COUNTY, STATE OF NEW MEXICO


JANUARY 6, 2021

MADRON SURVEYING, INC.

301 SOUTH CANAL
(575) 234-3341

SURVEY NO. 5933C
CARLSBAD, NEW MEXICO

SECTION 6, TOWNSHIP 24 SOUTH, RANGE 34 EAST, N.M.P.M.
LEA COUNTY, STATE OF NEW MEXICO
ACCESS AERIAL ROUTE MAP



NOT TO SCALE
AERIAL PHOTO:
GOOGLE EARTH
NOVEMBER 2017

KAISER-FRANCIS OIL CO.
BELL LAKE UNIT SOUTH 207H
LOCATED 2507 FT. FROM THE NORTH LINE
AND 1555 FT. FROM THE WEST LINE OF
SECTION 6, TOWNSHIP 24 SOUTH,
RANGE 34 EAST, N.M.P.M.
LEA COUNTY, STATE OF NEW MEXICO


JANUARY 6, 2021

MADRON SURVEYING, INC.

301 SOUTH CANAL
(575) 234-3341

SURVEY NO. 5933C
CARLSBAD, NEW MEXICO

1-MILE MAP



NOT TO SCALE

- [SH] SURFACE LOCATION
 [BH] BOTTOM OF HOLE
 (XX) WELLS WITHIN 1 MILE
 - - - - - WELL PATH
 _____ 1-MILE BOUNDARY

KAISER-FRANCIS OIL CO.
BELL LAKE UNIT SOUTH 207H
 LOCATED 2507 FT. FROM THE NORTH LINE
 AND 1555 FT. FROM THE WEST LINE OF
 SECTION 6, TOWNSHIP 24 SOUTH,
 RANGE 34 EAST, N.M.P.M.
 LEA COUNTY, STATE OF NEW MEXICO

JANUARY 6, 2021

SURVEY NO. 5933C

MADRON SURVEYING, INC. 301 SOUTH CANAL

(575) 234-3341


CARLSBAD, NEW MEXICO

ACCESS ROAD PLAT


ACCESS ROAD TO THE BELL LAKE UNIT SOUTH PAD 6
(BELL LAKE UNIT SOUTH 408H, 208H, 207H)

KAISER-FRANCIS OIL CO.

CENTERLINE SURVEY OF AN ACCESS ROAD CROSSING
SECTION 6, TOWNSHIP 24 SOUTH, RANGE 34 EAST, N.M.P.M.
LEA COUNTY, STATE OF NEW MEXICO
JANUARY 6, 2021



SEE NEXT SHEET (2-2) FOR DESCRIPTION

**GENERAL NOTES**

- 1.) THE INTENT OF THIS ROUTE SURVEY IS TO ACQUIRE AN EASEMENT.
- 2.) BASIS OF BEARING AND DISTANCE IS NMSP EAST (NAD83) MODIFIED TO SURFACE COORDINATES. NAD 83 (FEET) AND NAVD 88 (FEET) COORDINATE SYSTEMS USED IN THE SURVEY.

SHEET: 1-2

MADRON SURVEYING, INC. 301 SOUTH CANAL CARLSBAD, NEW MEXICO (575) 234-3341

SURVEYOR CERTIFICATE

I, FILIMON F. JARAMILLO, A NEW MEXICO PROFESSIONAL SURVEYOR NO. 12797, HEREBY CERTIFY THAT I HAVE CONDUCTED AND AM RESPONSIBLE FOR THIS SURVEY, THAT THIS SURVEY IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF, AND THAT THIS SURVEY AND PLAT MEET THE MINIMUM STANDARDS FOR LAND SURVEYING IN THE STATE OF NEW MEXICO.

IN WITNESS WHEREOF, THIS CERTIFICATE IS EXECUTED AT CARLSBAD, NEW MEXICO, THIS 8 DAY OF JANUARY 2021

FILIMON F. JARAMILLO
FILIMON F. JARAMILLO PLS. 12797
NEW MEXICO PROFESSIONAL SURVEYOR

MADRON SURVEYING, INC.
301 SOUTH CANAL
CARLSBAD, NEW MEXICO 88220
Phone (575) 234-3341

SURVEY NO. 5933C

ACCESS ROAD PLAT

ACCESS ROAD TO THE BELL LAKE UNIT SOUTH PAD 6
(BELL LAKE UNIT SOUTH 408H, 208H, 207H)

KAISER-FRANCIS OIL CO.
CENTERLINE SURVEY OF AN ACCESS ROAD CROSSING
SECTION 6, TOWNSHIP 24 SOUTH, RANGE 34 EAST, N.M.P.M.
LEA COUNTY, STATE OF NEW MEXICO
JANUARY 6, 2021

DESCRIPTION

A STRIP OF LAND 30 FEET WIDE CROSSING STATE OF NEW MEXICO LAND IN SECTION 6, TOWNSHIP 24 SOUTH, RANGE 34 EAST, N.M.P.M., LEA COUNTY, STATE OF NEW MEXICO AND BEING 15 FEET EACH SIDE OF THE FOLLOWING DESCRIBED CENTERLINE SURVEY:

BEGINNING AT A POINT WITHIN THE SE/4 NW/4 OF SAID SECTION 6, TOWNSHIP 24 SOUTH, RANGE 34 EAST, N.M.P.M., WHENCE THE NORTHWEST CORNER OF SAID SECTION 6, TOWNSHIP 24 SOUTH, RANGE 34 EAST, N.M.P.M. BEARS N34°38'20"W, A DISTANCE OF 2603.54 FEET;

THENCE S00°03'59"W A DISTANCE OF 119.05 FEET THE TERMINUS OF THIS CENTERLINE SURVEY, WHENCE THE NORTHWEST CORNER OF SAID SECTION 6, TOWNSHIP 24 SOUTH, RANGE 34 EAST, N.M.P.M. BEARS N33°12'06"W, A DISTANCE OF 2702.26 FEET;

SAID STRIP OF LAND BEING 119.05 FEET OR 7.22 RODS IN LENGTH, CONTAINING 0.082 ACRES MORE OR LESS AND BEING ALLOCATED BY FORTIES AS FOLLOWS:

SE/4 NW/4 119.05 L.F. 7.22 RODS 0.082 ACRES

GENERAL NOTES

1.) THE INTENT OF THIS ROUTE SURVEY IS TO ACQUIRE AN EASEMENT.

2.) BASIS OF BEARING AND DISTANCE IS NMSP EAST (NAD83) MODIFIED TO SURFACE COORDINATES. NAD 83 (FEET) AND NAVD 88 (FEET) COORDINATE SYSTEMS USED IN THE SURVEY.

SHEET: 2-2

MADRON SURVEYING, INC. 301 SOUTH CANAL, CARLSBAD, NEW MEXICO 88220
(575) 234-3341

SURVEYOR CERTIFICATE

I, FILIMON F. JARAMILLO, A NEW MEXICO PROFESSIONAL SURVEYOR NO. 12797, HEREBY CERTIFY THAT I HAVE CONDUCTED AND AM RESPONSIBLE FOR THIS SURVEY, THAT THIS SURVEY IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF, AND THAT THIS SURVEY AND PLAT MEET THE MINIMUM STANDARDS FOR LAND SURVEYING IN THE STATE OF NEW MEXICO.

IN WITNESS WHEREOF, THIS CERTIFICATE IS EXECUTED AT CARLSBAD, NEW MEXICO, THIS 08 DAY OF JANUARY 2021

FILIMON F. JARAMILLO PLS. 12797
NEW MEXICO PROFESSIONAL SURVEYOR

MADRON SURVEYING, INC.
301 SOUTH CANAL
CARLSBAD, NEW MEXICO 88220
Phone (575) 234-3341

SURVEY NO. 5933C



Directional Survey Report

Company: **Kaiser Francis Oil Company**Well: **Bell Lake Unit South 207H**County: **Lea**State: **NM**Field: **Bell Lake South / Bone Spring**API: **30-025-45908**Rig: **Cactus 166**Service Co: **Gordon Technologies LLC**Job #: **AEP 21018 / GT210021**Survey Calc: **Minimum Curvature**

Well Surface Location

Latitude: **32.246826**Longitude: **-103.512017**Reference: **NAD 1927**Y (Northing): **454,484.67**X (Easting): **753,923.29**Field Engr: **Jake Hicks****Trevor Troy**Report Date: **Mar 16 2021**Time: **18:03**Mag Reference: **Grid North**Mag Correction: **5.98**Vert Sect. Azi: **189.64**Perm Datum: **Mean Sea Level**Depth Ref: **Rotary Table**RKB Height: **23**GL Elev: **3615**

Survey						Rectangular Offsets		Course		Closure				Source
	MD	Inc	Azimuth	TVD	VS	NS	EW	Length	DLS	Temp	Distance	Azimuth		
Tie In	0	0	0	0	0	0	0	0	0	0	0	0		
1	225.00	0.48	21.08	225.00	-0.92	0.88	0.34	225.00	0.21	44.00	0.94	21.08	MWD Run 1	
2	421.00	0.48	29.91	420.99	-2.50	2.36	1.04	196.00	0.04	51.29	2.58	23.88	MWD Run 1	
3	609.00	0.74	42.80	608.98	-4.25	3.93	2.26	188.00	0.16	58.57	4.53	29.91	MWD Run 1	
4	796.00	0.63	4.39	795.97	-6.29	5.84	3.16	187.00	0.25	58.57	6.64	28.41	MWD Run 1	
5	984.00	0.57	319.68	983.96	-7.92	7.59	2.63	188.00	0.24	73.14	8.03	19.15	MWD Run 1	
6	1173.00	0.26	30.01	1172.95	-8.93	8.67	2.24	189.00	0.29	73.14	8.96	14.48	MWD Run 1	
7	1290.00	0.34	103.54	1289.95	-9.15	8.82	2.71	117.00	0.31	80.43	9.23	17.08	MWD Run 1	
8	1362.00	0.12	350.00	1361.95	-9.21	8.85	2.91	72.00	0.56	65.86	9.31	18.18	MWD Run 3	
9	1457.00	1.57	310.56	1456.94	-9.97	9.79	1.90	95.00	1.56	0.00	9.97	10.98	MWD Run 3	
10	1552.00	3.19	303.99	1551.85	-11.73	12.11	-1.28	95.00	1.73	87.71	12.18	353.96	MWD Run 3	
11	1647.00	4.60	301.33	1646.63	-14.23	15.57	-6.73	95.00	1.50	95.00	16.96	336.64	MWD Run 3	
12	1742.00	6.12	297.61	1741.21	-17.20	19.90	-14.47	95.00	1.64	102.29	24.60	323.98	MWD Run 3	
13	1837.00	7.77	293.31	1835.52	-20.28	24.79	-24.85	95.00	1.82	102.29	35.10	314.92	MWD Run 3	
14	1932.00	9.46	290.28	1929.44	-23.24	30.04	-38.08	95.00	1.84	109.57	48.50	308.27	MWD Run 3	
15	2027.00	10.81	285.47	2022.96	-25.58	35.12	-53.99	95.00	1.68	109.57	64.40	303.05	MWD Run 3	
16	2122.00	12.18	283.18	2116.05	-27.11	39.78	-72.33	95.00	1.52	116.86	82.55	298.81	MWD Run 3	
17	2217.00	13.79	282.96	2208.62	-28.38	44.61	-93.12	95.00	1.70	116.86	103.26	295.59	MWD Run 3	
18	2312.00	13.80	281.40	2300.88	-29.39	49.38	-115.27	95.00	0.39	124.14	125.40	293.19	MWD Run 3	
19	2407.00	14.84	282.70	2392.93	-30.38	54.30	-138.24	95.00	1.15	124.14	148.52	291.44	MWD Run 3	
20	2502.00	14.29	282.88	2484.87	-31.69	59.59	-161.54	95.00	0.58	124.14	172.18	290.25	MWD Run 3	
21	2597.00	13.62	282.56	2577.07	-32.93	64.63	-183.89	95.00	0.71	131.43	194.91	289.37	MWD Run 3	
22	2692.00	14.67	280.89	2669.19	-33.76	69.34	-206.62	95.00	1.19	131.43	217.94	288.55	MWD Run 3	
23	2787.00	15.07	280.52	2761.00	-34.21	73.87	-230.57	95.00	0.43	131.43	242.11	287.76	MWD Run 3	
24	2882.00	14.55	279.94	2852.85	-34.46	78.18	-254.47	95.00	0.57	131.43	266.21	287.08	MWD Run 3	
25	2977.00	14.83	279.60	2944.74	-34.52	82.27	-278.21	95.00	0.31	131.43	290.12	286.47	MWD Run 3	
26	3072.00	15.17	284.63	3036.51	-35.59	87.44	-302.23	95.00	1.42	138.71	314.62	286.14	MWD Run 3	
27	3167.00	14.85	283.62	3128.27	-37.52	93.44	-326.08	95.00	0.44	138.71	339.21	285.99	MWD Run 3	
28	3262.00	14.90	284.06	3220.08	-39.30	99.28	-349.76	95.00	0.13	138.71	363.58	285.85	MWD Run 3	
29	3357.00	15.52	282.79	3311.76	-40.94	105.06	-374.01	95.00	0.74	131.43	388.48	285.69	MWD Run 3	
30	3452.00	15.40	281.97	3403.32	-42.15	110.49	-398.74	95.00	0.26	138.71	413.76	285.49	MWD Run 3	
31	3547.00	15.00	282.81	3495.00	-43.35	115.83	-423.07	95.00	0.48	138.71	438.64	285.31	MWD Run 3	
32	3642.00	14.48	282.60	3586.87	-44.64	121.14	-446.65	95.00	0.55	138.71	462.78	285.18	MWD Run 3	
33	3737.00	14.52	283.19	3678.84	-45.99	126.45	-469.83	95.00	0.16	138.71	486.55	285.06	MWD Run 3	
34	3832.00	15.22	284.64	3770.66	-47.81	132.32	-493.49	95.00	0.83	138.71	510.93	285.01	MWD Run 3	
35	3926.00	14.56	283.41	3861.50	-49.67	138.18	-516.93	94.00	0.78	146.00	535.08	284.97	MWD Run 3	
36	4021.00	14.77	281.86	3953.41	-50.92	143.44	-540.39	95.00	0.47	138.71	559.11	284.87	MWD Run 3	
37	4116.00	15.78	281.58	4045.05	-51.83	148.52	-564.90	95.00	1.07	138.71	584.10	284.73	MWD Run 3	
38	4211.00	15.65	281.04	4136.50	-52.58	153.57	-590.13	95.00	0.21	146.00	609.78	284.59	MWD Run 3	
39	4306.00	16.52	280.33	4227.78	-53.05	158.44	-615.99	95.00	0.94	138.71	636.04	284.42	MWD Run 3	
40	4401.00	17.08	280.36	4318.73	-53.39	163.37	-643.01	95.00	0.59	146.00	663.44	284.26	MWD Run 3	
41	4496.00	16.19	278.70	4409.75	-53.35	167.89	-669.82	95.00	1.06	146.00	690.54	284.07	MWD Run 3	
42	4591.00	15.13	277.55	4501.22	-52.68	171.52	-695.20	95.00	1.16	146.00	716.05	283.86	MWD Run 3	
43	4686.00	15.10	282.47	4592.94	-52.84	175.82	-719.58	95.00	1.35	146.00	740.75	283.73	MWD Run 3	
44	4781.00	15.88	286.37	4684.49	-54.97	182.16	-744.13	95.00	1.37	146.00	766.10	283.75	MWD Run 3	
45	4876.00	15.40	285.61	4775.97	-57.81	189.21	-768.75	95.00	0.55	146.00	791.69	283.83	MWD Run 3	
46	4971.00	14.10	283.36	4867.84	-59.87	195.28	-792.16	95.00	1.50	146.00	815.87	283.85	MWD Run 3	
47	5066.00	14.62	285.64	4959.87	-61.88	201.19	-814.96	95.00	0.81	146.00	839.43	283.87	MWD Run 3	
48	5152.00	15.35	283.90	5042.95	-63.86	206.85	-836.46	86.00	1.00	146.00	861.66	283.89	MWD Run 3	

49	5260.00	15.17	279.48	5147.15	-64.88	212.61	-864.28	108.00	1.09	95.00	890.05	283.82	MWD Run 4
50	5355.00	15.01	279.05	5238.87	-64.72	216.59	-888.69	95.00	0.21	95.00	914.70	283.70	MWD Run 4
51	5450.00	15.22	279.09	5330.58	-64.47	220.50	-913.15	95.00	0.22	95.00	939.40	283.58	MWD Run 4
52	5545.00	15.61	279.65	5422.17	-64.35	224.61	-938.07	95.00	0.44	102.29	964.58	283.47	MWD Run 4
53	5640.00	15.78	279.32	5513.62	-64.28	228.84	-963.41	95.00	0.20	102.29	990.22	283.36	MWD Run 4
54	5735.00	16.03	279.82	5604.99	-64.25	233.17	-989.08	95.00	0.30	102.29	1016.20	283.27	MWD Run 4
55	5830.00	16.63	279.65	5696.15	-64.30	237.69	-1015.41	95.00	0.63	109.57	1042.86	283.17	MWD Run 4
56	5925.00	17.70	280.13	5786.92	-64.42	242.51	-1043.03	95.00	1.14	109.57	1070.85	283.09	MWD Run 4
57	6020.00	18.91	280.78	5877.11	-64.85	247.93	-1072.37	95.00	1.29	109.57	1100.66	283.02	MWD Run 4
58	6115.00	15.55	280.84	5967.84	-65.42	253.20	-1100.01	95.00	3.54	109.57	1128.77	282.96	MWD Run 4
59	6210.00	14.77	278.23	6059.53	-65.39	257.33	-1124.50	95.00	1.09	116.86	1153.57	282.89	MWD Run 4
60	6305.00	14.68	276.88	6151.41	-64.52	260.51	-1148.43	95.00	0.37	116.86	1177.61	282.78	MWD Run 4
61	6400.00	14.13	276.83	6243.42	-63.37	263.33	-1171.90	95.00	0.58	116.86	1201.12	282.66	MWD Run 4
62	6495.00	14.08	277.24	6335.56	-62.31	266.16	-1194.88	95.00	0.12	116.86	1224.16	282.56	MWD Run 4
63	6590.00	14.40	276.41	6427.64	-61.17	268.94	-1218.08	95.00	0.40	116.86	1247.41	282.45	MWD Run 4
64	6685.00	14.60	275.91	6519.61	-59.72	271.49	-1241.73	95.00	0.25	116.86	1271.06	282.33	MWD Run 4
65	6780.00	14.66	275.96	6611.53	-58.17	273.97	-1265.59	95.00	0.06	124.14	1294.91	282.21	MWD Run 4
66	6875.00	14.68	276.54	6703.44	-56.75	276.59	-1289.51	95.00	0.16	124.14	1318.84	282.11	MWD Run 4
67	6970.00	14.58	274.09	6795.36	-54.94	278.81	-1313.39	95.00	0.66	124.14	1342.66	281.99	MWD Run 4
68	7065.00	12.88	271.60	6887.64	-52.30	279.96	-1335.91	95.00	1.89	124.14	1364.93	281.84	MWD Run 4
69	7160.00	10.83	270.99	6980.61	-49.48	280.41	-1355.42	95.00	2.16	124.14	1384.12	281.69	MWD Run 4
70	7255.00	10.19	275.01	7074.02	-47.46	281.30	-1372.71	95.00	1.02	124.14	1401.24	281.58	MWD Run 4
71	7350.00	8.42	275.18	7167.76	-46.24	282.66	-1388.01	95.00	1.86	124.14	1416.50	281.51	MWD Run 4
72	7445.00	6.60	274.77	7261.94	-45.23	283.74	-1400.38	95.00	1.92	124.14	1428.84	281.45	MWD Run 4
73	7540.00	5.33	264.80	7356.43	-43.64	283.80	-1410.22	95.00	1.72	124.14	1438.49	281.38	MWD Run 4
74	7635.00	3.44	251.84	7451.15	-41.18	282.51	-1417.32	95.00	2.23	124.14	1445.20	281.27	MWD Run 4
75	7730.00	1.64	220.61	7546.06	-38.69	280.59	-1420.91	95.00	2.32	124.14	1448.35	281.17	MWD Run 4
76	7825.00	0.23	61.21	7641.05	-37.64	279.65	-1421.63	95.00	1.95	131.43	1448.87	281.13	MWD Run 4
77	7920.00	0.59	57.13	7736.04	-38.09	280.01	-1421.05	95.00	0.38	131.43	1448.38	281.15	MWD Run 4
78	8014.00	0.60	97.26	7830.04	-38.44	280.21	-1420.16	94.00	0.43	131.43	1447.54	281.16	MWD Run 4
79	8109.00	0.94	86.46	7925.03	-38.63	280.19	-1418.89	95.00	0.39	131.43	1446.29	281.17	MWD Run 4
80	8204.00	1.19	101.52	8020.01	-38.78	280.04	-1417.14	95.00	0.39	131.43	1444.55	281.18	MWD Run 4
81	8299.00	1.52	111.97	8114.99	-38.48	279.38	-1415.01	95.00	0.43	131.43	1442.32	281.17	MWD Run 4
82	8394.00	1.96	104.33	8209.94	-38.08	278.50	-1412.26	95.00	0.52	131.43	1439.46	281.16	MWD Run 4
83	8489.00	2.29	110.38	8304.88	-37.59	277.44	-1408.91	95.00	0.42	131.43	1435.97	281.14	MWD Run 4
84	8584.00	2.23	109.19	8399.80	-36.93	276.17	-1405.39	95.00	0.08	138.71	1432.26	281.12	MWD Run 4
85	8679.00	2.12	99.17	8494.74	-36.64	275.28	-1401.91	95.00	0.42	138.71	1428.68	281.11	MWD Run 4
86	8774.00	2.24	86.83	8589.67	-37.06	275.11	-1398.32	95.00	0.51	138.71	1425.12	281.13	MWD Run 4
87	8869.00	2.68	79.70	8684.58	-38.23	275.61	-1394.28	95.00	0.56	138.71	1421.26	281.18	MWD Run 4
88	8964.00	2.75	77.53	8779.47	-39.85	276.49	-1389.87	95.00	0.13	138.71	1417.10	281.25	MWD Run 4
89	9059.00	2.58	50.68	8874.37	-42.32	278.34	-1385.99	95.00	1.31	138.71	1413.66	281.36	MWD Run 4
90	9155.00	2.62	42.49	8970.28	-45.79	281.33	-1382.84	96.00	0.39	138.71	1411.16	281.50	MWD Run 4
91	9249.00	0.49	120.08	9064.24	-47.46	282.71	-1381.04	94.00	2.72	138.71	1409.68	281.57	MWD Run 4
92	9344.00	0.39	89.05	9159.24	-47.37	282.51	-1380.36	95.00	0.27	138.71	1408.98	281.57	MWD Run 4
93	9439.00	0.80	58.19	9254.23	-47.87	282.87	-1379.47	95.00	0.53	138.71	1408.18	281.59	MWD Run 4
94	9534.00	0.90	35.22	9349.22	-48.98	283.83	-1378.48	95.00	0.37	138.71	1407.40	281.63	MWD Run 4
95	9629.00	1.81	16.74	9444.19	-51.15	285.87	-1377.62	95.00	1.05	146.00	1406.97	281.72	MWD Run 4
96	9724.00	2.13	17.01	9539.14	-54.38	289.00	-1376.67	95.00	0.34	146.00	1406.68	281.86	MWD Run 4
97	9819.00	2.13	20.94	9634.07	-57.87	292.34	-1375.52	95.00	0.15	146.00	1406.24	282.00	MWD Run 4
98	9914.00	2.50	16.39	9729.00	-61.66	295.97	-1374.31	95.00	0.43	146.00	1405.82	282.15	MWD Run 4
99	10009.00	2.47	22.78	9823.91	-65.71	299.85	-1372.93	95.00	0.29	146.00	1405.29	282.32	MWD Run 4
100	10104.00	2.30	28.51	9918.82	-69.50	303.41	-1371.23	95.00	0.31	146.00	1404.39	282.48	MWD Run 4
101	10199.00	2.30	36.72	10013.75	-73.01	306.61	-1369.18	95.00	0.35	153.29	1403.09	282.62	MWD Run 4
102	10304.00	1.80	86.68	10118.69	-75.25	308.40	-1366.27	105.00	1.70	124.14	1400.64	282.72	MWD Run 5
103	10399.00	1.62	161.14	10213.66	-74.41	307.21	-1364.35	95.00	2.18	124.14	1398.51	282.69	MWD Run 5
104	10493.00	6.62	180.96	10307.39	-67.88	300.53	-1364.01	94.00	5.45	124.14	1396.72	282.43	MWD Run 5
105	10588.00	11.75	196.53	10401.15	-52.85	285.77	-1366.85	95.00	5.95	124.14	1396.41	281.81	MWD Run 5
106	10683.00	17.97	185.73	10492.95	-28.60	261.89	-1371.07	95.00	7.14	124.14	1395.86	280.81	MWD Run 6
107	10778.00	28.22	184.28	10580.22	8.49	224.81	-1374.22	95.00	10.81	116.86	1392.49	279.29	MWD Run 6
108	10872.00	41.97	186.27	10656.94	62.25	171.15	-1379.34	94.00	14.68	116.86	1389.92	277.07	MWD Run 6
109	10967.00	53.88	184.07	10720.49	132.41	101.04	-1385.55	95.00	12.65	116.86	1389.23	274.17	MWD Run 6
110	11062.00	66.90	184.10	10767.33	214.44	18.83	-1391.43	95.00	13.71	116.86	1391.55	270.78	MWD Run 6
111	11157.00	80.71	184.14	10793.76	305.02	-71.94	-1397.97	95.00	14.54	116.86	1399.82	267.05	MWD Run 6
112	11179.00	84.30	183.62	10796.63	326.72	-93.70	-1399.44	22.00	16.49	116.86	1402.57	266.17	MWD Run 6
113	11287.00	91.09	182.77	10800.97	433.89	-201.38	-1405.45	108.00	6.34	124.14	1419.80	261.85	MWD Run 7
114	11382.00	90.95	181.98	10799.28	528.11	-296.28	-1409.39	95.00	0.84	124.14	1440.19	258.13	MWD Run 7
115	11477.00	91.29	181.97	10797.43	622.24	-391.21	-1412.66	95.00	0.36	131.43	1465.83	254.52	MWD Run 7
116	11572.00	91.35	181.58	10795.24	716.32	-486.14	-1415.60	95.00	0.42	131.43	1496.75	251.05	MWD Run 7

117	11667.00	90.76	179.70	10793.49	810.13	-581.11	-1416.66	95.00	2.07	131.43	1531.22	247.70	MWD Run 7
118	11761.00	90.70	180.12	10792.29	902.77	-675.10	-1416.51	94.00	0.45	138.71	1569.16	244.52	MWD Run 7
119	11856.00	90.22	179.56	10791.53	996.38	-770.10	-1416.25	95.00	0.78	138.71	1612.08	241.46	MWD Run 7
120	11951.00	91.21	178.41	10790.34	1089.74	-865.07	-1414.57	95.00	1.60	138.71	1658.12	238.55	MWD Run 7
121	12046.00	90.22	177.42	10789.16	1182.74	-960.00	-1411.11	95.00	1.47	138.71	1706.70	235.77	MWD Run 7
122	12141.00	89.24	177.00	10789.60	1275.51	-1054.88	-1406.49	95.00	1.12	138.71	1758.12	233.13	MWD Run 7
123	12236.00	85.73	172.72	10793.77	1367.25	-1149.37	-1397.99	95.00	5.82	146.00	1809.82	230.57	MWD Run 7
124	12331.00	88.68	174.11	10798.41	1458.34	-1243.62	-1387.11	95.00	3.43	146.00	1862.98	228.12	MWD Run 7
125	12426.00	89.89	175.02	10799.59	1550.07	-1338.19	-1378.12	95.00	1.59	146.00	1920.92	225.84	MWD Run 7
126	12521.00	89.66	177.38	10799.97	1642.46	-1432.97	-1371.82	95.00	2.50	146.00	1983.76	223.75	MWD Run 7
127	12616.00	89.08	178.21	10801.01	1735.43	-1527.89	-1368.17	95.00	1.07	146.00	2050.93	221.84	MWD Run 7
128	12711.00	91.46	180.52	10800.56	1828.89	-1622.87	-1367.11	95.00	3.49	146.00	2121.96	220.11	MWD Run 7
129	12805.00	87.70	179.93	10801.25	1921.60	-1716.85	-1367.48	94.00	4.05	146.00	2194.90	218.54	MWD Run 7
130	12900.00	86.32	181.16	10806.21	2015.28	-1811.71	-1368.38	95.00	1.94	153.29	2270.41	217.06	MWD Run 7
131	12995.00	86.24	180.90	10812.37	2109.01	-1906.50	-1370.09	95.00	0.29	146.00	2347.74	215.70	MWD Run 7
132	13090.00	85.93	180.76	10818.86	2202.67	-2001.27	-1371.46	95.00	0.36	153.29	2426.10	214.42	MWD Run 7
133	13185.00	87.59	181.11	10824.23	2296.42	-2096.10	-1373.01	95.00	1.79	153.29	2505.75	213.23	MWD Run 7
134	13280.00	87.64	181.38	10828.18	2390.32	-2190.99	-1375.07	95.00	0.29	153.29	2586.75	212.11	MWD Run 7
135	13375.00	87.08	181.90	10832.56	2484.30	-2285.85	-1377.79	95.00	0.80	153.29	2668.97	211.08	MWD Run 7
136	13470.00	86.75	181.02	10837.67	2578.19	-2380.68	-1380.20	95.00	0.99	153.29	2751.84	210.10	MWD Run 7
137	13565.00	86.77	180.19	10843.04	2671.86	-2475.53	-1381.21	95.00	0.87	153.29	2834.78	209.16	MWD Run 7
138	13659.00	86.27	179.28	10848.74	2764.29	-2569.35	-1380.77	94.00	1.10	160.57	2916.86	208.25	MWD Run 7
139	13754.00	85.65	179.37	10855.44	2857.52	-2664.11	-1379.66	95.00	0.66	160.57	3000.15	207.38	MWD Run 7
140	13849.00	86.63	178.29	10861.83	2950.62	-2758.87	-1377.72	95.00	1.53	153.29	3083.74	206.54	MWD Run 7
141	13945.00	87.87	179.19	10866.44	3044.78	-2854.73	-1375.61	96.00	1.60	153.29	3168.88	205.73	MWD Run 7
142	14040.00	89.19	179.43	10868.87	3138.21	-2949.69	-1374.47	95.00	1.41	153.29	3254.20	204.98	MWD Run 7
143	14134.00	89.47	179.55	10869.97	3230.73	-3043.68	-1373.63	94.00	0.32	160.57	3339.29	204.29	MWD Run 7
144	14229.00	89.69	179.96	10870.67	3324.31	-3138.68	-1373.23	95.00	0.49	160.57	3425.94	203.63	MWD Run 7
145	14324.00	89.72	180.30	10871.16	3418.01	-3233.68	-1373.44	95.00	0.36	160.57	3513.26	203.01	MWD Run 7
146	14419.00	91.54	180.97	10870.11	3511.83	-3328.66	-1374.49	95.00	2.04	160.57	3601.28	202.44	MWD Run 7
147	14514.00	90.87	181.03	10868.12	3605.73	-3423.62	-1376.15	95.00	0.71	153.29	3689.85	201.90	MWD Run 7
148	14609.00	88.23	179.57	10868.86	3699.45	-3518.61	-1376.65	95.00	3.18	160.57	3778.33	201.37	MWD Run 7
149	14704.00	88.94	180.30	10871.21	3793.06	-3613.58	-1376.54	95.00	1.07	160.57	3866.89	200.85	MWD Run 7
150	14799.00	88.60	180.73	10873.25	3886.84	-3708.55	-1377.39	95.00	0.58	160.57	3956.08	200.38	MWD Run 7
151	14894.00	88.26	180.94	10875.85	3980.68	-3803.51	-1378.78	95.00	0.42	160.57	4045.70	199.93	MWD Run 7
152	14989.00	89.64	182.04	10877.59	4074.71	-3898.46	-1381.24	95.00	1.86	160.57	4135.91	199.51	MWD Run 7
153	15084.00	88.15	181.66	10879.42	4168.81	-3993.39	-1384.31	95.00	1.62	160.57	4226.52	199.12	MWD Run 7
154	15179.00	85.52	179.22	10884.67	4262.43	-4088.22	-1385.04	95.00	3.77	160.57	4316.47	198.72	MWD Run 7
155	15274.00	87.25	178.74	10890.66	4355.60	-4183.01	-1383.35	95.00	1.89	160.57	4405.82	198.30	MWD Run 7
156	15369.00	88.29	178.81	10894.35	4448.82	-4277.92	-1381.32	95.00	1.10	160.57	4495.40	197.90	MWD Run 7
157	15464.00	89.27	179.27	10896.38	4542.18	-4372.88	-1379.73	95.00	1.14	160.57	4585.39	197.51	MWD Run 7
158	15559.00	89.72	178.22	10897.21	4635.46	-4467.85	-1377.65	95.00	1.20	160.57	4675.43	197.14	MWD Run 7
159	15654.00	90.11	178.27	10897.35	4728.59	-4562.81	-1374.74	95.00	0.41	167.86	4765.41	196.77	MWD Run 7
160	15749.00	90.59	178.47	10896.77	4821.76	-4657.77	-1372.04	95.00	0.55	167.86	4855.65	196.41	MWD Run 7
161	15844.00	89.55	178.94	10896.66	4915.03	-4752.74	-1369.89	95.00	1.20	160.57	4946.23	196.08	MWD Run 7
162	15939.00	89.83	179.41	10897.17	5008.45	-4847.73	-1368.52	95.00	0.58	160.57	5037.20	195.76	MWD Run 7
163	16034.00	87.42	178.20	10899.45	5101.72	-4942.68	-1366.54	95.00	2.84	160.57	5128.11	195.45	MWD Run 7
164	16128.00	87.79	179.09	10903.38	5193.91	-5036.57	-1364.32	94.00	1.02	167.86	5218.08	195.16	MWD Run 7
165	16223.00	88.88	179.11	10906.14	5287.27	-5131.51	-1362.83	95.00	1.15	160.57	5309.40	194.87	MWD Run 7
166	16318.00	86.86	178.63	10909.67	5380.52	-5226.42	-1360.96	95.00	2.19	160.57	5400.71	194.60	MWD Run 7
167	16413.00	84.87	176.96	10916.52	5473.25	-5321.10	-1357.32	95.00	2.73	160.57	5491.48	194.31	MWD Run 7
168	16508.00	85.51	177.91	10924.49	5565.78	-5415.67	-1353.08	95.00	1.20	160.57	5582.14	194.03	MWD Run 7
169	16603.00	86.02	178.03	10931.50	5658.56	-5510.35	-1349.72	95.00	0.55	160.57	5673.24	193.76	MWD Run 7
170	16698.00	87.51	178.34	10936.86	5751.52	-5605.15	-1346.72	95.00	1.60	153.29	5764.66	193.51	MWD Run 8
171	16793.00	87.67	178.70	10940.86	5844.65	-5700.03	-1344.27	95.00	0.41	160.57	5856.40	193.27	MWD Run 8
172	16888.00	88.09	179.35	10944.37	5937.96	-5794.95	-1342.65	95.00	0.81	160.57	5948.46	193.04	MWD Run 8
173	16983.00	88.35	179.71	10947.32	6031.44	-5889.90	-1341.87	95.00	0.47	160.57	6040.82	192.83	MWD Run 8
174	17078.00	88.40	178.44	10950.02	6124.79	-5984.85	-1340.34	95.00	1.34	160.57	6133.10	192.62	MWD Run 8
175	17173.00	89.13	178.27	10952.06	6217.93	-6079.79	-1337.61	95.00	0.79	160.57	6225.19	192.41	MWD Run 8
176	17268.00	89.50	177.98	10953.20	6311.01	-6174.73	-1334.51	95.00	0.49	160.57	6317.29	192.20	MWD Run 8
177	17363.00	89.83	177.57	10953.76	6403.98	-6269.66	-1330.82	95.00	0.55	160.57	6409.34	191.98	MWD Run 8
178	17458.00	90.17	178.05	10953.76	6496.96	-6364.59	-1327.19	95.00	0.62	167.86	6501.49	191.78	MWD Run 8
179	17553.00	91.09	178.38	10952.71	6590.07	-6459.53	-1324.23	95.00	1.03	167.86	6593.87	191.59	MWD Run 8
180	17647.00	91.29	178.62	10950.76	6682.28	-6553.48	-1321.77	94.00	0.33	167.86	6685.44	191.40	MWD Run 8
181	17742.00	90.25	178.15	10949.48	6775.44	-6648.43	-1319.09	95.00	1.20	167.86	6778.03	191.22	MWD Run 8
182	17837.00	91.40	178.74	10948.11	6868.62	-6743.39	-1316.51	95.00	1.36	167.86	6870.69	191.05	MWD Run 8
183	17932.00	91.74	178.57	10945.51	6961.85	-6838.32	-1314.28	95.00	0.40	167.86	6963.48	190.88	MWD Run 8
184	18027.00	92.27	178.80	10942.19	7055.06	-6933.24	-1312.11	95.00	0.61	167.86	7056.30	190.72	MWD Run 8

185	18122.00	92.52	178.55	10938.22	7148.24	-7028.13	-1309.91	95.00	0.37	167.86	7149.16	190.56	MWD Run 8
186	18216.00	92.69	179.76	10933.95	7240.58	-7122.02	-1308.53	94.00	1.30	167.86	7241.23	190.41	MWD Run 8
187	18312.00	92.30	180.78	10929.77	7335.20	-7217.93	-1308.98	96.00	1.14	160.57	7335.66	190.28	MWD Run 8
188	18407.00	90.98	181.00	10927.05	7429.06	-7312.88	-1310.45	95.00	1.41	160.57	7429.36	190.16	MWD Run 8
189	18502.00	91.01	180.58	10925.40	7522.91	-7407.85	-1311.76	95.00	0.44	167.86	7523.10	190.04	MWD Run 8
190	18597.00	91.91	180.61	10922.98	7616.70	-7502.82	-1312.75	95.00	0.95	160.57	7616.79	189.92	MWD Run 8
191	18692.00	90.79	180.05	10920.74	7710.42	-7597.79	-1313.30	95.00	1.32	160.57	7710.45	189.81	MWD Run 8
192	18787.00	91.26	179.41	10919.04	7803.99	-7692.77	-1312.85	95.00	0.84	160.57	7803.99	189.68	MWD Run 9
193	18881.00	92.16	179.44	10916.23	7896.46	-7786.72	-1311.91	94.00	0.96	160.57	7896.46	189.56	MWD Run 9
194	18976.00	92.61	179.18	10912.28	7989.83	-7881.63	-1310.76	95.00	0.55	160.57	7989.88	189.44	MWD Run 9
195	19008.00	92.67	178.88	10910.81	8021.25	-7913.59	-1310.22	32.00	0.96	160.57	8021.32	189.40	MWD Run 9
196	19066.00	92.67	178.88	10908.11	8078.17	-7971.52	-1309.09	58.00	0.00	0.00	8078.29	189.33	PTB

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 201943

CONDITIONS

Operator: KAISER-FRANCIS OIL CO PO Box 21468 Tulsa, OK 74121146	OGRID: 12361
	Action Number: 201943
	Action Type: [C-103] NOI Change of Plans (C-103A)

CONDITIONS

Created By	Condition	Condition Date
pkautz	None	3/31/2023