

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT Sundry Print Report

Well Name: OSAGE FEDERAL Well Location: T19S / R29E / SEC 34 / County or Parish/State: EDDY /

SWNE /

Well Number: 8 Type of Well: OIL WELL **Allottee or Tribe Name:** 

Lease Number: NMNM90807 **Unit or CA Name: Unit or CA Number:** 

**US Well Number: 3001526089** Well Status: Producing Oil Well **Operator:** COLGATE

OPERATING LLC

SUBJECT TO LIKE APPROVAL BY BLM

NMOCD 4/13/23



#### **Notice of Intent**

**Sundry ID: 2721167** 

Type of Submission: Notice of Intent Type of Action: Temporary Abandonment

Date Sundry Submitted: 03/15/2023 Time Sundry Submitted: 01:48

Date proposed operation will begin: 03/24/2023

Procedure Description: Colgate Operating, LLC requests to TA the subject well, please see attached work procedure

and proposed WBD.

## **Surface Disturbance**

Is any additional surface disturbance proposed?: No

## **NOI Attachments**

### **Procedure Description**

TA\_Sundry\_Attachments\_3.20.23\_20230320114219.pdf

eived by OCD: 3/30/2023 11:18:22 AM Well Name: OSAGE FEDERAL

Well Location: T19S / R29E / SEC 34 /

SWNE /

County or Parish/State: EDD 200

Well Number: 8

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMNM90807

**Unit or CA Name:** 

**Unit or CA Number:** 

**US Well Number: 3001526089** 

Well Status: Producing Oil Well

**Operator:** COLGATE OPERATING LLC

## **Conditions of Approval**

#### **Specialist Review**

TA\_COA\_20230329193013.pdf

## **Operator**

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

**Operator Electronic Signature: MEGHAN TWELE** Signed on: MAR 20, 2023 11:44 AM

Name: COLGATE OPERATING LLC

Title: Sr Regulatory Analyst

Street Address: 1001 17TH STREET SUITE 1800

City: DENVER State: CO

Phone: (720) 499-1531

Email address: MEGHAN.TWELE@CDEVINC.COM

#### **Field**

**Representative Name:** 

**Street Address:** 

City:

State:

Zip:

Phone:

**Email address:** 

## **BLM Point of Contact**

Signature: Jonathon Shepard

**BLM POC Name: JONATHON W SHEPARD BLM POC Title:** Petroleum Engineer

**BLM POC Phone:** 5752345972 BLM POC Email Address: jshepard@blm.gov

**Disposition:** Approved Disposition Date: 03/29/2023

## Osage Federal #8 – Temporarily Abandon

#### **Objective:**

TA the Osage Federal #8 well that has been shut in and is currently inactive. TA well while evaluating long term plans.

#### Location:

- API: 30-015-26089
- Latitude, Longitude: 32.619, -104.061

#### **Well History:**

- 04/18/1989: Spud well Drill as a Strawn and Wolfcamp producer.
- 06/14/1989: Completion 2 stage acid frac. Put well on production.
- 04/12/1991: Convert well to Bone Springs w/ abrazijet perfs. Squeezed off Wolfcamp and Atoka w Class H cmt.

#### **Current Configuration:**

- Surface Casing: 20" 94# H-40, Surface 340' MD. (635 sx cmt circulated)
- Intermediate Casing: 8-5/8" 32# J-55, Surface 3,200' (1,300 sx cmt circulated)
- Production Casing: 5-1/2" 20# and 17# N-80, Surface 11,900' (2,450 sx cmt circulated)
  - o Drift = 4.653", ID = 4.778"
- Perforations
  - Strawn 10,406′ 10,487′
  - Wolfcamp 9,256′ 9,295′
  - o Atoka: 10,816' 10,828'
  - Bone Springs 5,339' 5,351' (RBP @ 5,407')

#### **Procedure:**

- 1. MIRU workover rig. Check tubing and casing pressure, order out kill fluid if required.
- 2. ND Injection tree, NU & test BOPE
- 3. Unknown from prior records if the well has tubing and rods in the hole. If so, unseat the pump and POOH LD all rods and tubing.
- 4. Order out ~5,500' of 2-3/8" work string for TA operations.
- 5. PU 5-1/2" 20# scraper and 4.5" bit. RIH with bit and scraper on work string to 5,407' and tag RBP. Note any restrictions felt while running.
- 6. POOH with bit/scraper and tubing. Stand back tubing and lay down bit/scraper.
- 7. PU & RIH with 5-1/2" 20# CIBP on 2-3/8" work string. Set CIBP at 5,275' MD w/ 35' of cmt on top.
- 8. Circulate hole over to clean packer fluid.
- 9. Pressure test CIBP and casing to 500 psi for 10 minutes to verify plug is holding.
  - a. Hold pressure for 30 minutes and verify less than 10% pressure drop
  - b. Open all intermediate/surface casing valves during internal pressure test and verify no flow or change in pressure.
- 10. POOH with tubing laying down and LD setting tool.
- 11. ND BOP. NU
- 12. Clean location and RDMO

## Osage Federal #8 WBD

1980' FNL, 1980' FEL, Sec. 34 T19S R29E Eddy Co, NM

Parkway Wolfcamp Area

API: 30-015-26089

Latitude, Longitude: 32.619, -104.061


Spud Date: 4/18/1989 Completion Date:6/14/1989

04/12/1991: Convert well to Bone Springs w/ abrazijet perfs. Squeezed off Wolfcamp (200 sx) and Atoka (100sx) w Class H cmt.

# **CURRENT WBD**

340' - 20" 94# H-40 w 635 sx cmt circ

3,200' - 8-5/8" 32# J-55 w 1,300 sx cmt



## Osage Federal #8 WBD

1980' FNL, 1980' FEL, Sec. 34 T19S R29E Eddy Co, NM

Parkway Wolfcamp Area

API: 30-015-26089

Latitude, Longitude: 32.619, -104.061

Spud Date: 4/18/1989 Completion Date:6/14/1989

04/12/1991: Convert well to Bone Springs w/ abrazijet perfs. Squeezed off Wolfcamp (200 sx) and Atoka (100sx) w Class H cmt.

# **PROPOSED WBD**

340' - 20" 94# H-40 w 635 sx cmt circ

3,200' - 8-5/8" 32# J-55 w 1,300 sx cmt

### Proposed CIBP @ 5,275' w/ 35' cmt

Bone Springs Perfs: 5,339' - 5,351'

RBP @ 5,407'

Bone Springs Perfs: 6,971' – 7,053'

Bone Springs Perfs: 7,860' - 8,058'

CIBP @ 9,000'

Wolfcamp Perfs: 9,256' - 9,295'

Strawn Perfs: 10,406' – 10,487'

Atoka Perfs: 10,816' - 10,828'

11,900' – 5-1/2" 17 and 20 # N-80 w 2,450 sx cmt circ

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

CONDITIONS

Action 202223

#### **CONDITIONS**

Operator:	OGRID:	
COLGATE OPERATING, LLC	371449	
300 North Marienfeld Street	Action Number:	
Midland, TX 79701	202223	
	Action Type:	
	[C-103] NOI Temporary Abandonment (C-103I)	

#### CONDITIONS

Created By		Condition Date
kfortner	Like approval from BLM	4/13/2023