

1625 N. French Dr., Hobbs, NM 88240

## District II

811 S. First St., Artesia, NM 88210

## District III

1000 Rio Brazos Rd., Aztec, NM 87410

## District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals & Natural ResourcesForm C-104  
Revised August 1, 2011Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

## I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

|                                                                                                                          |                                                                |                                                           |
|--------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------|-----------------------------------------------------------|
| <sup>1</sup> Operator name and Address<br>TAP ROCK OPERATING, LLC<br>523 PARK POINT DRIVE, SUITE 200<br>GOLDEN, CO 80401 |                                                                | <sup>2</sup> OGRID Number<br>372043                       |
|                                                                                                                          |                                                                | <sup>3</sup> Reason for Filing Code/ Effective Date<br>NW |
| <sup>4</sup> API Number<br>30 - 0 25-48741                                                                               | <sup>5</sup> Pool Name<br>WC-025 G-09 S243310P; UPPER WOLFCAMP |                                                           |
|                                                                                                                          | <sup>6</sup> Pool Code<br>98135                                |                                                           |
| <sup>7</sup> Property Code<br>330700                                                                                     | <sup>8</sup> Property Name<br>PROMETHEUS STATE COM             | <sup>9</sup> Well Number<br>211H                          |

II. <sup>10</sup> Surface Location

| UL or lot no. | Section | Township | Range | Lot Idn | Feet from the | North/South Line | Feet from the | East/West line | County |
|---------------|---------|----------|-------|---------|---------------|------------------|---------------|----------------|--------|
| M             | 22      | 24S      | 33E   | -       | 1128          | SOUTH            | 124           | WEST           | LEA    |

<sup>11</sup> Bottom Hole Location

| UL or lot no.               | Section                                  | Township                                       | Range                             | Lot Idn | Feet from the                      | North/South line | Feet from the                       | East/West line | County |
|-----------------------------|------------------------------------------|------------------------------------------------|-----------------------------------|---------|------------------------------------|------------------|-------------------------------------|----------------|--------|
| D                           | 15                                       | 24S                                            | 33E                               | -       | 27                                 | NORTH            | 1256                                | WEST           | LEA    |
| <sup>12</sup> Lse Code<br>S | <sup>13</sup> Producing Method Code<br>F | <sup>14</sup> Gas Connection Date<br>4/30/2022 | <sup>15</sup> C-129 Permit Number |         | <sup>16</sup> C-129 Effective Date |                  | <sup>17</sup> C-129 Expiration Date |                |        |

## III. Oil and Gas Transporters

| <sup>18</sup> Transporter OGRID | <sup>19</sup> Transporter Name and Address                             | <sup>20</sup> O/G/W |
|---------------------------------|------------------------------------------------------------------------|---------------------|
| 34053                           | PLAINS ALL AMERICAN<br>333 CLAY STREET SUITE 1600<br>HOUSTON, TX 77002 | O                   |
| 371960                          | LUCID ENERGY GROUP<br>3100 MCKINNON ST #800<br>DALLAS, TX 75201        | G                   |
|                                 |                                                                        |                     |
|                                 |                                                                        |                     |
|                                 |                                                                        |                     |
|                                 |                                                                        |                     |

## IV. Well Completion Data

|                                       |                                       |                            |                              |                                               |                       |
|---------------------------------------|---------------------------------------|----------------------------|------------------------------|-----------------------------------------------|-----------------------|
| <sup>21</sup> Spud Date<br>10/29/2021 | <sup>22</sup> Ready Date<br>4/22/2022 | <sup>23</sup> TD<br>23005' | <sup>24</sup> PBTB<br>22938' | <sup>25</sup> Perforations<br>12640' - 22853' | <sup>26</sup> DHC, MC |
| <sup>27</sup> Hole Size               | <sup>28</sup> Casing & Tubing Size    | <sup>29</sup> Depth Set    |                              | <sup>30</sup> Sacks Cement                    |                       |
| 13.5"                                 | 10.75"                                | 1281'                      |                              | 600 sks                                       |                       |
| 9.875"/8.75"                          | 7.625"                                | 9894'/12047'               |                              | 1184 sks                                      |                       |
| 6.75"                                 | 5.5"                                  | 22986'                     |                              | 1121 sks                                      |                       |
|                                       |                                       |                            |                              |                                               |                       |

## V. Well Test Data

|                                                                                                                                                                                                                                                                                                            |                                              |                                      |                                       |                                  |                                      |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------|--------------------------------------|---------------------------------------|----------------------------------|--------------------------------------|
| <sup>31</sup> Date New Oil<br>4/30/2022                                                                                                                                                                                                                                                                    | <sup>32</sup> Gas Delivery Date<br>4/30/2022 | <sup>33</sup> Test Date<br>5/17/2022 | <sup>34</sup> Test Length<br>24 hrs.  | <sup>35</sup> Tbg. Pressure<br>0 | <sup>36</sup> Csg. Pressure<br>2200  |
| <sup>37</sup> Choke Size<br>40/30                                                                                                                                                                                                                                                                          | <sup>38</sup> Oil<br>1497                    | <sup>39</sup> Water<br>3218          | <sup>40</sup> Gas<br>3594             |                                  | <sup>41</sup> Test Method<br>Flowing |
| <sup>42</sup> I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.<br>Signature:  |                                              |                                      | OIL CONSERVATION DIVISION             |                                  |                                      |
| Printed name:<br>Jeff Trlica                                                                                                                                                                                                                                                                               |                                              |                                      | Approved by: <b>PATRICIA MARTINEZ</b> |                                  |                                      |
| Title:<br>Regulatory Analyst                                                                                                                                                                                                                                                                               |                                              |                                      | Title: <b>PETROLEUM SPECIALIST</b>    |                                  |                                      |
| E-mail Address:<br>jtrlica@taprk.com                                                                                                                                                                                                                                                                       |                                              |                                      | Approval Date: <b>4/13/2023</b>       |                                  |                                      |
| Date:<br>5/25/2022                                                                                                                                                                                                                                                                                         |                                              | Phone:<br>720-771-5910               |                                       |                                  |                                      |

District I  
1625 N. French Dr., Hobbs, NM 88240  
Phone: (575) 393-6161 Fax: (575) 393-0720  
District II  
811 S. First St., Artesia, NM 88210  
Phone: (575) 748-1283 Fax: (575) 748-9720  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
Phone: (505) 334-6178 Fax: (505) 334-6170  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505  
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico  
Energy, Minerals & Natural Resources  
Department  
OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

FORM C-102

Revised August 1, 2011

Submit one copy to appropriate

District Office

☐ AMENDED REPORT  
**As Drilled**

## WELL LOCATION AND ACREAGE DEDICATION PLAT

|                                          |                                                               |                                                               |
|------------------------------------------|---------------------------------------------------------------|---------------------------------------------------------------|
| <sup>1</sup> API Number<br>30-025-48741  | <sup>2</sup> Pool Code<br>98135                               | <sup>3</sup> Pool Name<br>WC-025 G-09 S243310P;UPPER WOLFCAMP |
| <sup>4</sup> Property Code<br>330700     | <sup>5</sup> Property Name<br><b>PROMETHEUS STATE COM</b>     | <sup>6</sup> Well Number<br><b>211H</b>                       |
| <sup>7</sup> OGRID No.<br><b>#372043</b> | <sup>8</sup> Operator Name<br><b>TAP ROCK OPERATING, LLC.</b> | <sup>9</sup> Elevation<br><b>3547'</b>                        |

<sup>10</sup>Surface Location

| UL or lot no. | Section   | Township    | Range       | Lot Idn  | Feet from the | North/South line | Feet from the | East/West line | County     |
|---------------|-----------|-------------|-------------|----------|---------------|------------------|---------------|----------------|------------|
| <b>M</b>      | <b>22</b> | <b>24-S</b> | <b>33-E</b> | <b>-</b> | <b>1127'</b>  | <b>SOUTH</b>     | <b>124'</b>   | <b>WEST</b>    | <b>LEA</b> |

<sup>11</sup>Bottom Hole Location If Different From Surface


| UL or lot no. | Section   | Township    | Range       | Lot Idn  | Feet from the | North/South line | Feet from the | East/West line | County     |
|---------------|-----------|-------------|-------------|----------|---------------|------------------|---------------|----------------|------------|
| <b>D</b>      | <b>15</b> | <b>24-S</b> | <b>33-E</b> | <b>-</b> | <b>27'</b>    | <b>NORTH</b>     | <b>1256'</b>  | <b>WEST</b>    | <b>LEA</b> |


|                                      |                                           |                                  |                         |
|--------------------------------------|-------------------------------------------|----------------------------------|-------------------------|
| <sup>12</sup> Dedicated Acres<br>640 | <sup>13</sup> Joint or Infill<br>Defining | <sup>14</sup> Consolidation Code | <sup>15</sup> Order No. |
|--------------------------------------|-------------------------------------------|----------------------------------|-------------------------|

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

FTP: 100' FSL; 1248 FWL Section 22

LTP: 100' FNL; 1259 FWL Section 15





LEASE NAME & WELL NO.: PROMETHEUS STATE COM 211H  
SECTION 22 TWP. 24-S RGE 33-E SURVEY N.M.P.M.  
COUNTY LEA STATE NM ELEVATION 3547'  
DESCRIPTION 1127' FSL & 124' FWL

INTERNAL  
PRE-COMPLETION  
PLAT



1400 EVERMAN PARKWAY, Ste. 146 • FT. WORTH, TEXAS 76140  
TELEPHONE: (817) 744-7512 • FAX (817) 744-7554  
2903 NORTH BIG SPRING • MIDLAND, TEXAS 79705  
TELEPHONE: (432) 682-1653 OR (800) 767-1653 • FAX (432) 682-1743  
WWW.TOPOGRAPHIC.COM

|                                                |           |          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|------------------------------------------------|-----------|----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| PROMETHEUS STATE COM<br>211H<br>PRE-COMPLETION | REVISION: |          | NOTES:<br>1. ORIGINAL DOCUMENT SIZE: 8.5" X 11"<br>2. ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREIN ARE GRID BASED UPON THE NEW MEXICO COORDINATE SYSTEM OF 1983, EAST ZONE, U.S. SURVEY FEET.<br>3. THIS WELL LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY TAP ROCK OPERATING, LLC. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY. |
|                                                | MML       | 03/30/22 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                                                |           |          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| DATE: 03/31/22                                 |           |          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| FILE: C:\PROMETHEUS_STATE_COM_211H_REV1        |           |          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| DRAWN BY: GJU                                  |           |          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| SHEET : 2 OF 2                                 |           |          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |



Operator: Tap Rock Resources, LLC.  
Well Name: Prometheus State Com 211H  
County: Lea  
State: New Mexico  
Rig Name: H&P 264  
API: 30-025-48741

Intrepid Directional Drilling Specialists certifies that the surveys performed on the above referenced well are true and correct MWD surveys, data provided as follows:

Surveyor: Intrepid Directional Drilling Specialists  
Survey Depths: 149' MD – 22,932' MD  
Projection to Bit: 23,005' MD  
Dates Performed: 10/28/2021 – 01/06/2022  
Type of Survey: MWD

Sincerely,

A handwritten signature in black ink, appearing to read "T. Henk".

Travis Henk  
MWD Operations Manager  
Intrepid Directional Drilling Specialists





Operator:

Well Name:

Job Number:

Survey Company:

Rig Name:

Tap Rock Resources, LLC.

Prometheus State Com 211H

ID3125-1

Intrepid Directional Drilling Specialists

H&P 264

Target KBTVD: 12579.90

Target Inclination: 90.60°

Declination Correction: 5.93°

DF Elevation: 2548

Vertical Section Calculated Along Azimuth: 359.59°

Survey Calculation Method: Minimum Curvature

| TIE PT.<br>TYPE | SVY<br># | Survey<br>Depth | INC<br>deg. | AZM<br>deg. | Course<br>Length | TVD<br>Ft. | V'Sect<br>FT. | +N/-S<br>Ft. | +E/-W<br>Ft. | Dogleg<br>%/100' |
|-----------------|----------|-----------------|-------------|-------------|------------------|------------|---------------|--------------|--------------|------------------|
| Tie In          | 0        | 0               | 0.00        | 0.00        | 0                | 0          | 0             | 0            | 0            | 0.00             |
| MWD             | 1        | 149             | 0.84        | 149.72      | 149              | 148.99     | -0.95         | -0.94        | 0.55         | 0.56             |
| MWD             | 2        | 240             | 0.92        | 157.01      | 91               | 239.98     | -2.20         | -2.19        | 1.17         | 0.15             |
| MWD             | 3        | 335             | 0.75        | 154.47      | 95               | 334.97     | -3.47         | -3.45        | 1.74         | 0.18             |
| MWD             | 4        | 426             | 0.70        | 167.65      | 91               | 425.97     | -4.55         | -4.54        | 2.11         | 0.19             |
| MWD             | 5        | 517             | 0.53        | 161.50      | 91               | 516.96     | -5.49         | -5.48        | 2.37         | 0.20             |
| MWD             | 6        | 607             | 0.48        | 163.25      | 90               | 606.96     | -6.25         | -6.23        | 2.61         | 0.06             |
| MWD             | 7        | 699             | 0.26        | 237.17      | 92               | 698.96     | -6.73         | -6.72        | 2.54         | 0.52             |
| MWD             | 8        | 789             | 0.26        | 187.16      | 90               | 788.96     | -7.05         | -7.03        | 2.35         | 0.24             |
| MWD             | 9        | 880             | 0.53        | 175.91      | 91               | 879.95     | -7.67         | -7.65        | 2.35         | 0.31             |
| MWD             | 10       | 1061            | 0.40        | 182.06      | 181              | 1060.95    | -9.14         | -9.12        | 2.39         | 0.08             |
| MWD             | 11       | 1152            | 0.40        | 239.28      | 91               | 1151.95    | -9.61         | -9.60        | 2.10         | 0.42             |
| MWD             | 12       | 1226            | 0.40        | 194.46      | 74               | 1225.94    | -9.99         | -9.98        | 1.82         | 0.41             |
| MWD             | 13       | 1323            | 0.40        | 281.12      | 97               | 1322.94    | -10.25        | -10.24       | 1.40         | 0.57             |
| MWD             | 14       | 1417            | 0.75        | 123.18      | 94               | 1416.94    | -10.53        | -10.52       | 1.59         | 1.20             |
| MWD             | 15       | 1512            | 2.29        | 120.80      | 95               | 1511.90    | -11.86        | -11.83       | 3.74         | 1.62             |
| MWD             | 16       | 1603            | 2.99        | 123.26      | 91               | 1602.81    | -14.11        | -14.06       | 7.29         | 0.78             |
| MWD             | 17       | 1699            | 3.21        | 125.11      | 96               | 1698.67    | -17.06        | -16.98       | 11.58        | 0.25             |
| MWD             | 18       | 1792            | 4.00        | 125.37      | 93               | 1791.48    | -20.47        | -20.36       | 16.36        | 0.85             |
| MWD             | 19       | 1887            | 4.53        | 125.99      | 95               | 1886.22    | -24.64        | -24.48       | 22.09        | 0.56             |
| MWD             | 20       | 1981            | 5.58        | 126.78      | 94               | 1979.85    | -29.60        | -29.40       | 28.76        | 1.12             |
| MWD             | 21       | 2076            | 7.03        | 129.24      | 95               | 2074.27    | -36.10        | -35.84       | 36.96        | 1.55             |
| MWD             | 22       | 2171            | 8.97        | 129.33      | 95               | 2168.35    | -44.55        | -44.21       | 47.19        | 2.04             |
| MWD             | 23       | 2265            | 9.93        | 130.12      | 94               | 2261.07    | -54.50        | -54.08       | 59.06        | 1.03             |
| MWD             | 24       | 2359            | 10.68       | 130.56      | 94               | 2353.55    | -65.48        | -64.97       | 71.87        | 0.80             |
| MWD             | 25       | 2453            | 11.25       | 129.06      | 94               | 2445.84    | -77.02        | -76.41       | 85.61        | 0.68             |
| MWD             | 26       | 2548            | 11.78       | 128.89      | 95               | 2538.92    | -89.05        | -88.34       | 100.36       | 0.56             |
| MWD             | 27       | 2642            | 12.40       | 127.92      | 94               | 2630.84    | -101.39       | -100.56      | 115.79       | 0.69             |
| MWD             | 28       | 2735            | 12.13       | 129.15      | 93               | 2721.71    | -113.80       | -112.87      | 131.24       | 0.40             |
| MWD             | 29       | 2829            | 12.31       | 129.15      | 94               | 2813.58    | -126.48       | -125.43      | 146.67       | 0.19             |
| MWD             | 30       | 2923            | 11.91       | 131.00      | 94               | 2905.49    | -139.27       | -138.12      | 161.76       | 0.59             |
| MWD             | 31       | 3016            | 10.81       | 133.99      | 93               | 2996.67    | -151.72       | -150.47      | 175.28       | 1.34             |
| MWD             | 32       | 3111            | 10.59       | 133.90      | 95               | 3090.02    | -164.05       | -162.71      | 187.98       | 0.23             |
| MWD             | 33       | 3206            | 9.58        | 132.32      | 95               | 3183.55    | -175.52       | -174.09      | 200.11       | 1.10             |
| MWD             | 34       | 3299            | 9.14        | 129.50      | 93               | 3275.31    | -185.51       | -184.00      | 211.54       | 0.68             |
| MWD             | 35       | 3393            | 9.80        | 128.89      | 94               | 3368.03    | -195.36       | -193.77      | 223.52       | 0.71             |
| MWD             | 36       | 3488            | 10.37       | 129.24      | 95               | 3461.56    | -205.94       | -204.25      | 236.44       | 0.60             |
| MWD             | 37       | 3581            | 9.89        | 133.02      | 93               | 3553.11    | -216.77       | -215.00      | 248.76       | 0.88             |
| MWD             | 38       | 3675            | 9.36        | 135.22      | 94               | 3645.79    | -227.79       | -225.93      | 260.05       | 0.69             |
| MWD             | 39       | 3767            | 9.49        | 133.90      | 92               | 3736.55    | -238.43       | -236.50      | 270.78       | 0.27             |
| MWD             | 40       | 3862            | 9.32        | 132.58      | 95               | 3830.27    | -249.15       | -247.14      | 282.09       | 0.29             |
| MWD             | 41       | 3956            | 9.54        | 131.70      | 94               | 3923.00    | -259.56       | -257.47      | 293.51       | 0.28             |
| MWD             | 42       | 4051            | 9.71        | 130.73      | 95               | 4016.66    | -270.11       | -267.93      | 305.46       | 0.25             |
| MWD             | 43       | 4145            | 9.98        | 130.82      | 94               | 4109.28    | -280.70       | -278.43      | 317.63       | 0.29             |
| MWD             | 44       | 4239            | 10.20       | 127.66      | 94               | 4201.83    | -291.20       | -288.84      | 330.38       | 0.63             |
| MWD             | 45       | 4334            | 10.02       | 124.85      | 95               | 4295.35    | -301.15       | -298.70      | 343.82       | 0.55             |
| MWD             | 46       | 4429            | 10.46       | 127.83      | 95               | 4388.84    | -311.26       | -308.71      | 357.42       | 0.72             |
| MWD             | 47       | 4523            | 11.65       | 129.86      | 94               | 4481.09    | -322.68       | -320.03      | 371.44       | 1.33             |
| MWD             | 48       | 4617            | 12.70       | 129.86      | 94               | 4572.98    | -335.49       | -332.74      | 386.66       | 1.12             |
| MWD             | 49       | 4711            | 12.35       | 128.19      | 94               | 4664.74    | -348.44       | -345.57      | 402.49       | 0.54             |
| MWD             | 50       | 4805            | 13.23       | 134.51      | 94               | 4756.41    | -362.31       | -359.33      | 418.07       | 1.76             |
| MWD             | 51       | 4900            | 14.46       | 138.56      | 95               | 4848.65    | -378.94       | -375.84      | 433.67       | 1.65             |
| MWD             | 52       | 4994            | 14.68       | 139.35      | 94               | 4939.63    | -396.88       | -393.68      | 449.20       | 0.32             |
| MWD             | 53       | 5088            | 13.05       | 139.26      | 94               | 5030.89    | -414.07       | -410.76      | 463.88       | 1.73             |
| MWD             | 54       | 5181            | 12.35       | 141.28      | 93               | 5121.61    | -429.87       | -426.47      | 476.96       | 0.89             |
| MWD             | 55       | 5276            | 10.86       | 143.92      | 95               | 5214.67    | -445.12       | -441.63      | 488.58       | 1.66             |
| MWD             | 56       | 5371            | 10.64       | 143.65      | 95               | 5308.00    | -459.49       | -455.93      | 499.05       | 0.24             |
| MWD             | 57       | 5465            | 11.52       | 141.90      | 94               | 5400.25    | -473.94       | -470.31      | 509.99       | 1.00             |
| MWD             | 58       | 5559            | 11.34       | 137.41      | 94               | 5492.39    | -488.22       | -484.50      | 522.03       | 0.97             |
| MWD             | 59       | 5653            | 11.25       | 135.04      | 94               | 5584.57    | -501.60       | -497.79      | 534.77       | 0.50             |
| MWD             | 60       | 5747            | 11.91       | 133.99      | 94               | 5676.65    | -514.92       | -511.01      | 548.22       | 0.74             |
| MWD             | 61       | 5841            | 11.87       | 132.4       | 94               | 5768.64    | -528.28       | -524.27      | 562.34       | 0.35             |
| MWD             | 62       | 5935            | 12.62       | 131.35      | 94               | 5860.50    | -541.69       | -537.57      | 577.19       | 0.83             |
| MWD             | 63       | 6029            | 11.25       | 126.78      | 94               | 5952.46    | -554.07       | -549.85      | 592.24       | 1.77             |
| MWD             | 64       | 6123            | 11.56       | 125.9       | 94               | 6044.61    | -565.19       | -560.86      | 607.22       | 0.38             |
| MWD             | 65       | 6218            | 11.65       | 126.69      | 95               | 6137.67    | -576.61       | -572.17      | 622.62       | 0.19             |

|     |     |       |       |        |     |          |          |          |         |       |
|-----|-----|-------|-------|--------|-----|----------|----------|----------|---------|-------|
| MWD | 66  | 6312  | 11.34 | 126.25 | 94  | 6229.78  | -587.86  | -583.31  | 637.68  | 0.34  |
| MWD | 67  | 6406  | 10.11 | 125.2  | 94  | 6322.14  | -598.18  | -593.53  | 651.88  | 1.32  |
| MWD | 68  | 6500  | 10.68 | 127.83 | 94  | 6414.59  | -608.37  | -603.63  | 665.50  | 0.79  |
| MWD | 69  | 6594  | 10.86 | 129.24 | 94  | 6506.94  | -619.41  | -614.57  | 679.24  | 0.34  |
| MWD | 70  | 6689  | 10.95 | 127.83 | 95  | 6600.22  | -630.71  | -625.77  | 693.29  | 0.30  |
| MWD | 71  | 6783  | 11.65 | 127.48 | 94  | 6692.40  | -642.07  | -637.02  | 707.88  | 0.75  |
| MWD | 72  | 6877  | 11.56 | 129.94 | 94  | 6784.48  | -653.99  | -648.84  | 722.63  | 0.54  |
| MWD | 73  | 6972  | 9.1   | 136.97 | 95  | 6877.94  | -665.69  | -660.44  | 735.06  | 2.91  |
| MWD | 74  | 7065  | 8.09  | 138.29 | 93  | 6969.89  | -676.01  | -670.70  | 744.43  | 1.11  |
| MWD | 75  | 7160  | 8.4   | 136.8  | 95  | 7063.91  | -686.13  | -680.75  | 753.63  | 0.40  |
| MWD | 76  | 7255  | 8.92  | 137.85 | 95  | 7157.83  | -696.72  | -691.27  | 763.32  | 0.57  |
| MWD | 77  | 7349  | 9.1   | 138.12 | 94  | 7250.67  | -707.72  | -702.21  | 773.17  | 0.20  |
| MWD | 78  | 7443  | 9.36  | 138.82 | 94  | 7343.45  | -719.08  | -713.50  | 783.17  | 0.30  |
| MWD | 79  | 7538  | 9.32  | 136.97 | 95  | 7437.19  | -730.59  | -724.93  | 793.50  | 0.32  |
| MWD | 80  | 7633  | 10.15 | 137.41 | 95  | 7530.82  | -742.46  | -736.72  | 804.42  | 0.88  |
| MWD | 81  | 7727  | 9.8   | 138.64 | 94  | 7623.40  | -754.64  | -748.82  | 815.31  | 0.44  |
| MWD | 82  | 7821  | 9.85  | 139.61 | 94  | 7716.02  | -766.84  | -760.95  | 825.81  | 0.18  |
| MWD | 83  | 7916  | 9.8   | 137.94 | 95  | 7809.63  | -779.11  | -773.14  | 836.49  | 0.30  |
| MWD | 84  | 8010  | 9.85  | 138.12 | 94  | 7902.25  | -791.11  | -785.07  | 847.21  | 0.06  |
| MWD | 85  | 8104  | 10.46 | 134.25 | 94  | 7994.78  | -803.13  | -797.01  | 858.69  | 0.97  |
| MWD | 86  | 8199  | 10.81 | 133.2  | 95  | 8088.15  | -815.34  | -809.12  | 871.37  | 0.42  |
| MWD | 87  | 8294  | 10.15 | 133.81 | 95  | 8181.56  | -827.32  | -821.02  | 883.90  | 0.70  |
| MWD | 88  | 8388  | 9.63  | 134.43 | 94  | 8274.16  | -838.64  | -832.26  | 895.49  | 0.56  |
| MWD | 89  | 8483  | 9.45  | 136.89 | 95  | 8367.85  | -849.98  | -843.51  | 906.50  | 0.47  |
| MWD | 90  | 8576  | 9.54  | 132.23 | 93  | 8459.58  | -860.81  | -854.27  | 917.42  | 0.83  |
| MWD | 91  | 8671  | 9.89  | 130.12 | 95  | 8553.21  | -871.44  | -864.81  | 929.49  | 0.53  |
| MWD | 92  | 8764  | 10.42 | 127.66 | 93  | 8644.76  | -881.82  | -875.10  | 942.25  | 0.74  |
| MWD | 93  | 8859  | 10.86 | 127.66 | 95  | 8738.12  | -892.64  | -885.82  | 956.14  | 0.46  |
| MWD | 94  | 8953  | 10.64 | 128.89 | 94  | 8830.47  | -903.59  | -896.67  | 969.91  | 0.34  |
| MWD | 95  | 9048  | 10.20 | 129.94 | 95  | 8923.91  | -914.59  | -907.58  | 983.18  | 0.50  |
| MWD | 96  | 9141  | 9.19  | 131.09 | 93  | 9015.58  | -924.85  | -917.75  | 995.09  | 1.11  |
| MWD | 97  | 9235  | 8.70  | 128.80 | 94  | 9108.43  | -934.31  | -927.14  | 1006.29 | 0.64  |
| MWD | 98  | 9330  | 8.92  | 124.76 | 95  | 9202.31  | -943.10  | -935.84  | 1017.94 | 0.69  |
| MWD | 99  | 9425  | 7.69  | 123.44 | 95  | 9296.32  | -950.88  | -943.54  | 1029.30 | 1.31  |
| MWD | 100 | 9519  | 6.33  | 124.58 | 94  | 9389.61  | -957.36  | -949.95  | 1038.81 | 1.45  |
| MWD | 101 | 9614  | 5.49  | 128.01 | 95  | 9484.11  | -963.18  | -955.72  | 1046.70 | 0.96  |
| MWD | 102 | 9707  | 5.14  | 128.98 | 93  | 9576.71  | -968.59  | -961.08  | 1053.45 | 0.39  |
| MWD | 103 | 9801  | 4.57  | 127.13 | 94  | 9670.37  | -973.55  | -965.99  | 1059.71 | 0.63  |
| MWD | 104 | 9894  | 4.04  | 131.79 | 93  | 9763.11  | -978.00  | -970.41  | 1065.10 | 0.68  |
| MWD | 105 | 9989  | 6.64  | 136.01 | 95  | 9857.69  | -984.23  | -976.59  | 1071.41 | 2.77  |
| MWD | 106 | 10083 | 7.12  | 149.10 | 94  | 9951.02  | -993.19  | -985.50  | 1078.18 | 1.74  |
| MWD | 107 | 10177 | 7.12  | 160.27 | 94  | 10044.29 | -1003.71 | -995.98  | 1083.14 | 1.47  |
| MWD | 108 | 10271 | 6.15  | 156.57 | 94  | 10137.66 | -1013.84 | -1006.09 | 1087.11 | 1.13  |
| MWD | 109 | 10366 | 5.19  | 144.27 | 95  | 10232.20 | -1022.03 | -1014.24 | 1091.64 | 1.62  |
| MWD | 110 | 10460 | 4.92  | 134.07 | 94  | 10325.84 | -1028.32 | -1020.50 | 1097.02 | 1.00  |
| MWD | 111 | 10554 | 4.44  | 132.58 | 94  | 10419.52 | -1033.63 | -1025.76 | 1102.59 | 0.53  |
| MWD | 112 | 10648 | 3.74  | 133.46 | 94  | 10513.28 | -1038.23 | -1030.34 | 1107.50 | 0.75  |
| MWD | 113 | 10743 | 3.25  | 134.16 | 95  | 10608.11 | -1042.27 | -1034.34 | 1111.68 | 0.52  |
| MWD | 114 | 10837 | 3.25  | 127.83 | 94  | 10701.96 | -1045.79 | -1037.83 | 1115.70 | 0.38  |
| MWD | 115 | 10932 | 2.59  | 138.56 | 95  | 10796.83 | -1049.08 | -1041.09 | 1119.24 | 0.90  |
| MWD | 116 | 11026 | 2.15  | 148.84 | 94  | 10890.75 | -1052.19 | -1044.19 | 1121.56 | 0.65  |
| MWD | 117 | 11121 | 1.49  | 152.88 | 95  | 10985.71 | -1054.83 | -1046.82 | 1123.05 | 0.71  |
| MWD | 118 | 11216 | 0.66  | 178.81 | 95  | 11080.69 | -1056.48 | -1048.47 | 1123.62 | 0.99  |
| MWD | 119 | 11310 | 0.35  | 203.95 | 94  | 11174.68 | -1057.28 | -1049.27 | 1123.52 | 0.40  |
| MWD | 120 | 11404 | 0.66  | 208.34 | 94  | 11268.68 | -1058.02 | -1050.01 | 1123.14 | 0.33  |
| MWD | 121 | 11498 | 0.53  | 228.73 | 94  | 11362.68 | -1058.78 | -1050.77 | 1122.56 | 0.26  |
| MWD | 122 | 11591 | 1.19  | 247.72 | 93  | 11455.66 | -1059.42 | -1051.42 | 1121.34 | 0.76  |
| MWD | 123 | 11685 | 0.92  | 270.22 | 94  | 11549.65 | -1059.77 | -1051.79 | 1119.68 | 0.52  |
| MWD | 124 | 11781 | 1.32  | 256.07 | 96  | 11645.63 | -1060.02 | -1052.05 | 1117.84 | 0.50  |
| MWD | 125 | 11875 | 0.48  | 238.58 | 94  | 11739.62 | -1060.48 | -1052.52 | 1116.45 | 0.93  |
| MWD | 126 | 11969 | 0.57  | 236.12 | 94  | 11833.61 | -1060.94 | -1052.98 | 1115.73 | 0.10  |
| MWD | 127 | 12064 | 0.57  | 254.48 | 95  | 11928.61 | -1061.32 | -1053.37 | 1114.88 | 0.19  |
| MWD | 128 | 12083 | 0.70  | 257.39 | 19  | 11947.61 | -1061.37 | -1053.42 | 1114.68 | 0.70  |
| MWD | 129 | 12192 | 1.32  | 246.82 | 109 | 12056.59 | -1062.00 | -1054.06 | 1112.87 | 0.59  |
| MWD | 130 | 12286 | 4.79  | 35.88  | 94  | 12150.50 | -1059.25 | -1051.31 | 1114.18 | 6.34  |
| MWD | 131 | 12380 | 15.65 | 26.21  | 94  | 12242.87 | -1044.71 | -1036.71 | 1122.10 | 11.66 |
| MWD | 132 | 12423 | 19.87 | 26.56  | 43  | 12283.82 | -1033.01 | -1024.96 | 1127.93 | 9.82  |
| MWD | 133 | 12473 | 22.86 | 26.39  | 50  | 12330.37 | -1016.76 | -1008.66 | 1136.05 | 5.98  |
| MWD | 134 | 12520 | 28.00 | 12.77  | 47  | 12372.84 | -997.84  | -989.69  | 1142.56 | 16.50 |
| MWD | 135 | 12567 | 33.93 | 5.82   | 47  | 12413.14 | -974.03  | -965.85  | 1146.33 | 14.72 |
| MWD | 136 | 12614 | 41.49 | 2.13   | 47  | 12450.30 | -945.39  | -937.20  | 1148.24 | 16.78 |
| MWD | 137 | 12661 | 49.89 | 358.35 | 47  | 12483.11 | -911.81  | -903.61  | 1148.31 | 18.77 |
| MWD | 138 | 12756 | 65.19 | 354.48 | 95  | 12533.96 | -832.04  | -823.89  | 1143.08 | 16.46 |
| MWD | 139 | 12851 | 78.02 | 354.75 | 95  | 12563.87 | -742.43  | -734.32  | 1134.65 | 13.51 |
| MWD | 140 | 12946 | 90.59 | 358.09 | 95  | 12573.29 | -648.24  | -640.18  | 1128.79 | 13.68 |
| MWD | 141 | 13040 | 92.22 | 357.03 | 94  | 12570.98 | -554.33  | -546.30  | 1124.78 | 2.07  |
| MWD | 142 | 13134 | 93.01 | 359.58 | 94  | 12566.69 | -460.46  | -452.44  | 1122.01 | 2.84  |
| MWD | 143 | 13228 | 90.81 | 0.81   | 94  | 12563.56 | -366.53  | -358.50  | 1122.33 | 2.68  |
| MWD | 144 | 13250 | 90.59 | 0.99   | 22  | 12563.29 | -344.53  | -336.51  | 1122.67 | 1.29  |

|     |     |       |       |        |    |          |         |         |         |      |
|-----|-----|-------|-------|--------|----|----------|---------|---------|---------|------|
| MWD | 145 | 13344 | 90.37 | 358.18 | 94 | 12562.50 | -250.55 | -242.52 | 1121.99 | 3.00 |
| MWD | 146 | 13439 | 90.99 | 358.70 | 95 | 12561.37 | -155.57 | -147.57 | 1119.41 | 0.85 |
| MWD | 147 | 13533 | 91.12 | 357.65 | 94 | 12559.64 | -61.62  | -53.63  | 1116.41 | 1.13 |
| MWD | 148 | 13625 | 91.82 | 358.09 | 92 | 12557.28 | 30.31   | 38.27   | 1112.99 | 0.90 |
| MWD | 149 | 13719 | 93.63 | 358.79 | 94 | 12552.81 | 124.18  | 132.13  | 1110.44 | 2.06 |
| MWD | 150 | 13813 | 93.89 | 358.97 | 94 | 12546.65 | 217.97  | 225.91  | 1108.60 | 0.34 |
| MWD | 151 | 13906 | 93.49 | 359.41 | 93 | 12540.66 | 310.77  | 318.70  | 1107.29 | 0.64 |
| MWD | 152 | 14000 | 90.95 | 357.47 | 94 | 12537.02 | 404.67  | 412.59  | 1104.73 | 3.40 |
| MWD | 153 | 14093 | 90.68 | 1.60   | 93 | 12535.70 | 497.64  | 505.55  | 1103.98 | 4.45 |
| MWD | 154 | 14188 | 89.45 | 2.92   | 95 | 12535.59 | 592.53  | 600.48  | 1107.73 | 1.90 |
| MWD | 155 | 14283 | 87.60 | 3.01   | 95 | 12538.04 | 687.33  | 695.31  | 1112.64 | 1.95 |
| MWD | 156 | 14376 | 88.57 | 4.06   | 93 | 12541.15 | 780.06  | 788.08  | 1118.37 | 1.54 |
| MWD | 157 | 14470 | 87.82 | 3.01   | 94 | 12544.11 | 873.79  | 881.86  | 1124.16 | 1.37 |
| MWD | 158 | 14564 | 87.65 | 2.22   | 94 | 12547.82 | 967.58  | 975.68  | 1128.45 | 0.86 |
| MWD | 159 | 14659 | 87.65 | 2.48   | 95 | 12551.72 | 1062.39 | 1070.52 | 1132.34 | 0.27 |
| MWD | 160 | 14753 | 89.14 | 0.11   | 94 | 12554.35 | 1156.31 | 1164.45 | 1134.46 | 2.98 |
| MWD | 161 | 14847 | 90.59 | 358.35 | 94 | 12554.57 | 1250.30 | 1258.44 | 1133.20 | 2.43 |
| MWD | 162 | 14940 | 91.91 | 357.65 | 93 | 12552.54 | 1343.24 | 1351.36 | 1129.96 | 1.61 |
| MWD | 163 | 15033 | 92.31 | 357.30 | 93 | 12549.12 | 1436.11 | 1444.20 | 1125.86 | 0.57 |
| MWD | 164 | 15127 | 91.91 | 356.95 | 94 | 12545.66 | 1529.96 | 1538.02 | 1121.15 | 0.57 |
| MWD | 165 | 15221 | 92.66 | 357.21 | 94 | 12541.91 | 1623.79 | 1631.82 | 1116.36 | 0.84 |
| MWD | 166 | 15315 | 92.92 | 357.30 | 94 | 12537.33 | 1717.60 | 1725.60 | 1111.87 | 0.29 |
| MWD | 167 | 15409 | 92.62 | 356.42 | 94 | 12532.79 | 1811.39 | 1819.35 | 1106.73 | 0.99 |
| MWD | 168 | 15503 | 90.59 | 358.18 | 94 | 12530.16 | 1905.27 | 1913.20 | 1102.30 | 2.86 |
| MWD | 169 | 15597 | 90.46 | 356.24 | 94 | 12529.30 | 1999.18 | 2007.08 | 1097.72 | 2.07 |
| MWD | 170 | 15692 | 90.64 | 358.79 | 95 | 12528.39 | 2094.10 | 2101.98 | 1093.61 | 2.69 |
| MWD | 171 | 15786 | 90.64 | 359.85 | 94 | 12527.34 | 2188.09 | 2195.97 | 1092.49 | 1.13 |
| MWD | 172 | 15881 | 89.98 | 358.79 | 95 | 12526.82 | 2283.09 | 2290.96 | 1091.36 | 1.31 |
| MWD | 173 | 15976 | 88.53 | 359.49 | 95 | 12528.06 | 2378.08 | 2385.94 | 1089.94 | 1.69 |
| MWD | 174 | 16071 | 89.49 | 359.93 | 95 | 12529.70 | 2473.06 | 2480.92 | 1089.46 | 1.11 |
| MWD | 175 | 16165 | 88.26 | 359.67 | 94 | 12531.54 | 2567.04 | 2574.90 | 1089.13 | 1.34 |
| MWD | 176 | 16259 | 90.46 | 0.46   | 94 | 12532.59 | 2661.02 | 2668.89 | 1089.24 | 2.49 |
| MWD | 177 | 16354 | 90.95 | 0.72   | 95 | 12531.42 | 2756.00 | 2763.87 | 1090.21 | 0.58 |
| MWD | 178 | 16447 | 90.95 | 0.90   | 93 | 12529.88 | 2848.97 | 2856.85 | 1091.53 | 0.19 |
| MWD | 179 | 16541 | 90.77 | 1.16   | 94 | 12528.47 | 2942.93 | 2950.83 | 1093.22 | 0.34 |
| MWD | 180 | 16635 | 90.11 | 1.25   | 94 | 12527.75 | 3036.89 | 3044.80 | 1095.19 | 0.71 |
| MWD | 181 | 16730 | 90.46 | 1.52   | 95 | 12527.28 | 3131.84 | 3139.77 | 1097.49 | 0.47 |
| MWD | 182 | 16824 | 90.15 | 1.60   | 94 | 12526.78 | 3225.78 | 3233.74 | 1100.05 | 0.34 |
| MWD | 183 | 16917 | 90.37 | 2.22   | 93 | 12526.35 | 3318.70 | 3326.68 | 1103.15 | 0.71 |
| MWD | 184 | 17012 | 89.85 | 2.22   | 95 | 12526.17 | 3413.60 | 3421.61 | 1106.83 | 0.55 |
| MWD | 185 | 17106 | 89.58 | 2.22   | 94 | 12526.64 | 3507.50 | 3515.54 | 1110.47 | 0.29 |
| MWD | 186 | 17202 | 89.01 | 1.87   | 96 | 12527.82 | 3603.41 | 3611.47 | 1113.90 | 0.70 |
| MWD | 187 | 17297 | 90.29 | 2.48   | 95 | 12528.40 | 3698.31 | 3706.40 | 1117.50 | 1.49 |
| MWD | 188 | 17390 | 91.08 | 0.02   | 93 | 12527.29 | 3791.25 | 3799.36 | 1119.53 | 2.78 |
| MWD | 189 | 17485 | 90.86 | 358.53 | 95 | 12525.68 | 3886.23 | 3894.34 | 1118.33 | 1.59 |
| MWD | 190 | 17579 | 90.73 | 358.88 | 94 | 12524.38 | 3980.21 | 3988.30 | 1116.20 | 0.40 |
| MWD | 191 | 17674 | 91.03 | 359.49 | 95 | 12522.92 | 4075.20 | 4083.28 | 1114.85 | 0.72 |
| MWD | 192 | 17768 | 90.95 | 359.67 | 94 | 12521.29 | 4169.19 | 4177.27 | 1114.16 | 0.21 |
| MWD | 193 | 17863 | 88.66 | 358.62 | 95 | 12521.62 | 4264.17 | 4272.25 | 1112.75 | 2.65 |
| MWD | 194 | 17957 | 88.31 | 359.41 | 94 | 12524.10 | 4358.14 | 4366.20 | 1111.13 | 0.92 |
| MWD | 195 | 18051 | 89.54 | 359.67 | 94 | 12525.87 | 4452.12 | 4460.18 | 1110.38 | 1.34 |
| MWD | 196 | 18145 | 91.03 | 359.67 | 94 | 12525.40 | 4546.11 | 4554.17 | 1109.84 | 1.59 |
| MWD | 197 | 18239 | 91.30 | 359.49 | 94 | 12523.49 | 4640.09 | 4648.15 | 1109.15 | 0.35 |
| MWD | 198 | 18334 | 90.37 | 358.62 | 95 | 12522.10 | 4735.08 | 4743.13 | 1107.58 | 1.34 |
| MWD | 199 | 18427 | 90.29 | 358.62 | 93 | 12521.57 | 4828.06 | 4836.10 | 1105.34 | 0.09 |
| MWD | 200 | 18520 | 91.12 | 358.88 | 93 | 12520.42 | 4921.05 | 4929.07 | 1103.31 | 0.94 |
| MWD | 201 | 18614 | 91.65 | 0.72   | 94 | 12518.15 | 5015.01 | 5023.03 | 1102.98 | 2.04 |
| MWD | 202 | 18708 | 91.16 | 0.20   | 94 | 12515.85 | 5108.97 | 5117.00 | 1103.74 | 0.76 |
| MWD | 203 | 18802 | 88.40 | 358.79 | 94 | 12516.21 | 5202.96 | 5210.99 | 1102.91 | 3.30 |
| MWD | 204 | 18896 | 87.65 | 358.70 | 94 | 12519.45 | 5296.89 | 5304.91 | 1100.85 | 0.80 |
| MWD | 205 | 18991 | 86.15 | 358.70 | 95 | 12524.58 | 5391.74 | 5399.74 | 1098.70 | 1.58 |
| MWD | 206 | 19086 | 89.41 | 358.35 | 95 | 12528.26 | 5486.64 | 5494.63 | 1096.26 | 3.45 |
| MWD | 207 | 19179 | 89.23 | 358.88 | 93 | 12529.37 | 5579.62 | 5587.59 | 1094.01 | 0.60 |
| MWD | 208 | 19274 | 89.36 | 359.67 | 95 | 12530.54 | 5674.61 | 5682.58 | 1092.81 | 0.84 |
| MWD | 209 | 19367 | 90.02 | 0.55   | 93 | 12531.04 | 5767.60 | 5775.57 | 1092.98 | 1.18 |
| MWD | 210 | 19461 | 91.47 | 356.33 | 94 | 12529.82 | 5861.55 | 5869.51 | 1090.43 | 4.75 |
| MWD | 211 | 19556 | 90.77 | 0.55   | 95 | 12527.96 | 5956.49 | 5964.43 | 1087.84 | 4.50 |
| MWD | 212 | 19649 | 92.18 | 0.55   | 93 | 12525.56 | 6049.45 | 6057.39 | 1088.73 | 1.52 |
| MWD | 213 | 19743 | 91.78 | 0.46   | 94 | 12522.32 | 6143.38 | 6151.33 | 1089.56 | 0.44 |
| MWD | 214 | 19837 | 92.18 | 359.85 | 94 | 12519.07 | 6237.32 | 6245.28 | 1089.82 | 0.78 |
| MWD | 215 | 19931 | 91.78 | 359.67 | 94 | 12515.82 | 6331.26 | 6339.22 | 1089.42 | 0.47 |
| MWD | 216 | 20023 | 92.09 | 359.67 | 92 | 12512.71 | 6423.21 | 6431.17 | 1088.89 | 0.34 |
| MWD | 217 | 20116 | 88.62 | 355.01 | 93 | 12512.14 | 6516.10 | 6524.02 | 1084.58 | 6.25 |
| MWD | 218 | 20211 | 88.79 | 357.30 | 95 | 12514.29 | 6610.89 | 6618.78 | 1078.21 | 2.42 |
| MWD | 219 | 20305 | 88.31 | 358.09 | 94 | 12516.66 | 6704.81 | 6712.67 | 1074.43 | 0.98 |
| MWD | 220 | 20399 | 89.19 | 359.05 | 94 | 12518.71 | 6798.77 | 6806.62 | 1072.09 | 1.39 |
| MWD | 221 | 20493 | 87.03 | 358.88 | 94 | 12521.81 | 6892.71 | 6900.55 | 1070.39 | 2.30 |
| MWD | 222 | 20586 | 90.29 | 358.70 | 93 | 12523.99 | 6985.66 | 6993.49 | 1068.43 | 3.51 |
| MWD | 223 | 20680 | 92.40 | 0.99   | 94 | 12521.78 | 7079.62 | 7087.45 | 1068.17 | 3.31 |

|     |     |       |       |        |    |          |         |         |         |      |
|-----|-----|-------|-------|--------|----|----------|---------|---------|---------|------|
| MWD | 224 | 20774 | 91.16 | 1.16   | 94 | 12518.86 | 7173.55 | 7181.39 | 1069.93 | 1.33 |
| MWD | 225 | 20868 | 90.20 | 0.90   | 94 | 12517.75 | 7267.51 | 7275.36 | 1071.62 | 1.06 |
| MWD | 226 | 20962 | 90.77 | 1.60   | 94 | 12516.95 | 7361.46 | 7369.34 | 1073.67 | 0.96 |
| MWD | 227 | 21056 | 91.43 | 1.78   | 94 | 12515.15 | 7455.38 | 7463.28 | 1076.45 | 0.73 |
| MWD | 228 | 21150 | 91.25 | 2.48   | 94 | 12512.95 | 7549.26 | 7557.19 | 1079.94 | 0.77 |
| MWD | 229 | 21245 | 91.38 | 2.92   | 95 | 12510.77 | 7644.10 | 7652.06 | 1084.41 | 0.48 |
| MWD | 230 | 21339 | 88.97 | 1.69   | 94 | 12510.48 | 7737.99 | 7745.97 | 1088.19 | 2.88 |
| MWD | 231 | 21432 | 90.20 | 1.16   | 93 | 12511.16 | 7830.93 | 7838.94 | 1090.51 | 1.44 |
| MWD | 232 | 21526 | 91.08 | 359.76 | 94 | 12510.11 | 7924.91 | 7932.92 | 1091.26 | 1.76 |
| MWD | 233 | 21621 | 92.22 | 359.93 | 95 | 12507.37 | 8019.87 | 8027.88 | 1091.00 | 1.21 |
| MWD | 234 | 21716 | 92.57 | 0.72   | 95 | 12503.40 | 8114.78 | 8122.80 | 1091.54 | 0.91 |
| MWD | 235 | 21809 | 93.23 | 0.99   | 93 | 12498.69 | 8207.64 | 8215.67 | 1092.93 | 0.77 |
| MWD | 236 | 21904 | 90.68 | 0.64   | 95 | 12495.45 | 8302.55 | 8310.60 | 1094.28 | 2.71 |
| MWD | 237 | 21997 | 87.03 | 359.76 | 93 | 12497.31 | 8395.51 | 8403.56 | 1094.60 | 4.04 |
| MWD | 238 | 22091 | 88.22 | 358.53 | 94 | 12501.21 | 8489.42 | 8497.46 | 1093.20 | 1.82 |
| MWD | 239 | 22185 | 89.80 | 0.37   | 94 | 12502.83 | 8583.40 | 8591.44 | 1092.30 | 2.58 |
| MWD | 240 | 22280 | 91.56 | 359.85 | 95 | 12501.70 | 8678.39 | 8686.43 | 1092.48 | 1.93 |
| MWD | 241 | 22374 | 89.76 | 358.26 | 94 | 12500.62 | 8772.37 | 8780.40 | 1090.93 | 2.55 |
| MWD | 242 | 22467 | 91.96 | 357.38 | 93 | 12499.23 | 8865.31 | 8873.32 | 1087.39 | 2.55 |
| MWD | 243 | 22561 | 94.20 | 357.38 | 94 | 12494.18 | 8959.10 | 8967.08 | 1083.10 | 2.38 |
| MWD | 244 | 22655 | 94.37 | 358.00 | 94 | 12487.15 | 9052.78 | 9060.74 | 1079.33 | 0.68 |
| MWD | 245 | 22750 | 89.54 | 357.82 | 95 | 12483.91 | 9147.66 | 9155.59 | 1075.86 | 5.09 |
| MWD | 246 | 22843 | 87.16 | 358.00 | 93 | 12486.59 | 9240.57 | 9248.49 | 1072.47 | 2.57 |
| MWD | 247 | 22932 | 86.33 | 357.65 | 89 | 12491.64 | 9329.39 | 9337.28 | 1069.10 | 1.01 |
| PTB | 248 | 23005 | 86.33 | 357.65 | 73 | 12496.32 | 9402.20 | 9410.07 | 1066.11 | 0.00 |

| Submit To Appropriate District Office<br>Two Copies<br><u>District I</u><br>1625 N. French Dr., Hobbs, NM 88240<br><u>District II</u><br>811 S. First St., Artesia, NM 88210<br><u>District III</u><br>1000 Rio Brazos Rd., Aztec, NM 87410<br><u>District IV</u><br>1220 S. St. Francis Dr., Santa Fe, NM 87505                                                                          |                                                    | <b>State of New Mexico</b><br><b>Energy, Minerals and Natural Resources</b><br><br><b>Oil Conservation Division</b><br><b>1220 South St. Francis Dr.</b><br><b>Santa Fe, NM 87505</b> |                                          |                   | <b>Form C-105</b><br>Revised April 3, 2017         |                                                                                                                                                                                                                                                                                                                                                                           |                                                                         |                                                                     |                |               |                |                               |                 |                                                    |  |  |  |  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------|-------------------|----------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|---------------------------------------------------------------------|----------------|---------------|----------------|-------------------------------|-----------------|----------------------------------------------------|--|--|--|--|
| <b>WELL COMPLETION OR RECOMPLETION REPORT AND LOG</b>                                                                                                                                                                                                                                                                                                                                     |                                                    |                                                                                                                                                                                       |                                          |                   |                                                    |                                                                                                                                                                                                                                                                                                                                                                           |                                                                         | 1. WELL API NO. 30-025-48741                                        |                |               |                |                               |                 |                                                    |  |  |  |  |
| 4. Reason for filing:<br><br><input checked="" type="checkbox"/> <b>COMPLETION REPORT</b> (Fill in boxes #1 through #31 for State and Fee wells only)<br><br><input type="checkbox"/> <b>C-144 CLOSURE ATTACHMENT</b> (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC) |                                                    |                                                                                                                                                                                       |                                          |                   |                                                    |                                                                                                                                                                                                                                                                                                                                                                           |                                                                         | 5. Lease Name or Unit Agreement Name<br><b>PROMETHEUS STATE COM</b> |                |               |                |                               |                 |                                                    |  |  |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                           |                                                    |                                                                                                                                                                                       |                                          |                   |                                                    |                                                                                                                                                                                                                                                                                                                                                                           |                                                                         | 6. Well Number:<br><br>211H                                         |                |               |                |                               |                 |                                                    |  |  |  |  |
| 7. Type of Completion:<br><input checked="" type="checkbox"/> NEW WELL <input type="checkbox"/> WORKOVER <input type="checkbox"/> DEEPENING <input type="checkbox"/> PLUGBACK <input type="checkbox"/> DIFFERENT RESERVOIR <input type="checkbox"/> OTHER                                                                                                                                 |                                                    |                                                                                                                                                                                       |                                          |                   |                                                    |                                                                                                                                                                                                                                                                                                                                                                           |                                                                         |                                                                     |                |               |                |                               |                 |                                                    |  |  |  |  |
| 8. Name of Operator<br><b>TAP ROCK OPERATING, LLC</b>                                                                                                                                                                                                                                                                                                                                     |                                                    |                                                                                                                                                                                       |                                          |                   |                                                    |                                                                                                                                                                                                                                                                                                                                                                           | 9. OGRID<br>372043                                                      |                                                                     |                |               |                |                               |                 |                                                    |  |  |  |  |
| 10. Address of Operator<br><b>523 PARK POINT DRIVE, SUITE 200, GOLDEN, CO</b>                                                                                                                                                                                                                                                                                                             |                                                    |                                                                                                                                                                                       |                                          |                   |                                                    |                                                                                                                                                                                                                                                                                                                                                                           | 11. Pool name or Wildcat<br><b>WC-025 G-09 S243310P; UPPER WOLFCAMP</b> |                                                                     |                |               |                |                               |                 |                                                    |  |  |  |  |
| 12. Location                                                                                                                                                                                                                                                                                                                                                                              | Unit Ltr                                           | Section                                                                                                                                                                               | Township                                 | Range             | Lot                                                | Feet from the                                                                                                                                                                                                                                                                                                                                                             | N/S Line                                                                | Feet from the                                                       | E/W Line       | County        |                |                               |                 |                                                    |  |  |  |  |
| <b>Surface:</b>                                                                                                                                                                                                                                                                                                                                                                           | M                                                  | 22                                                                                                                                                                                    | 24S                                      | 33E               | -                                                  | 1128                                                                                                                                                                                                                                                                                                                                                                      | SOUTH                                                                   | 124                                                                 | WEST           | LEA           |                |                               |                 |                                                    |  |  |  |  |
| <b>BH:</b>                                                                                                                                                                                                                                                                                                                                                                                | D                                                  | 15                                                                                                                                                                                    | 24S                                      | 33E               | -                                                  | 27                                                                                                                                                                                                                                                                                                                                                                        | NORTH                                                                   | 1256                                                                | WEST           | LEA           |                |                               |                 |                                                    |  |  |  |  |
| 13. Date Spudded<br>10/29/2021                                                                                                                                                                                                                                                                                                                                                            | 14. Date T.D. Reached<br>1/6/2022                  |                                                                                                                                                                                       | 15. Date Rig Released<br>1/9/2022        |                   | 16. Date Completed (Ready to Produce)<br>4/22/2022 |                                                                                                                                                                                                                                                                                                                                                                           |                                                                         | 17. Elevations (DF and RKB, RT, GR, etc.) 3547 GR                   |                |               |                |                               |                 |                                                    |  |  |  |  |
| 18. Total Measured Depth of Well<br>23005 ft                                                                                                                                                                                                                                                                                                                                              |                                                    |                                                                                                                                                                                       | 19. Plug Back Measured Depth<br>22938 ft |                   | 20. Was Directional Survey Made?<br>YES            |                                                                                                                                                                                                                                                                                                                                                                           |                                                                         | 21. Type Electric and Other Logs Run<br>GAMMA                       |                |               |                |                               |                 |                                                    |  |  |  |  |
| 22. Producing Interval(s), of this completion - Top, Bottom, Name<br>12640' - 22853'                                                                                                                                                                                                                                                                                                      |                                                    |                                                                                                                                                                                       |                                          |                   |                                                    |                                                                                                                                                                                                                                                                                                                                                                           | WOLFCAMP                                                                |                                                                     |                |               |                |                               |                 |                                                    |  |  |  |  |
| <b>23. CASING RECORD (Report all strings set in well)</b>                                                                                                                                                                                                                                                                                                                                 |                                                    |                                                                                                                                                                                       |                                          |                   |                                                    |                                                                                                                                                                                                                                                                                                                                                                           |                                                                         |                                                                     |                |               |                |                               |                 |                                                    |  |  |  |  |
| CASING SIZE                                                                                                                                                                                                                                                                                                                                                                               |                                                    | WEIGHT LB./FT.                                                                                                                                                                        |                                          | DEPTH SET         |                                                    | HOLE SIZE                                                                                                                                                                                                                                                                                                                                                                 |                                                                         | CEMENTING RECORD                                                    |                | AMOUNT PULLED |                |                               |                 |                                                    |  |  |  |  |
| 10.75"                                                                                                                                                                                                                                                                                                                                                                                    |                                                    | 45.5                                                                                                                                                                                  |                                          | 1281'             |                                                    | 13.5"                                                                                                                                                                                                                                                                                                                                                                     |                                                                         | 600 sks                                                             |                | 0             |                |                               |                 |                                                    |  |  |  |  |
| 7.625"                                                                                                                                                                                                                                                                                                                                                                                    |                                                    | 29.7                                                                                                                                                                                  |                                          | 9894'/12047'      |                                                    | 9.875"/8.75"                                                                                                                                                                                                                                                                                                                                                              |                                                                         | 1184 sks                                                            |                | 0             |                |                               |                 |                                                    |  |  |  |  |
| 5.5"                                                                                                                                                                                                                                                                                                                                                                                      |                                                    | 20                                                                                                                                                                                    |                                          | 22986'            |                                                    | 6.75"                                                                                                                                                                                                                                                                                                                                                                     |                                                                         | 1121 sks                                                            |                | 0             |                |                               |                 |                                                    |  |  |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                           |                                                    |                                                                                                                                                                                       |                                          |                   |                                                    |                                                                                                                                                                                                                                                                                                                                                                           |                                                                         |                                                                     |                |               |                |                               |                 |                                                    |  |  |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                           |                                                    |                                                                                                                                                                                       |                                          |                   |                                                    |                                                                                                                                                                                                                                                                                                                                                                           |                                                                         |                                                                     |                |               |                |                               |                 |                                                    |  |  |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                           |                                                    |                                                                                                                                                                                       |                                          |                   |                                                    |                                                                                                                                                                                                                                                                                                                                                                           |                                                                         |                                                                     |                |               |                |                               |                 |                                                    |  |  |  |  |
| 24. LINER RECORD                                                                                                                                                                                                                                                                                                                                                                          |                                                    |                                                                                                                                                                                       |                                          |                   |                                                    | 25. TUBING RECORD                                                                                                                                                                                                                                                                                                                                                         |                                                                         |                                                                     |                |               |                |                               |                 |                                                    |  |  |  |  |
| SIZE                                                                                                                                                                                                                                                                                                                                                                                      | TOP                                                | BOTTOM                                                                                                                                                                                | SACKS CEMENT                             | SCREEN            |                                                    | SIZE                                                                                                                                                                                                                                                                                                                                                                      | DEPTH SET                                                               |                                                                     | PACKER SET     |               |                |                               |                 |                                                    |  |  |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                           |                                                    |                                                                                                                                                                                       |                                          |                   |                                                    |                                                                                                                                                                                                                                                                                                                                                                           |                                                                         |                                                                     |                |               |                |                               |                 |                                                    |  |  |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                           |                                                    |                                                                                                                                                                                       |                                          |                   |                                                    |                                                                                                                                                                                                                                                                                                                                                                           |                                                                         |                                                                     |                |               |                |                               |                 |                                                    |  |  |  |  |
| 26. Perforation record (interval, size, and number)<br><br>Perforate from 12640 ft to 22853 ft, 1 SPF, .55 inch holes with 598 total shots                                                                                                                                                                                                                                                |                                                    |                                                                                                                                                                                       |                                          |                   |                                                    | 27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.<br><table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>DEPTH INTERVAL</th> <th>AMOUNT AND KIND MATERIAL USED</th> </tr> <tr> <td>12640' - 22853'</td> <td>46 stage frac with 25,636,591 lbs of 100 mesh sand</td> </tr> <tr> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> </tr> </table> |                                                                         |                                                                     |                |               | DEPTH INTERVAL | AMOUNT AND KIND MATERIAL USED | 12640' - 22853' | 46 stage frac with 25,636,591 lbs of 100 mesh sand |  |  |  |  |
| DEPTH INTERVAL                                                                                                                                                                                                                                                                                                                                                                            | AMOUNT AND KIND MATERIAL USED                      |                                                                                                                                                                                       |                                          |                   |                                                    |                                                                                                                                                                                                                                                                                                                                                                           |                                                                         |                                                                     |                |               |                |                               |                 |                                                    |  |  |  |  |
| 12640' - 22853'                                                                                                                                                                                                                                                                                                                                                                           | 46 stage frac with 25,636,591 lbs of 100 mesh sand |                                                                                                                                                                                       |                                          |                   |                                                    |                                                                                                                                                                                                                                                                                                                                                                           |                                                                         |                                                                     |                |               |                |                               |                 |                                                    |  |  |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                           |                                                    |                                                                                                                                                                                       |                                          |                   |                                                    |                                                                                                                                                                                                                                                                                                                                                                           |                                                                         |                                                                     |                |               |                |                               |                 |                                                    |  |  |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                           |                                                    |                                                                                                                                                                                       |                                          |                   |                                                    |                                                                                                                                                                                                                                                                                                                                                                           |                                                                         |                                                                     |                |               |                |                               |                 |                                                    |  |  |  |  |
| <b>28. PRODUCTION</b>                                                                                                                                                                                                                                                                                                                                                                     |                                                    |                                                                                                                                                                                       |                                          |                   |                                                    |                                                                                                                                                                                                                                                                                                                                                                           |                                                                         |                                                                     |                |               |                |                               |                 |                                                    |  |  |  |  |
| Date First Production<br>4/30/2022                                                                                                                                                                                                                                                                                                                                                        |                                                    | Production Method (Flowing, gas lift, pumping - Size and type pump)<br>Flowing                                                                                                        |                                          |                   |                                                    | Well Status (Prod. or Shut-in)<br>Producing                                                                                                                                                                                                                                                                                                                               |                                                                         |                                                                     |                |               |                |                               |                 |                                                    |  |  |  |  |
| Date of Test<br>5/17/2022                                                                                                                                                                                                                                                                                                                                                                 | Hours Tested<br>24 hrs                             | Choke Size<br>40/64                                                                                                                                                                   | Prod'n For Test Period                   | Oil - Bbl<br>1497 | Gas - MCF<br>3594                                  | Water - Bbl.<br>3218                                                                                                                                                                                                                                                                                                                                                      | Gas - Oil Ratio<br>2401                                                 |                                                                     |                |               |                |                               |                 |                                                    |  |  |  |  |
| Flow Tubing Press.<br>0                                                                                                                                                                                                                                                                                                                                                                   | Casing Pressure<br>2200                            | Calculated 24-Hour Rate                                                                                                                                                               | Oil - Bbl.<br>1497                       | Gas - MCF<br>3594 | Water - Bbl.<br>3218                               | Oil Gravity - API - (Corr.)                                                                                                                                                                                                                                                                                                                                               |                                                                         |                                                                     |                |               |                |                               |                 |                                                    |  |  |  |  |
| 29. Disposition of Gas (Sold, used for fuel, vented, etc.)<br>Sold                                                                                                                                                                                                                                                                                                                        |                                                    |                                                                                                                                                                                       |                                          |                   |                                                    |                                                                                                                                                                                                                                                                                                                                                                           | 30. Test Witnessed By                                                   |                                                                     |                |               |                |                               |                 |                                                    |  |  |  |  |
| 31. List Attachments<br>C-102, Directional Survey                                                                                                                                                                                                                                                                                                                                         |                                                    |                                                                                                                                                                                       |                                          |                   |                                                    |                                                                                                                                                                                                                                                                                                                                                                           |                                                                         |                                                                     |                |               |                |                               |                 |                                                    |  |  |  |  |
| 32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.                                                                                                                                                                                                                                                                                        |                                                    |                                                                                                                                                                                       |                                          |                   |                                                    |                                                                                                                                                                                                                                                                                                                                                                           | 33. Rig Release Date:                                                   |                                                                     |                |               |                |                               |                 |                                                    |  |  |  |  |
| 34. If an on-site burial was used at the well, report the exact location of the on-site burial:                                                                                                                                                                                                                                                                                           |                                                    |                                                                                                                                                                                       |                                          |                   |                                                    |                                                                                                                                                                                                                                                                                                                                                                           |                                                                         |                                                                     |                |               |                |                               |                 |                                                    |  |  |  |  |
| Latitude                                                                                                                                                                                                                                                                                                                                                                                  |                                                    |                                                                                                                                                                                       | Longitude                                |                   |                                                    | NAD83                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                     |                |               |                |                               |                 |                                                    |  |  |  |  |
| I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief                                                                                                                                                                                                                                                        |                                                    |                                                                                                                                                                                       |                                          |                   |                                                    |                                                                                                                                                                                                                                                                                                                                                                           |                                                                         |                                                                     |                |               |                |                               |                 |                                                    |  |  |  |  |
| Signature                                                                                                                                                                                                                                                                                                                                                                                 |                                                    |                                                                                                                                                                                       | Printed Name Jeff Trlica                 |                   |                                                    | Title Regulatory Analyst                                                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                     | Date 5/25/2022 |               |                |                               |                 |                                                    |  |  |  |  |
| E-mail Address jtrlica@taprock.com                                                                                                                                                                                                                                                                                                                                                        |                                                    |                                                                                                                                                                                       |                                          |                   |                                                    |                                                                                                                                                                                                                                                                                                                                                                           |                                                                         |                                                                     |                |               |                |                               |                 |                                                    |  |  |  |  |

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

[illegible]


No. 1, from.....to.....  
No. 2, from.....to.....  
No. 3, from.....to.....  
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....  
 No. 2, from.....to.....feet.....  
 No. 3, from.....to.....feet.....

| From  | To    | Thickness<br>In Feet | Lithology            |  | From | To | Thickness<br>In Feet | Lithology |
|-------|-------|----------------------|----------------------|--|------|----|----------------------|-----------|
| 0     | 890   |                      | Quaternary           |  |      |    |                      |           |
| 890   | 1510  |                      | Rustler              |  |      |    |                      |           |
| 1510  | 4683  |                      | Top of Salt          |  |      |    |                      |           |
| 4683  | 4902  |                      | Base of Salt         |  |      |    |                      |           |
| 4902  | 4933  |                      | Lamar                |  |      |    |                      |           |
| 4933  | 6191  |                      | Bell                 |  |      |    |                      |           |
| 6191  | 7629  |                      | Cherry Canyon        |  |      |    |                      |           |
| 7629  | 9153  |                      | Brushy Canyon        |  |      |    |                      |           |
| 9153  | 9569  |                      | Bonespring           |  |      |    |                      |           |
| 9569  | 10189 |                      | Avalon               |  |      |    |                      |           |
| 10189 | 10863 |                      | 1st Bone Spring Sand |  |      |    |                      |           |
| 10863 | 11927 |                      | 2nd Bone Spring Sand |  |      |    |                      |           |
| 11927 | 12274 |                      | 3rd Bone Spring Sand |  |      |    |                      |           |
| 12274 |       |                      | Wolfcamp A           |  |      |    |                      |           |

Tap Rock  
Prometheus  
Defining Wells  
T24S-R33E



Defining Prometheus Well



Prometheus Wells

**District I**

1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720

**District II**

811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720

**District III**

1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170

**District IV**

1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

ACKNOWLEDGMENTS

Action 111170

**ACKNOWLEDGMENTS**

|                                                                                  |                                                    |
|----------------------------------------------------------------------------------|----------------------------------------------------|
| Operator:<br>TAP ROCK OPERATING, LLC<br>523 Park Point Drive<br>Golden, CO 80401 | OGRID:<br>372043                                   |
|                                                                                  | Action Number:<br>111170                           |
|                                                                                  | Action Type:<br>[C-104] Completion Packet (C-104C) |

**ACKNOWLEDGMENTS**

|                                     |                                                                                                                    |
|-------------------------------------|--------------------------------------------------------------------------------------------------------------------|
| <input checked="" type="checkbox"/> | I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.     |
| <input checked="" type="checkbox"/> | I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion. |

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS  
  
Action 111170

CONDITIONS

|                                                                                  |                                                    |
|----------------------------------------------------------------------------------|----------------------------------------------------|
| Operator:<br>TAP ROCK OPERATING, LLC<br>523 Park Point Drive<br>Golden, CO 80401 | OGRID:<br>372043                                   |
|                                                                                  | Action Number:<br>111170                           |
|                                                                                  | Action Type:<br>[C-104] Completion Packet (C-104C) |

CONDITIONS

| Created By | Condition | Condition Date |
|------------|-----------|----------------|
| plmartinez | None      | 4/13/2023      |