

DISTRICT I

1625 N. French Dr., Hobbs, NM 88240

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural ResourcesForm C-104
Revised August 1, 2011Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address TAP ROCK OPERATING, LLC 523 PARK POINT DRIVE, SUITE 200 GOLDEN, CO 80401		² OGRID Number 372043
		³ Reason for Filing Code/ Effective Date NW
⁴ API Number 30 - 0 25-48772	⁵ Pool Name WC-025 G-09 S243310P; UPPER WOLFCAMP	⁶ Pool Code 98135
⁷ Property Code 330700	⁸ Property Name PROMETHEUS STATE COM	⁹ Well Number 203H

II. ¹⁰ Surface Location

UI or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
O	22	24S	33E	-	853	SOUTH	2540	EAST	LEA

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
B	15	24S	33E	-	33	NORTH	1512	EAST	LEA
¹² Lse Code S	¹³ Producing Method Code F	¹⁴ Gas Connection Date 5/4/2022	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
34053	PLAINS ALL AMERICAN 333 CLAY STREET SUITE 1600 HOUSTON, TX 77002	O
371960	LUCID ENERGY GROUP 3100 MCKINNON ST #800 DALLAS, TX 75201	G

IV. Well Completion Data

²¹ Spud Date 10/30/2021	²² Ready Date 4/20/2022	²³ TD 23516'	²⁴ PBTB 23452'	²⁵ Perforations 13210' - 23368'	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
13.5"	10.75"	1286'	578 sks		
9.875"/8.75"	7.625"	9998'/12621'	1184 sks		
6.75"	5.5"	23500'	1045 sks		

V. Well Test Data

³¹ Date New Oil 5/4/2022	³² Gas Delivery Date 5/4/2022	³³ Test Date 5/22/2022	³⁴ Test Length 24 hrs.	³⁵ Tbg. Pressure 2312	³⁶ Csg. Pressure 39
³⁷ Choke Size 40/64	³⁸ Oil 828	³⁹ Water 5204	⁴⁰ Gas 5452		⁴¹ Test Method Flowing
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
Printed name: Jeff Trlica			Approved by: PATRICIA MARTINEZ		
Title: Regulatory Analyst			Title: PETROLEUM SPECIALIST		
E-mail Address: jtrlica@taprk.com			Approval Date: 4/13/2023		
Date: 5/25/2022		Phone: 720-771-5910			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources
Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

FORM C-102

Revised August 1, 2011

Submit one copy to appropriate

District Office

☐ AMENDED REPORT
As Drilled

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-025-48772	² Pool Code 98135	³ Pool Name WC-025 G-09 S243310P;UPPER WOLFCAMP
⁴ Property Code 330700	⁵ Property Name PROMETHEUS STATE COM	⁶ Well Number 203H
⁷ OGRID No. #372043	⁸ Operator Name TAP ROCK OPERATING, LLC.	⁹ Elevation 3555'

¹⁰Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
0	22	24-S	33-E	-	853'	SOUTH	2540'	EAST	LEA

¹¹Bottom Hole Location If Different From Surface


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
B	15	24-S	33-E	-	33'	NORTH	1512'	EAST	LEA

¹² Dedicated Acres 640	¹³ Joint or Infill Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--------------------------------------	---	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

FTP: 100' FSL; 1475 FEL Section 22

LTP: 100' FNL; 1509 FEL Section 15

¹⁷OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

[Signature]

4/12/2022

Signature

Date

Jeff Trlica

Printed Name

jtrlica@taprk.com

E-mail Address

¹⁸SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true to the best of my belief.

10/07/2021

Date of Survey
Signature and Seal of Professional Surveyor

[Signature]

[Seal]

[Seal]


[Seal]

[Seal]

[Seal]

[Seal]

[Seal]



LEASE NAME & WELL NO.: PROMETHEUS STATE COM 203H
 SECTION 22 TWP 24-S RGE 33-E SURVEY N.M.P.M.
 COUNTY LEA STATE NM ELEVATION 3555'
 DESCRIPTION 853' FSL & 2540' FEL



1400 EVERMAN PARKWAY, Ste. 146 • FT. WORTH, TEXAS 76140
 TELEPHONE: (817) 744-7512 • FAX (817) 744-7554
 TEXAS FIRM REGISTRATION NO. 10042504
 WWW.TOPOGRAPHIC.COM

INTERNAL
PRE-COMPLETION
PLAT

PROMETHEUS STATE COM 203H PRE-COMPLETION	REVISION:		NOTES:
	GJU	03/30/22	
DATE: 03/18/22			1. ORIGINAL DOCUMENT SIZE: 8.5" X 11" 2. ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREIN ARE GRID BASED UPON THE NEW MEXICO COORDINATE SYSTEM OF 1983, EAST ZONE, U.S. SURVEY FEET. 3. THIS WELL LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY TAP ROCK OPERATING, LLC. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.
FILE: C:\PROMETHEUS_STATE_COM_203H_REV1			
DRAWN BY: SAR			
SHEET: 2 OF 2			



Operator: Tap Rock Resources, LLC.
Well Name: Prometheus State Com #203H
County: Lea
State: New Mexico
Rig Name: H&P 376
API: 30-025-48772

Intrepid Directional Drilling Specialists certifies that the surveys performed on the above referenced well are true and correct MWD surveys, data provided as follows:

Surveyor: Intrepid Directional Drilling Specialists
Survey Depths: 195' MD – 23,446' MD
Projection to Bit: 23,516' MD
Dates Performed: 10/30/2021 – 01/03/2022
Type of Survey: MWD

Sincerely,

A handwritten signature in black ink, appearing to read "T. Henk".

Travis Henk
MWD Operations Manager
Intrepid Directional Drilling Specialists





Operator: Tap Rock Resources, LLC.

Well Name: Prometheus State Com 203H

Job Number: ID3132

Survey Company: Intrepid Directional Drilling Specialists

Rig Name: H&P 376

Target KBTVD: 13069.80

Target Inclination: 90.60°

Declination Correction: 5.92°

DF Elevation: 3582


Vertical Section Calculated Along Azimuth: 359.56°

Survey Calculation Method: Minimum Curvature										
TIE PT. TYPE	SVY #	Survey Depth	INC deg.	AZM deg.	Course Length	TVD Ft.	V'Sect FT.	+N/-S Ft.	+E/-W Ft.	Dogleg %/100'
Tie In	0	0	0.00	0.00	0	0	0	0	0	0.00
MWD	1	195	0.84	253.60	195	194.99	-0.39	-0.40	-1.37	0.43
MWD	2	237	0.97	267.57	42	236.99	-0.49	-0.51	-2.02	0.61
MWD	3	331	0.31	216.95	94	330.98	-0.72	-0.74	-2.97	0.86
MWD	4	422	0.40	136.00	91	421.98	-1.15	-1.17	-2.90	0.51
MWD	5	515	0.44	95.66	93	514.98	-1.42	-1.44	-2.32	0.31
MWD	6	606	0.40	97.85	91	605.98	-1.50	-1.51	-1.65	0.05
MWD	7	698	0.35	81.51	92	697.97	-1.51	-1.52	-1.06	0.13
MWD	8	790	0.79	72.80	92	789.97	-1.29	-1.29	-0.17	0.49
MWD	9	881	1.23	47.67	91	880.96	-0.45	-0.44	1.15	0.68
MWD	10	973	1.10	38.88	92	972.94	0.89	0.91	2.43	0.24
MWD	11	1064	0.97	18.31	91	1063.92	2.29	2.32	3.22	0.43
MWD	12	1156	1.10	17.35	92	1155.91	3.87	3.90	3.73	0.14
MWD	13	1236	1.10	21.21	80	1235.89	5.32	5.35	4.24	0.09
MWD	14	1342	1.14	358.80	106	1341.87	7.32	7.35	4.58	0.41
MWD	15	1437	1.10	359.77	95	1436.85	9.17	9.21	4.56	0.05
MWD	16	1532	1.19	7.85	95	1531.84	11.06	11.10	4.69	0.19
MWD	17	1627	1.01	90.38	95	1626.82	12.03	12.07	5.66	1.53
MWD	18	1720	2.24	104.62	93	1719.78	11.54	11.61	8.24	1.38
MWD	19	1813	2.64	130.99	93	1812.70	9.65	9.74	11.62	1.27
MWD	20	1908	3.38	136.09	95	1907.57	6.17	6.29	15.21	0.83
MWD	21	2002	4.04	129.49	94	2001.37	2.04	2.19	19.69	0.84
MWD	22	2097	4.26	130.02	95	2096.12	-2.40	-2.21	24.97	0.24
MWD	23	2191	5.19	130.90	94	2189.80	-7.48	-7.24	30.86	0.99
MWD	24	2286	6.33	135.73	95	2284.32	-14.09	-13.80	37.76	1.30
MWD	25	2381	7.52	134.68	95	2378.63	-22.27	-21.92	45.84	1.26
MWD	26	2477	9.10	129.76	96	2473.62	-31.63	-31.20	56.14	1.80
MWD	27	2571	10.07	126.15	94	2566.31	-41.32	-40.80	68.49	1.21
MWD	28	2666	11.34	128.00	95	2659.65	-52.08	-51.45	82.56	1.38
MWD	29	2758	11.30	128.26	92	2749.86	-63.34	-62.60	96.77	0.07
MWD	30	2852	11.03	128.79	94	2842.08	-74.79	-73.94	111.01	0.31
MWD	31	2947	10.86	129.41	95	2935.35	-86.27	-85.31	125.00	0.22
MWD	32	3042	10.59	131.08	95	3028.70	-97.79	-96.73	138.50	0.43
MWD	33	3136	12.13	132.22	94	3120.85	-110.21	-109.04	152.32	1.66
MWD	34	3230	12.26	132.04	94	3212.73	-123.64	-122.36	167.05	0.14
MWD	35	3325	12.26	132.13	95	3305.56	-137.28	-135.88	182.02	0.02
MWD	36	3420	12.18	132.31	95	3398.41	-150.90	-149.39	196.91	0.09
MWD	37	3512	11.96	133.01	92	3488.38	-164.05	-162.43	211.06	0.29
MWD	38	3605	11.87	133.27	93	3579.37	-177.28	-175.56	225.07	0.11
MWD	39	3700	12.22	134.42	95	3672.28	-191.13	-189.29	239.37	0.45
MWD	40	3793	11.16	125.54	93	3763.36	-203.36	-201.41	253.72	2.24
MWD	41	3888	10.64	121.41	95	3856.65	-213.39	-211.33	268.69	0.99
MWD	42	3982	10.24	123.78	94	3949.09	-222.66	-220.50	283.04	0.62
MWD	43	4076	10.02	125.36	94	4041.62	-232.15	-229.88	296.65	0.38
MWD	44	4171	9.49	126.24	95	4135.25	-241.66	-239.29	309.71	0.58
MWD	45	4266	10.07	125.45	95	4228.87	-251.21	-248.74	322.79	0.63
MWD	46	4361	9.71	126.51	95	4322.46	-260.89	-258.32	336.00	0.42
MWD	47	4456	9.71	128.79	95	4416.10	-270.77	-268.10	348.68	0.40
MWD	48	4550	11.16	128.97	94	4508.54	-281.56	-278.79	361.93	1.54
MWD	49	4644	12.88	127.38	94	4600.48	-293.76	-290.87	377.33	1.86
MWD	50	4738	11.78	128.70	94	4692.31	-306.24	-303.23	393.15	1.21
MWD	51	4833	11.69	129.14	95	4785.32	-318.50	-315.37	408.18	0.13
MWD	52	4928	11.91	130.11	95	4878.31	-331.00	-327.76	423.14	0.31
MWD	53	5023	11.91	131.69	95	4971.27	-343.95	-340.60	437.96	0.34
MWD	54	5118	10.64	132.04	95	5064.43	-356.45	-352.99	451.79	1.34
MWD	55	5213	10.86	127.74	95	5157.77	-367.91	-364.34	465.38	0.88
MWD	56	5307	11.30	125.19	94	5250.02	-378.75	-375.07	479.91	0.70
MWD	57	5402	11.03	125.19	95	5343.22	-389.46	-385.67	494.95	0.28
MWD	58	5496	12.31	125.80	94	5435.27	-400.62	-396.72	510.42	1.37
MWD	59	5590	13.63	127.21	94	5526.87	-413.31	-409.28	527.37	1.44
MWD	60	5685	13.58	126.33	95	5619.21	-426.83	-422.65	545.27	0.22
MWD	61	5780	13.49	126.51	95	5711.57	-440.16	-435.85	563.16	0.10
MWD	62	5875	13.23	126.24	95	5804.00	-453.32	-448.87	580.84	0.28
MWD	63	5969	13.58	125.01	94	5895.44	-466.14	-461.56	598.55	0.48
MWD	64	6064	13.58	125.19	95	5987.78	-479.11	-474.39	616.80	0.04
MWD	65	6159	13.41	124.40	95	6080.16	-491.90	-487.04	635.01	0.26
MWD	66	6254	12.92	124.05	95	6172.66	-504.21	-499.21	652.90	0.52
MWD	67	6347	12.66	123.25	93	6263.35	-515.75	-510.62	670.03	0.34
MWD	68	6440	12.48	122.73	93	6354.12	-526.90	-521.64	687.01	0.23
MWD	69	6535	12.18	121.06	95	6446.93	-537.75	-532.36	704.23	0.49
MWD	70	6629	11.78	120.97	94	6538.89	-547.93	-542.41	720.95	0.43

MWD	71	6725	11.69	120.62	96	6632.88	-558.06	-552.41	737.72	0.12
MWD	72	6820	12.04	123.34	95	6725.85	-568.53	-562.76	754.28	0.69
MWD	73	6913	11.91	124.84	93	6816.83	-579.47	-573.57	770.26	0.36
MWD	74	7009	11.38	124.40	96	6910.85	-590.60	-584.58	786.21	0.56
MWD	75	7103	10.46	125.01	94	7003.15	-600.85	-594.72	800.85	0.99
MWD	76	7198	9.89	125.71	95	7096.65	-610.66	-604.43	814.54	0.61
MWD	77	7292	9.41	124.84	94	7189.32	-619.86	-613.53	827.40	0.53
MWD	78	7387	8.79	125.80	95	7283.13	-628.64	-622.21	839.66	0.67
MWD	79	7482	8.66	127.65	95	7377.03	-637.34	-630.83	851.21	0.33
MWD	80	7576	9.41	130.64	94	7469.86	-646.76	-640.15	862.64	0.94
MWD	81	7669	9.67	130.55	93	7561.57	-656.88	-650.18	874.35	0.28
MWD	82	7762	10.37	128.18	93	7653.16	-667.23	-660.44	886.86	0.87
MWD	83	7854	10.02	129.23	92	7743.70	-677.50	-670.62	899.57	0.43
MWD	84	7948	8.66	129.41	94	7836.45	-687.26	-680.28	911.37	1.45
MWD	85	8043	8.70	129.93	95	7930.37	-696.50	-689.43	922.41	0.09
MWD	86	8136	9.58	130.46	93	8022.19	-706.12	-698.97	933.69	0.95
MWD	87	8230	8.66	131.34	94	8115.00	-715.96	-708.72	944.96	0.99
MWD	88	8325	9.49	126.86	95	8208.81	-725.47	-718.14	956.59	1.15
MWD	89	8420	10.07	121.76	95	8302.43	-734.64	-727.21	969.92	1.10
MWD	90	8515	9.76	122.64	95	8396.01	-743.46	-735.93	983.76	0.36
MWD	91	8609	8.88	121.23	94	8488.77	-751.62	-743.99	996.68	0.97
MWD	92	8705	8.40	121.76	96	8583.68	-759.24	-751.52	1008.97	0.51
MWD	93	8800	6.46	122.64	95	8677.88	-765.86	-758.05	1019.38	2.05
MWD	94	8893	5.71	125.36	93	8770.35	-771.42	-763.55	1027.55	0.86
MWD	95	8988	4.62	124.48	95	8864.96	-776.38	-768.45	1034.56	1.15
MWD	96	9083	3.96	123.25	95	8959.70	-780.39	-772.42	1040.46	0.70
MWD	97	9177	3.43	121.67	94	9053.50	-783.68	-775.67	1045.57	0.57
MWD	98	9271	2.90	120.97	94	9147.36	-786.41	-778.37	1050.00	0.57
MWD	99	9366	2.46	117.37	95	9242.25	-788.62	-780.55	1053.87	0.50
MWD	100	9460	1.85	117.37	94	9336.19	-790.27	-782.17	1057.01	0.65
MWD	101	9554	1.54	104.80	94	9430.15	-791.31	-783.19	1059.58	0.51
MWD	102	9648	1.71	97.68	94	9524.11	-791.84	-783.70	1062.19	0.28
MWD	103	9742	0.88	94.95	94	9618.08	-792.10	-783.95	1064.30	0.89
MWD	104	9837	0.66	326.98	95	9713.08	-791.71	-783.56	1064.73	1.46
MWD	105	9931	1.27	304.13	94	9807.07	-790.66	-782.52	1063.57	0.75
MWD	106	10011	1.41	303.78	80	9887.04	-789.61	-781.47	1062.02	0.18
MWD	107	10105	1.63	293.23	94	9981.01	-788.42	-780.30	1059.83	0.38
MWD	108	10199	1.76	309.05	94	10074.97	-786.97	-778.87	1057.48	0.51
MWD	109	10294	2.33	314.86	95	10169.91	-784.66	-776.59	1054.98	0.64
MWD	110	10388	0.66	271.61	94	10263.88	-783.29	-775.22	1053.08	2.03
MWD	111	10482	0.92	279.00	94	10357.87	-783.14	-775.09	1051.79	0.30
MWD	112	10577	0.88	222.92	95	10452.86	-783.55	-775.50	1050.54	0.89
MWD	113	10671	1.36	238.30	94	10546.84	-784.65	-776.62	1049.10	0.60
MWD	114	10766	1.32	245.95	95	10641.81	-785.68	-777.66	1047.15	0.19
MWD	115	10861	1.45	259.31	95	10736.79	-786.33	-778.33	1044.96	0.37
MWD	116	10954	1.05	247.97	93	10829.76	-786.85	-778.86	1043.02	0.50
MWD	117	11049	0.70	214.57	95	10924.75	-787.65	-779.67	1041.88	0.64
MWD	118	11145	0.70	223.89	96	11020.75	-788.55	-780.57	1041.14	0.12
MWD	119	11238	0.57	229.07	93	11113.74	-789.25	-781.29	1040.40	0.15
MWD	120	11332	0.84	234.79	94	11207.73	-789.95	-781.99	1039.48	0.30
MWD	121	11425	1.14	175.90	93	11300.72	-791.26	-783.31	1038.99	1.08
MWD	122	11516	1.45	159.03	91	11391.70	-793.24	-785.28	1039.47	0.54
MWD	123	11610	1.49	149.71	94	11485.67	-795.42	-787.45	1040.51	0.26
MWD	124	11705	1.63	116.57	95	11580.63	-797.10	-789.12	1042.34	0.95
MWD	125	11800	2.20	113.94	95	11675.58	-798.47	-790.47	1045.22	0.61
MWD	126	11890	1.49	104.53	90	11765.53	-799.48	-791.46	1047.93	0.86
MWD	127	11984	1.67	111.83	94	11859.50	-800.32	-792.28	1050.38	0.29
MWD	128	12079	1.27	117.72	95	11954.47	-801.34	-793.28	1052.60	0.45
MWD	129	12174	1.19	113.94	95	12049.44	-802.24	-794.17	1054.43	0.12
MWD	130	12270	1.19	99.88	96	12145.42	-802.83	-794.75	1056.33	0.30
MWD	131	12365	1.45	101.90	95	12240.40	-803.27	-795.16	1058.48	0.28
MWD	132	12459	0.88	111.04	94	12334.38	-803.79	-795.67	1060.31	0.64
MWD	133	12553	0.84	127.82	94	12428.37	-804.48	-796.35	1061.53	0.27
MWD	134	12647	0.70	118.77	94	12522.36	-805.18	-797.05	1062.58	0.20
MWD	135	12681	0.62	130.72	34	12556.36	-805.41	-797.27	1062.90	0.47
MWD	136	12776	7.03	14.18	95	12651.13	-800.11	-791.96	1064.72	7.71
MWD	137	12870	19.38	8.64	94	12742.47	-779.06	-770.88	1068.48	13.19
MWD	138	12966	29.93	3.55	96	12829.60	-739.33	-731.11	1072.37	11.20
MWD	139	13061	34.37	2.49	95	12910.02	-688.88	-680.64	1075.00	4.71
MWD	140	13155	40.31	0.91	94	12984.72	-631.93	-623.68	1076.64	6.40
MWD	141	13251	53.23	357.31	96	13050.34	-562.16	-553.92	1075.32	13.73
MWD	142	13344	64.66	358.71	93	13098.24	-482.65	-474.43	1072.62	12.36
MWD	143	13439	73.05	357.31	95	13132.48	-394.16	-385.96	1069.52	8.94
MWD	144	13533	81.32	357.48	94	13153.31	-302.65	-294.48	1065.36	8.80
MWD	145	13626	87.65	357.48	93	13162.25	-210.19	-202.04	1061.29	6.81
MWD	146	13720	91.65	356.16	94	13162.82	-116.32	-108.21	1056.07	4.48
MWD	147	13814	90.95	357.39	94	13160.69	-22.46	-14.39	1050.79	1.51
MWD	148	13908	88.22	0.47	94	13161.37	71.52	79.57	1049.03	4.38
MWD	149	14003	91.78	3.37	95	13161.37	166.41	174.50	1052.21	4.83
MWD	150	14098	89.67	2.14	95	13160.17	261.25	269.37	1056.78	2.57
MWD	151	14192	90.64	1.53	94	13159.91	355.17	363.32	1059.79	1.22
MWD	152	14287	88.70	358.36	95	13160.46	450.15	458.30	1059.70	3.91
MWD	153	14381	89.36	356.16	94	13162.05	544.06	552.18	1055.21	2.44
MWD	154	14476	88.09	358.63	95	13164.16	638.96	647.04	1050.89	2.92

MWD	155	14570	89.36	359.77	94	13166.26	732.93	741.01	1049.58	1.82
MWD	156	14664	88.97	358.98	94	13167.63	826.92	834.99	1048.55	0.94
MWD	157	14759	90.02	358.10	95	13168.46	921.89	929.96	1046.13	1.44
MWD	158	14854	93.67	356.08	95	13165.40	1016.74	1024.76	1041.31	4.39
MWD	159	14948	90.42	357.48	94	13162.05	1110.55	1118.54	1036.04	3.76
MWD	160	15042	88.88	357.66	94	13162.63	1204.49	1212.45	1032.05	1.65
MWD	161	15136	90.24	357.39	94	13163.35	1298.42	1306.36	1028.00	1.48
MWD	162	15230	90.95	355.81	94	13162.37	1392.29	1400.18	1022.42	1.84
MWD	163	15325	90.07	352.21	95	13161.52	1486.83	1494.64	1012.51	3.90
MWD	164	15356	89.58	351.42	31	13161.62	1517.54	1525.33	1008.10	3.00
MWD	165	15388	90.29	351.59	32	13161.66	1549.23	1556.98	1003.37	2.28
MWD	166	15419	90.29	353.97	31	13161.50	1580.01	1587.73	999.47	7.68
MWD	167	15515	92.53	359.24	96	13159.14	1675.81	1683.49	993.79	5.96
MWD	168	15609	93.32	1.53	94	13154.34	1769.67	1777.36	994.42	2.57
MWD	169	15704	91.82	357.66	95	13150.08	1864.55	1872.24	993.75	4.37
MWD	170	15799	88.70	358.89	95	13149.65	1959.52	1967.18	990.89	3.53
MWD	171	15892	94.68	6.01	93	13146.90	2052.26	2059.96	994.85	9.99
MWD	172	15987	95.38	4.69	95	13138.57	2146.40	2154.18	1003.67	1.57
MWD	173	16081	92.22	3.20	94	13132.34	2239.91	2247.73	1010.12	3.72
MWD	174	16197	91.16	3.81	116	13128.92	2355.58	2363.46	1017.21	1.05
MWD	175	16292	89.49	3.11	95	13128.38	2450.36	2458.28	1022.94	1.91
MWD	176	16387	89.54	2.84	95	13129.19	2545.18	2553.15	1027.87	0.29
MWD	177	16481	88.97	3.11	94	13130.41	2639.01	2647.02	1032.75	0.67
MWD	178	16575	87.87	1.44	94	13133.00	2732.86	2740.90	1036.48	2.13
MWD	179	16668	87.60	1.61	93	13136.68	2825.73	2833.80	1038.96	0.34
MWD	180	16762	87.21	1.35	94	13140.93	2919.59	2927.67	1041.38	0.50
MWD	181	16857	91.47	3.28	95	13142.03	3014.44	3022.56	1045.22	4.92
MWD	182	16951	89.76	1.35	94	13141.02	3108.32	3116.47	1049.01	2.74
MWD	183	17045	91.16	2.76	94	13140.26	3202.22	3210.40	1052.38	2.11
MWD	184	17140	89.76	1.35	95	13139.50	3297.13	3305.33	1055.79	2.09
MWD	185	17234	90.20	1.00	94	13139.53	3391.09	3399.31	1057.72	0.60
MWD	186	17329	91.34	2.40	95	13138.26	3486.01	3494.26	1060.54	1.90
MWD	187	17424	90.15	359.15	95	13137.02	3580.97	3589.23	1061.82	3.64
MWD	188	17519	89.89	358.89	95	13136.99	3675.96	3684.21	1060.20	0.39
MWD	189	17613	91.21	1.00	94	13136.08	3769.95	3778.20	1060.11	2.65
MWD	190	17707	91.78	2.58	94	13133.63	3863.84	3872.12	1063.04	1.79
MWD	191	17802	91.82	0.47	95	13130.65	3958.73	3967.03	1065.57	2.22
MWD	192	17896	92.09	359.15	94	13127.44	4052.68	4060.98	1065.26	1.43
MWD	193	17990	90.55	355.81	94	13125.27	4146.57	4154.84	1061.12	3.91
MWD	194	18083	91.12	355.29	93	13123.92	4239.33	4247.55	1053.91	0.83
MWD	195	18178	86.59	355.37	95	13125.82	4334.03	4342.19	1046.18	4.77
MWD	196	18273	87.16	355.55	95	13131.00	4428.65	4436.75	1038.67	0.63
MWD	197	18366	87.47	356.25	93	13135.35	4521.36	4529.41	1032.03	0.82
MWD	198	18461	88.75	356.78	95	13138.49	4616.17	4624.18	1026.26	1.46
MWD	199	18555	88.22	356.78	94	13140.97	4710.02	4718.00	1020.98	0.56
MWD	200	18648	92.44	358.98	93	13140.44	4802.96	4810.91	1017.54	5.12
MWD	201	18742	91.96	358.80	94	13136.83	4896.88	4904.82	1015.72	0.55
MWD	202	18836	91.60	356.96	94	13133.91	4990.79	4998.71	1012.24	1.99
MWD	203	18929	91.56	357.39	93	13131.34	5083.67	5091.56	1007.66	0.46
MWD	204	19024	89.98	355.90	95	13130.07	5178.54	5186.38	1002.10	2.29
MWD	205	19119	90.55	357.75	95	13129.63	5273.42	5281.23	996.84	2.04
MWD	206	19214	90.59	356.87	95	13128.68	5368.34	5376.12	992.38	0.93
MWD	207	19309	91.03	357.48	95	13127.34	5463.25	5471.00	987.70	0.79
MWD	208	19404	90.55	357.92	95	13126.03	5558.19	5565.91	983.89	0.69
MWD	209	19499	91.43	358.98	95	13124.39	5653.16	5660.86	981.32	1.45
MWD	210	19593	91.82	1.35	94	13121.72	5747.11	5754.81	981.59	2.55
MWD	211	19687	92.04	1.00	94	13118.56	5841.02	5848.74	983.52	0.44
MWD	212	19782	91.12	0.03	95	13115.94	5935.96	5943.70	984.37	1.41
MWD	213	19877	87.82	0.03	95	13116.81	6030.94	6038.68	984.42	3.47
MWD	214	19972	87.43	359.68	95	13120.75	6125.86	6133.60	984.18	0.55
MWD	215	20067	86.37	359.15	95	13125.89	6220.72	6228.45	983.21	1.25
MWD	216	20161	91.87	0.12	94	13127.33	6314.67	6322.40	982.61	5.94
MWD	217	20256	92.09	0.38	95	13124.05	6409.61	6417.35	983.03	0.36
MWD	218	20350	91.87	0.12	94	13120.80	6503.54	6511.29	983.44	0.36
MWD	219	20445	89.54	358.27	95	13119.63	6598.52	6606.26	982.10	3.13
MWD	220	20539	88.88	356.25	94	13120.93	6692.43	6700.14	977.61	2.26
MWD	221	20634	88.48	355.99	95	13123.12	6787.24	6794.90	971.18	0.50
MWD	222	20728	89.23	358.54	94	13125.00	6881.14	6888.76	966.70	2.83
MWD	223	20823	90.46	359.33	95	13125.25	6976.13	6983.74	964.93	1.54
MWD	224	20918	91.38	358.27	95	13123.73	7071.10	7078.71	962.94	1.48
MWD	225	21012	89.49	358.80	94	13123.01	7165.08	7172.67	960.54	2.09
MWD	226	21107	91.96	0.47	95	13121.81	7260.06	7267.65	959.94	3.14
MWD	227	21201	91.25	0.03	94	13119.18	7354.02	7361.61	960.35	0.89
MWD	228	21296	91.96	0.30	95	13116.52	7448.98	7456.57	960.62	0.80
MWD	229	21391	90.33	358.10	95	13114.62	7543.95	7551.54	959.29	2.88
MWD	230	21481	91.21	358.89	90	13113.41	7633.92	7641.49	956.93	1.31
MWD	231	21576	91.65	0.12	95	13111.04	7728.89	7736.46	956.11	1.37
MWD	232	21670	93.98	5.04	94	13106.42	7822.61	7830.22	960.33	5.79
MWD	233	21764	92.40	4.51	94	13101.19	7916.07	7923.74	968.14	1.77
MWD	234	21858	92.00	4.51	94	13097.58	8009.65	8017.38	975.53	0.43
MWD	235	21952	91.78	4.34	94	13094.48	8103.26	8111.05	982.78	0.30
MWD	236	22047	89.23	3.28	95	13093.64	8197.99	8205.83	989.09	2.91
MWD	237	22142	90.68	3.63	95	13093.72	8292.77	8300.65	994.81	1.57
MWD	238	22237	90.42	1.35	95	13092.81	8387.63	8395.55	998.94	2.42

MWD	239	22332	92.04	0.56	95	13090.77	8482.58	8490.51	1000.52	1.90
MWD	240	22427	89.23	357.57	95	13089.71	8577.55	8585.47	998.97	4.32
MWD	241	22522	88.48	357.66	95	13091.61	8672.47	8680.37	995.02	0.80
MWD	242	22618	87.74	357.66	96	13094.78	8768.37	8776.24	991.10	0.77
MWD	243	22713	89.85	359.24	95	13096.78	8863.32	8871.17	988.53	2.77
MWD	244	22807	89.98	358.80	94	13096.92	8957.32	8965.16	986.93	0.49
MWD	245	22901	89.27	357.48	94	13097.53	9051.28	9059.11	983.88	1.59
MWD	246	22995	89.05	356.52	94	13098.91	9145.18	9152.97	978.96	1.05
MWD	247	23090	90.86	357.13	95	13098.98	9240.07	9247.82	973.69	2.01
MWD	248	23183	90.51	357.04	93	13097.87	9332.97	9340.69	968.97	0.39
MWD	249	23277	93.23	358.01	94	13094.80	9426.85	9434.54	964.91	3.07
MWD	250	23371	93.36	357.75	94	13089.40	9520.66	9528.32	961.44	0.31
MWD	251	23446	92.70	356.60	75	13085.44	9595.49	9603.12	957.75	1.77
PTB	252	23516	92.70	356.60	70	13082.14	9665.31	9672.92	953.60	0.00

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505				Form C-105 Revised April 3, 2017					
1. WELL API NO. 30-025-48772											
2. Type of Lease ☒ STATE ☐ FEE ☐ FED/INDIAN											
3. State Oil & Gas Lease No.											
WELL COMPLETION OR RECOMPLETION REPORT AND LOG											
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name PROMETHEUS STATE COM			
								6. Well Number: 203H			
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER											
8. Name of Operator TAP ROCK OPERATING, LLC								9. OGRID 372043			
10. Address of Operator 523 PARK POINT DRIVE, SUITE 200, GOLDEN, CO								11. Pool name or Wildcat WC-025 G-09 S243310P; UPPER WOLFCAMP			
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County	
Surface:	O	22	24S	33E	-	853	SOUTH	2540	EAST	LEA	
BH:	B	15	24S	33E	-	33	NORTH	1512	EAST	LEA	
13. Date Spudded 10/30/2021	14. Date T.D. Reached 1/1/2022		15. Date Rig Released 1/6/2022			16. Date Completed (Ready to Produce) 4/20/2022			17. Elevations (DF and RKB, RT, GR, etc.) 3555 GR		
18. Total Measured Depth of Well 23516 ft			19. Plug Back Measured Depth 23452 ft			20. Was Directional Survey Made? YES			21. Type Electric and Other Logs Run GAMMA		
22. Producing Interval(s), of this completion - Top, Bottom, Name 13210' - 23368'								WOLFCAMP			
23. CASING RECORD (Report all strings set in well)											
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED	
10.75"		45.5		1286'		13.5"		578 sks		0	
7.625"		29.7		9998'/12621'		9.875"/8.75"		1184 sks		0	
5.5"		20		23500'		6.75"		1045 sks		0	
24. LINER RECORD											
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	25. TUBING RECORD						
					SIZE	DEPTH SET	PACKER SET				
26. Perforation record (interval, size, and number)					27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.						
					DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED				
Perforate from 13210 ft to 23368 ft, 1 SPF, .55 inch holes with 559 total shots					13210' - 23368'		43 stage frac with 30,550,928 lbs of 100 mesh sand				
28. PRODUCTION											
Date First Production 5/4/2022		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing				Well Status (Prod. or Shut-in) Producing					
Date of Test 5/22/2022	Hours Tested 24 hrs	Choke Size 40/64	Prod'n For Test Period	Oil - Bbl 828	Gas - MCF 5452	Water - Bbl. 5204	Gas - Oil Ratio 6585				
Flow Tubing Press. 2312	Casing Pressure 39	Calculated 24-Hour Rate	Oil - Bbl. 828	Gas - MCF 5452	Water - Bbl. 5204	Oil Gravity - API - (Corr.)					
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold								30. Test Witnessed By			
31. List Attachments C-102, Directional Survey											
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.								33. Rig Release Date:			
34. If an on-site burial was used at the well, report the exact location of the on-site burial:											
Latitude				Longitude				NAD83			
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief											
Signature 		Printed Name Jeff Trlica				Title Regulatory Analyst			Date 5/25/2022		
E-mail Address jtrlica@taprllc.com											

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

[illegible]


No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology		From	To	Thickness In Feet	Lithology
0	933		Quaternary					
933	1553		Rustler					
1553	4726		Top of Salt					
4726	4945		Base of Salt					
4945	4976		Lamar					
4976	6234		Bell					
6234	7664		Cherry Canyon					
7664	9195		Brushy Canyon					
9195	9618		Bonespring					
9618	10199		Avalon					
10199	10922		1st Bone Spring Sand					
10922	11952		2nd Bone Spring Sand					
11952	12321		3rd Bone Spring Sand					
12321	12864		Wolfcamp A					
12864			Wolfcamp B					

Tap Rock
Prometheus
Defining Wells
T24S-R33E



District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 111163

ACKNOWLEDGMENTS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 111163
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 111163

CONDITIONS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 111163
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	4/13/2023