

DISTRICT I

1625 N. French Dr., Hobbs, NM 88240

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural ResourcesForm C-104
Revised August 1, 2011Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address TAP ROCK OPERATING, LLC 523 PARK POINT DRIVE, SUITE 200 GOLDEN, CO 80401		² OGRID Number 372043
		³ Reason for Filing Code/ Effective Date NW
⁴ API Number 30 - 0 25-48762	⁵ Pool Name WC-025 G-09 S243310P; UPPER WOLFCAMP	⁶ Pool Code 98135
⁷ Property Code 330700	⁸ Property Name PROMETHEUS STATE COM	⁹ Well Number 134H

II. ¹⁰ Surface Location

UI or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
O	22	24S	33E	-	848	SOUTH	1541	EAST	LEA

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
A	15	24S	33E	-	27	NORTH	444	EAST	LEA
¹² Lse Code S	¹³ Producing Method Code F	¹⁴ Gas Connection Date 5/15/2022	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
34053	PLAINS ALL AMERICAN 333 CLAY STREET SUITE 1600 HOUSTON, TX 77002	O
371960	LUCID ENERGY GROUP 3100 MCKINNON ST #800 DALLAS, TX 75201	G

IV. Well Completion Data

²¹ Spud Date 11/19/2021	²² Ready Date 4/26/2022	²³ TD 23408'	²⁴ PBTB 23343'	²⁵ Perforations 13010' - 23260'	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
13.5"	10.75"	1265'	670 sks		
9.875"/8.75"	7.625"	10047'/12516'	1190 sks		
6.75"	5.5"	23392'	1420 sks		

V. Well Test Data

³¹ Date New Oil 5/15/2022	³² Gas Delivery Date 5/15/2022	³³ Test Date 5/22/2022	³⁴ Test Length 24 hrs.	³⁵ Tbg. Pressure 2301	³⁶ Csg. Pressure 82
³⁷ Choke Size 40/64	³⁸ Oil 760	³⁹ Water 5504	⁴⁰ Gas 5734		⁴¹ Test Method Flowing
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
Printed name: Jeff Trlica			Approved by: PATRICIA MARTINEZ		
Title: Regulatory Analyst			Title: PETROLEUM SPECIALIST		
E-mail Address: jtrlica@taprk.com			Approval Date: 4/14/2023		
Date: 5/25/2022		Phone: 720-771-5910			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources
Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

FORM C-102

Revised August 1, 2011

Submit one copy to appropriate

District Office

☐ **AMENDED REPORT**
As Drilled

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-025-48762	² Pool Code 98135	³ Pool Name WC-025 G-09 S243310P;UPPER WOLFCAMP
⁴ Property Code 330700	⁵ Property Name PROMETHEUS STATE COM	
⁷ OGRID No. #372043	⁸ Operator Name TAP ROCK OPERATING, LLC.	⁶ Well Number 134H ⁹ Elevation 3550'

¹⁰Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
0	22	24-S	33-E	—	848'	SOUTH	1541'	EAST	LEA

¹¹Bottom Hole Location If Different From Surface


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
A	15	24-S	33-E	—	27'	NORTH	444'	EAST	LEA


¹² Dedicated Acres 640	¹³ Joint or Infill Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--------------------------------------	---	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

FTP: 100' FSL: 476 FEL Section 22

LTP: 100' FNL: 443 FEL Section 15





1400 EVERMAN PARKWAY, Ste. 146 • FT. WORTH, TEXAS 76140
TELEPHONE: (817) 744-7512 • FAX (817) 744-7554
TEXAS FIRM REGISTRATION NO. 10042504
WWW.TOPOGRAPHIC.COM

INTERNAL
PRE-COMPLETION
PLAT

PROMETHEUS STATE COM 134H PRE-COMPLETION	REVISION:		NOTES:
	GJU	03/30/22	
DATE: 03/17/22			1. ORIGINAL DOCUMENT SIZE: 8.5" X 11" 2. ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREIN ARE GRID BASED UPON THE NEW MEXICO COORDINATE SYSTEM OF 1983, EAST ZONE, U.S. SURVEY FEET. 3. THIS WELL LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY TAP ROCK OPERATING, LLC. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.
FILE: C:\PROMETHEUS_STATE_COM_134H_REV1			
DRAWN BY: SAR			
SHEET: 2 OF 2			



Operator: Tap Rock Resources, LLC.
Well Name: Prometheus State Com 134H
County: Lea
State: New Mexico
Rig Name: H&P 261
API: 30-025-48762

Intrepid Directional Drilling Specialists certifies that the surveys performed on the above referenced well are true and correct MWD surveys, data provided as follows:

Surveyor: Intrepid Directional Drilling Specialists
Survey Depths: 176' MD – 23,335' MD
Projection to Bit: 23,408' MD
Dates Performed: 11/19/2021 – 2/14/2022
Type of Survey: MWD

Sincerely,

A handwritten signature in black ink, appearing to read "T. Henk".

Travis Henk
MWD Operations Manager
Intrepid Directional Drilling Specialists





Operator: Tap Rock Resources, LLC.

Well Name: Prometheus State Com 134H

Job Number: ID3134

Survey Company: Intrepid Directional Drilling Specialists

Rig Name: H&P 261

Target KBTVD: 13041.00

Target Inclination: 90.50°

Declination Correction: 5.92°

KB Elevation: 3,226'

Vertical Section Calculated Along Azimuth: 359.56°


Survey Calculation Method: Minimum Curvature

TIE PT. TYPE	SVY #	Survey Depth	INC deg.	AZM deg.	Course Length	TVD Ft.	V'Sect FT.	+N/-S Ft.	+E/-W Ft.	Dogleg %/100'
Tie In	0	0	0.00	0.00	0	0	0	0	0	0.00
MWD	1	176	0.57	255.18	176	176.00	-0.22	-0.22	-0.85	0.32
MWD	2	205	0.70	252.19	29	205.00	-0.31	-0.32	-1.15	0.46
MWD	3	297	0.40	286.91	92	296.99	-0.38	-0.39	-2.00	0.47
MWD	4	387	0.35	293.94	90	386.99	-0.17	-0.19	-2.55	0.08
MWD	5	478	0.04	335.95	91	477.99	-0.03	-0.05	-2.82	0.35
MWD	6	568	0.09	193.92	90	567.99	-0.07	-0.09	-2.85	0.14
MWD	7	658	0.04	65.60	90	657.99	-0.12	-0.14	-2.83	0.13
MWD	8	748	0.18	252.63	90	747.99	-0.15	-0.17	-2.94	0.24
MWD	9	838	0.22	109.54	90	837.99	-0.25	-0.27	-2.91	0.42
MWD	10	930	0.13	322.59	92	929.99	-0.23	-0.25	-2.81	0.37
MWD	11	1020	0.04	111.39	90	1019.99	-0.16	-0.18	-2.84	0.18
MWD	12	1111	0.13	182.67	91	1110.99	-0.27	-0.29	-2.82	0.14
MWD	13	1205	0.18	125.19	94	1204.99	-0.47	-0.49	-2.70	0.17
MWD	14	1212	0.18	351.95	7	1211.99	-0.46	-0.48	-2.69	4.72
MWD	15	1330	0.57	145.31	118	1329.99	-0.76	-0.78	-2.39	0.62
MWD	16	1425	0.31	65.86	95	1424.98	-1.05	-1.06	-1.88	0.63
MWD	17	1518	0.26	334.19	93	1517.98	-0.76	-0.77	-1.74	0.44
MWD	18	1613	1.27	91.79	95	1612.98	-0.60	-0.61	-0.79	1.48
MWD	19	1707	3.08	109.72	94	1706.90	-1.52	-1.50	2.63	2.03
MWD	20	1802	4.53	113.06	95	1801.69	-3.89	-3.83	8.49	1.54
MWD	21	1897	5.67	118.33	95	1896.32	-7.65	-7.52	16.07	1.30
MWD	22	1992	6.64	122.38	95	1990.77	-12.88	-12.69	24.84	1.12
MWD	23	2087	6.64	120.88	95	2085.13	-18.71	-18.45	34.19	0.18
MWD	24	2181	6.68	112.36	94	2178.50	-23.66	-23.32	43.91	1.05
MWD	25	2276	7.82	106.99	95	2272.74	-27.73	-27.31	55.20	1.39
MWD	26	2370	7.78	104.27	94	2365.87	-31.27	-30.75	67.49	0.39
MWD	27	2465	8.00	104.80	95	2459.97	-34.64	-34.02	80.11	0.24
MWD	28	2559	8.75	109.89	94	2552.97	-38.84	-38.13	93.16	1.12
MWD	29	2654	9.89	116.75	95	2646.72	-45.08	-44.26	107.24	1.67
MWD	30	2749	10.86	124.57	95	2740.17	-53.94	-53.01	121.89	1.80
MWD	31	2843	11.16	133.63	94	2832.44	-65.35	-64.31	135.77	1.87
MWD	32	2937	11.34	137.76	94	2924.64	-78.57	-77.43	148.57	0.88
MWD	33	3031	11.34	134.06	94	3016.80	-91.93	-90.70	161.42	0.77
MWD	34	3126	11.52	131.16	95	3109.92	-104.78	-103.44	175.28	0.63
MWD	35	3221	11.52	128.35	95	3203.01	-117.02	-115.57	189.86	0.59
MWD	36	3315	11.21	127.65	94	3295.16	-128.54	-126.97	204.45	0.36
MWD	37	3410	11.43	130.81	95	3388.32	-140.44	-138.76	218.89	0.69
MWD	38	3504	11.87	127.47	94	3480.38	-152.52	-150.73	233.61	0.86
MWD	39	3559	11.74	128.88	55	3534.22	-159.54	-157.69	242.46	0.58
MWD	40	3692	12.26	132.13	133	3664.31	-177.67	-175.65	263.46	0.64
MWD	41	3787	11.87	128.53	95	3757.22	-190.64	-188.50	278.59	0.89
MWD	42	3881	11.43	132.04	94	3849.28	-203.01	-200.76	293.07	0.89
MWD	43	3975	11.96	136.79	94	3941.33	-216.45	-214.10	306.65	1.17
MWD	44	4069	11.91	138.11	94	4033.30	-230.87	-228.42	319.80	0.30
MWD	45	4163	10.99	130.90	94	4125.43	-244.06	-241.51	333.05	1.81
MWD	46	4257	10.77	121.14	94	4217.75	-254.58	-251.92	347.34	1.97
MWD	47	4352	10.59	125.80	95	4311.11	-264.39	-261.61	362.02	0.93
MWD	48	4446	10.46	128.18	94	4403.52	-274.82	-271.94	375.73	0.48
MWD	49	4540	11.03	123.25	94	4495.88	-285.13	-282.15	389.96	1.15
MWD	50	4635	11.74	121.67	95	4589.01	-295.31	-292.20	405.78	0.82
MWD	51	4729	11.52	120.71	94	4681.08	-305.25	-302.02	421.99	0.31
MWD	52	4823	12.18	126.95	94	4773.08	-316.13	-312.77	437.99	1.53
MWD	53	4917	13.36	132.39	94	4864.76	-329.53	-326.06	453.94	1.79
MWD	54	5011	14.07	133.36	94	4956.07	-344.82	-341.22	470.26	0.79
MWD	55	5105	12.22	130.55	94	5047.61	-359.26	-355.54	486.13	2.08
MWD	56	5200	10.77	128.88	95	5140.70	-371.48	-367.64	500.68	1.57
MWD	57	5294	9.54	129.85	94	5233.23	-382.08	-378.15	513.50	1.32
MWD	58	5389	10.15	124.66	95	5326.83	-391.99	-387.95	526.43	1.13
MWD	59	5484	11.47	122.29	95	5420.14	-401.91	-397.76	541.30	1.47
MWD	60	5578	11.65	122.38	94	5512.23	-412.10	-407.84	557.22	0.19
MWD	61	5672	11.6	122.64	94	5604.31	-422.41	-418.02	573.19	0.08
MWD	62	5766	11.82	122.38	94	5696.35	-432.78	-428.27	589.28	0.24
MWD	63	5860	11.82	122.29	94	5788.36	-443.21	-438.57	605.55	0.02
MWD	64	5954	11.69	121.06	94	5880.39	-453.39	-448.62	621.84	0.30
MWD	65	6049	11.12	120.62	95	5973.51	-463.14	-458.26	637.97	0.61

MWD	66	6143	10.95	121.14	94	6065.77	-472.49	-467.49	653.41	0.21
MWD	67	6238	11.25	123.61	95	6158.99	-482.41	-477.29	668.85	0.59
MWD	68	6332	11.12	126.24	94	6251.21	-492.96	-487.72	683.80	0.56
MWD	69	6426	11.3	130.11	94	6343.42	-504.36	-499.01	698.16	0.82
MWD	70	6520	11.16	129.85	94	6435.62	-516.23	-510.77	712.18	0.16
MWD	71	6615	10.95	129.67	95	6528.86	-527.99	-522.43	726.19	0.22
MWD	72	6709	10.59	130.29	94	6621.20	-539.37	-533.71	739.65	0.40
MWD	73	6804	11.12	130.37	95	6714.50	-551.06	-545.29	753.29	0.56
MWD	74	6898	11.08	128.97	94	6806.74	-562.72	-556.84	767.21	0.29
MWD	75	6992	10.68	130.02	94	6899.05	-574.10	-568.12	780.91	0.47
MWD	76	7086	10.64	129.93	94	6991.43	-585.38	-579.29	794.23	0.05
MWD	77	7180	10.02	126.77	94	7083.91	-595.94	-589.76	807.44	0.89
MWD	78	7274	10.15	130.11	94	7176.45	-606.27	-599.99	820.32	0.64
MWD	79	7368	11.87	126.77	94	7268.72	-617.50	-611.12	834.40	1.95
MWD	80	7462	12.84	126.24	94	7360.54	-629.59	-623.08	850.57	1.04
MWD	81	7556	13.27	128.35	94	7452.11	-642.59	-635.95	867.46	0.68
MWD	82	7650	12.88	126.59	94	7543.68	-655.66	-648.88	884.33	0.59
MWD	83	7745	12.48	128	95	7636.36	-668.41	-661.52	900.92	0.53
MWD	84	7839	12	126.86	94	7728.22	-680.65	-673.63	916.74	0.57
MWD	85	7933	11.21	128.26	94	7820.30	-692.29	-685.15	931.74	0.89
MWD	86	8027	11.43	125.01	94	7912.47	-703.40	-696.15	946.54	0.72
MWD	87	8122	11.82	124.13	95	8005.52	-714.38	-707.01	962.30	0.45
MWD	88	8216	10.33	125.98	94	8097.77	-724.85	-717.37	977.09	1.63
MWD	89	8309	9.93	125.63	93	8189.32	-734.52	-726.94	990.36	0.44
MWD	90	8403	8.57	130.72	94	8282.10	-743.90	-736.23	1002.25	1.69
MWD	91	8497	8.13	129.23	94	8375.10	-752.75	-745.00	1012.71	0.52
MWD	92	8592	7.03	132.92	95	8469.27	-761.03	-753.21	1022.17	1.27
MWD	93	8686	6.64	133.71	94	8562.60	-768.77	-760.88	1030.31	0.43
MWD	94	8782	5.45	132.92	96	8658.07	-775.77	-767.82	1037.66	1.24
MWD	95	8877	5.58	135.03	95	8752.63	-782.16	-774.16	1044.23	0.25
MWD	96	8973	3.91	132.57	96	8848.30	-787.72	-779.68	1049.94	1.75
MWD	97	9068	2.11	133.80	95	8943.16	-791.15	-783.08	1053.59	1.90
MWD	98	9162	1.67	149.97	94	9037.11	-793.54	-785.46	1055.52	0.73
MWD	99	9256	1.54	144.79	94	9131.07	-795.77	-787.68	1056.94	0.21
MWD	100	9350	1.36	136.96	94	9225.04	-797.63	-789.53	1058.43	0.28
MWD	101	9445	1.32	142.77	95	9320.02	-799.34	-791.22	1059.86	0.15
MWD	102	9540	1.10	130.72	95	9415.00	-800.81	-792.69	1061.21	0.35
MWD	103	9635	0.70	152.52	95	9509.98	-801.93	-793.80	1062.17	0.55
MWD	104	9729	0.35	165.27	94	9603.98	-802.72	-794.58	1062.51	0.39
MWD	105	9824	0.70	184.34	95	9698.98	-803.58	-795.44	1062.54	0.41
MWD	106	9918	1.01	174.76	94	9792.97	-804.98	-796.84	1062.57	0.36
MWD	107	9981	0.79	150.09	63	9855.96	-805.91	-797.77	1062.84	0.70
MWD	108	10013	0.97	156.30	32	9887.95	-806.35	-798.21	1063.06	0.64
MWD	109	10107	1.01	144.79	94	9981.94	-807.76	-799.62	1063.85	0.22
MWD	110	10202	1.14	153.31	95	10076.92	-809.30	-801.14	1064.76	0.22
MWD	111	10296	0.92	177.75	94	10170.91	-810.89	-802.73	1065.21	0.52
MWD	112	10390	1.71	12.69	94	10264.90	-810.28	-802.12	1065.55	2.78
MWD	113	10483	2.77	16.03	93	10357.83	-806.77	-798.61	1066.47	1.15
MWD	114	10577	1.19	342.45	94	10451.77	-803.66	-795.49	1066.81	2.02
MWD	115	10672	0.88	314.86	95	10546.75	-802.20	-794.04	1065.99	0.61
MWD	116	10766	0.66	7.68	94	10640.75	-801.15	-792.99	1065.55	0.76
MWD	117	10860	0.53	30.97	94	10734.74	-800.24	-792.08	1065.85	0.29
MWD	118	10954	0.70	76.06	94	10828.74	-799.74	-791.57	1066.63	0.53
MWD	119	11049	0.62	79.05	95	10923.73	-799.51	-791.33	1067.70	0.09
MWD	120	11144	0.22	51.62	95	11018.73	-799.30	-791.12	1068.35	0.46
MWD	121	11239	0.35	198.40	95	11113.73	-799.47	-791.28	1068.40	0.58
MWD	122	11333	0.40	185.04	94	11207.73	-800.06	-791.88	1068.28	0.11
MWD	123	11427	0.57	158.15	94	11301.72	-800.83	-792.64	1068.42	0.30
MWD	124	11521	1.19	162.10	94	11395.71	-802.19	-794.01	1068.90	0.66
MWD	125	11615	0.92	197.70	94	11489.70	-803.84	-795.66	1068.97	0.74
MWD	126	11709	1.10	196.73	94	11583.68	-805.42	-797.24	1068.48	0.19
MWD	127	11804	1.19	195.68	95	11678.66	-807.24	-799.06	1067.95	0.10
MWD	128	11899	1.32	217.12	95	11773.64	-809.05	-800.88	1067.02	0.51
MWD	129	11993	1.45	207.28	94	11867.61	-810.96	-802.80	1065.82	0.29
MWD	130	12087	1.23	203.67	94	11961.59	-812.94	-804.78	1064.87	0.25
MWD	131	12182	0.44	329.80	95	12056.58	-813.55	-805.40	1064.28	1.61
MWD	132	12276	0.31	64.54	94	12150.58	-813.13	-804.98	1064.33	0.59
MWD	133	12371	0.44	141.71	95	12245.58	-813.31	-805.16	1064.79	0.50
MWD	134	12465	0.35	153.75	94	12339.57	-813.85	-805.70	1065.14	0.13
MWD	135	12543	0.31	168.25	78	12417.57	-814.28	-806.12	1065.29	0.12
MWD	136	12597	0.79	233.79	54	12471.57	-814.64	-806.48	1065.02	1.33
MWD	137	12691	10.33	356.05	94	12565.08	-806.58	-798.43	1063.91	11.46
MWD	138	12738	16.88	1.06	47	12610.74	-795.54	-787.39	1063.74	14.15
MWD	139	12785	24.40	11.08	47	12654.70	-779.18	-771.02	1065.74	17.62
MWD	140	12880	30.55	7.91	95	12738.95	-736.02	-727.80	1072.84	6.65
MWD	141	12974	44.00	359.30	94	12813.63	-679.44	-671.19	1075.75	15.32
MWD	142	13069	49.27	355.78	95	12878.85	-610.46	-602.24	1072.69	6.17
MWD	143	13163	54.95	0.79	94	12936.58	-536.37	-528.16	1070.60	7.36
MWD	144	13258	63.87	2.20	95	12984.88	-454.72	-446.50	1072.78	9.48

MWD	145	13352	70.29	1.32	94	13021.47	-368.25	-360.00	1075.42	6.88
MWD	146	13447	78.11	2.90	95	13047.31	-277.01	-268.73	1078.80	8.39
MWD	147	13540	86.07	4.22	93	13060.10	-185.19	-176.87	1084.53	8.67
MWD	148	13635	88.04	3.69	95	13064.98	-90.60	-82.23	1091.07	2.15
MWD	149	13729	89.58	2.64	94	13066.94	3.19	11.61	1096.26	1.98
MWD	150	13823	88.97	2.55	94	13068.12	97.05	105.50	1100.52	0.66
MWD	151	13918	89.71	1.23	95	13069.22	191.96	200.44	1103.65	1.59
MWD	152	14012	91.56	0.62	94	13068.18	285.92	294.42	1105.17	2.07
MWD	153	14106	90.86	0.62	94	13066.19	379.88	388.39	1106.18	0.74
MWD	154	14201	91.12	0.79	95	13064.55	474.85	483.37	1107.35	0.33
MWD	155	14295	91.96	0.79	94	13062.02	568.80	577.33	1108.65	0.89
MWD	156	14389	91.96	359.65	94	13058.81	662.73	671.27	1109.01	1.21
MWD	157	14484	91.74	358.24	95	13055.74	757.67	766.20	1107.26	1.50
MWD	158	14578	90.07	355.69	94	13054.26	851.56	860.05	1102.28	3.24
MWD	159	14672	90.99	358.07	94	13053.39	945.44	953.89	1097.17	2.71
MWD	160	14767	91.38	358.24	95	13051.42	1040.39	1048.82	1094.11	0.45
MWD	161	14861	92.75	1.93	94	13048.04	1134.31	1142.75	1094.25	4.18
MWD	162	14955	93.45	3.60	94	13042.95	1228.02	1236.49	1098.78	1.92
MWD	163	14976	92.09	3.60	21	13041.94	1248.94	1257.43	1100.09	6.48
MWD	164	15071	89.32	2.81	95	13040.77	1343.73	1352.26	1105.40	3.03
MWD	165	15165	89.14	2.46	94	13042.03	1437.59	1446.15	1109.72	0.42
MWD	166	15260	89.49	0.35	95	13043.17	1532.53	1541.11	1112.05	2.25
MWD	167	15354	89.10	358.95	94	13044.32	1626.52	1635.10	1111.48	1.55
MWD	168	15449	90.81	358.07	95	13044.40	1721.50	1730.07	1109.01	2.02
MWD	169	15543	91.03	357.98	94	13042.89	1815.45	1824.00	1105.77	0.25
MWD	170	15637	91.34	357.98	94	13040.95	1909.40	1917.92	1102.46	0.33
MWD	171	15732	91.21	357.45	95	13038.83	2004.32	2012.82	1098.67	0.57
MWD	172	15826	91.30	357.45	94	13036.77	2098.24	2106.70	1094.49	0.10
MWD	173	15921	91.56	357.54	95	13034.40	2193.15	2201.58	1090.34	0.29
MWD	174	16015	91.12	357.54	94	13032.20	2287.06	2295.47	1086.31	0.47
MWD	175	16110	90.86	357.45	95	13030.56	2381.99	2390.37	1082.15	0.29
MWD	176	16204	90.73	357.19	94	13029.26	2475.90	2484.25	1077.76	0.31
MWD	177	16298	90.29	358.95	94	13028.42	2569.86	2578.19	1074.59	1.93
MWD	178	16392	90.02	359.39	94	13028.17	2663.86	2672.18	1073.23	0.55
MWD	179	16486	89.85	359.03	94	13028.27	2757.86	2766.17	1071.94	0.42
MWD	180	16581	89.71	358.24	95	13028.64	2852.85	2861.14	1069.67	0.84
MWD	181	16675	90.95	0.09	94	13028.10	2946.84	2955.13	1068.30	2.37
MWD	182	16769	90.90	359.74	94	13026.58	3040.82	3049.11	1068.16	0.38
MWD	183	16863	90.68	359.39	94	13025.28	3134.81	3143.10	1067.45	0.44
MWD	184	16957	91.16	359.39	94	13023.77	3228.80	3237.09	1066.45	0.51
MWD	185	17051	91.60	359.65	94	13021.51	3322.77	3331.05	1065.66	0.54
MWD	186	17146	91.87	359.47	95	13018.63	3417.73	3426.01	1064.93	0.34
MWD	187	17241	91.08	1.41	95	13016.19	3512.68	3520.97	1065.66	2.20
MWD	188	17335	91.21	1.93	94	13014.31	3606.60	3614.91	1068.40	0.57
MWD	189	17430	91.21	1.76	95	13012.30	3701.50	3709.84	1071.46	0.18
MWD	190	17523	91.12	1.41	93	13010.41	3794.42	3802.78	1074.03	0.39
MWD	191	17618	90.59	0.79	95	13009.00	3889.38	3897.76	1075.85	0.86
MWD	192	17712	89.98	0.09	94	13008.53	3983.36	3991.75	1076.58	0.99
MWD	193	17807	89.67	0.00	95	13008.82	4078.36	4086.75	1076.65	0.34
MWD	194	17901	89.41	359.65	94	13009.57	4172.36	4180.75	1076.36	0.46
MWD	195	17996	89.41	359.74	95	13010.55	4267.35	4275.74	1075.86	0.09
MWD	196	18091	89.45	359.83	95	13011.50	4362.35	4370.73	1075.50	0.10
MWD	197	18186	89.14	359.65	95	13012.66	4457.34	4465.73	1075.07	0.38
MWD	198	18280	90.42	359.39	94	13013.03	4551.34	4559.72	1074.28	1.39
MWD	199	18374	91.12	359.21	94	13011.76	4645.33	4653.70	1073.13	0.77
MWD	200	18468	90.59	358.68	94	13010.36	4739.31	4747.68	1071.40	0.80
MWD	201	18562	90.55	358.42	94	13009.42	4833.29	4841.64	1069.03	0.28
MWD	202	18656	90.42	357.98	94	13008.63	4927.26	4935.59	1066.07	0.49
MWD	203	18750	91.47	359.47	94	13007.08	5021.23	5029.55	1063.98	1.94
MWD	204	18844	91.43	359.74	94	13004.70	5115.20	5123.52	1063.33	0.29
MWD	205	18938	91.34	359.65	94	13002.43	5209.17	5217.49	1062.83	0.14
MWD	206	19033	91.16	359.65	95	13000.36	5304.15	5312.47	1062.25	0.19
MWD	207	19128	91.08	359.03	95	12998.50	5399.13	5407.44	1061.16	0.66
MWD	208	19222	91.12	358.68	94	12996.69	5493.11	5501.40	1059.28	0.37
MWD	209	19317	91.56	358.42	95	12994.47	5588.07	5596.35	1056.88	0.54
MWD	210	19411	91.25	357.89	94	12992.17	5682.01	5690.27	1053.85	0.65
MWD	211	19505	90.51	358.42	94	12990.72	5775.97	5784.21	1050.83	0.97
MWD	212	19600	89.27	359.56	95	12990.91	5870.96	5879.19	1049.15	1.77
MWD	213	19694	90.68	1.14	94	12990.95	5964.95	5973.18	1049.73	2.25
MWD	214	19789	89.89	2.02	95	12990.47	6059.89	6068.15	1052.35	1.24
MWD	215	19884	88.53	1.50	95	12991.78	6154.80	6163.09	1055.26	1.53
MWD	216	19978	88.97	1.50	94	12993.84	6248.73	6257.03	1057.72	0.47
MWD	217	20072	88.88	1.14	94	12995.60	6342.67	6350.99	1059.89	0.39
MWD	218	20166	90.42	359.91	94	12996.17	6436.65	6444.98	1060.75	2.10
MWD	219	20261	93.58	359.39	95	12992.86	6531.58	6539.91	1060.17	3.37
MWD	220	20355	93.58	358.95	94	12986.99	6625.39	6633.72	1058.81	0.47
MWD	221	20450	92.88	359.39	95	12981.64	6720.24	6728.55	1057.44	0.87
MWD	222	20545	91.60	359.83	95	12977.92	6815.16	6823.48	1056.79	1.42
MWD	223	20639	90.68	359.03	94	12976.05	6909.14	6917.45	1055.86	1.30

MWD	224	20734	89.63	358.24	95	12975.80	7004.13	7012.42	1053.59	1.38
MWD	225	20828	91.47	0.53	94	12974.89	7098.11	7106.40	1052.58	3.12
MWD	226	20922	88.62	0.53	94	12974.82	7192.09	7200.39	1053.45	3.03
MWD	227	21015	88.26	359.91	93	12977.35	7285.05	7293.35	1053.81	0.77
MWD	228	21110	87.96	359.21	95	12980.48	7379.99	7388.30	1053.08	0.80
MWD	229	21205	89.27	358.24	95	12982.78	7474.95	7483.24	1050.97	1.72
MWD	230	21300	90.90	358.95	95	12982.64	7569.94	7578.21	1048.64	1.87
MWD	231	21394	91.87	359.47	94	12980.37	7663.90	7672.17	1047.34	1.17
MWD	232	21489	91.56	359.21	95	12977.52	7758.86	7767.13	1046.25	0.43
MWD	233	21583	91.47	359.21	94	12975.04	7852.83	7861.08	1044.95	0.10
MWD	234	21677	91.56	358.77	94	12972.55	7946.79	7955.04	1043.30	0.48
MWD	235	21771	91.69	358.68	94	12969.89	8040.74	8048.97	1041.21	0.17
MWD	236	21865	90.11	358.24	94	12968.41	8134.71	8142.93	1038.68	1.74
MWD	237	21959	91.47	358.33	94	12967.12	8228.67	8236.87	1035.87	1.45
MWD	238	22054	91.56	358.77	95	12964.60	8323.63	8331.81	1033.46	0.47
MWD	239	22148	91.30	358.68	94	12962.26	8417.59	8425.76	1031.37	0.29
MWD	240	22243	90.07	358.33	95	12961.12	8512.56	8520.71	1028.90	1.35
MWD	241	22337	91.47	358.16	94	12959.86	8606.53	8614.66	1026.02	1.50
MWD	242	22431	91.21	359.56	94	12957.66	8700.49	8708.61	1024.15	1.51
MWD	243	22526	91.47	0.53	95	12955.44	8795.46	8803.59	1024.22	1.06
MWD	244	22620	89.85	0.79	94	12954.36	8889.43	8897.57	1025.30	1.75
MWD	245	22714	89.10	359.12	94	12955.22	8983.42	8991.56	1025.23	1.95
MWD	246	22808	88.53	358.86	94	12957.16	9077.40	9085.53	1023.57	0.67
MWD	247	22902	89.89	0.35	94	12958.46	9171.38	9179.51	1022.93	2.15
MWD	248	22997	90.20	0.44	95	12958.38	9266.37	9274.51	1023.58	0.34
MWD	249	23091	89.93	359.91	94	12958.28	9360.37	9368.51	1023.87	0.63
MWD	250	23185	89.98	359.91	94	12958.35	9454.37	9462.51	1023.72	0.05
MWD	251	23279	90.07	0.00	94	12958.31	9548.36	9556.51	1023.65	0.14
MWD	252	23335	89.05	359.30	56	12958.74	9604.36	9612.50	1023.30	2.21
PTB	253	23408	89.05	359.30	73	12959.95	9677.35	9685.49	1022.41	0.00

Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017					
1. WELL API NO. 30-025-48762										
2. Type of Lease ☒ STATE ☐ FEE ☐ FED/INDIAN										
3. State Oil & Gas Lease No.										
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name PROMETHEUS STATE COM		
								6. Well Number: 134H		
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator TAP ROCK OPERATING, LLC								9. OGRID 372043		
10. Address of Operator 523 PARK POINT DRIVE, SUITE 200, GOLDEN, CO								11. Pool name or Wildcat WC-025 G-09 S243310P; UPPER WOLFCAMP		
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	O	22	24S	33E	-	848	SOUTH	1541	EAST	LEA
BH:	A	15	24S	33E	-	27	NORTH	444	EAST	LEA
13. Date Spudded 11/19/2021	14. Date T.D. Reached 2/14/2022	15. Date Rig Released 2/19/2022			16. Date Completed (Ready to Produce) 4/26/2022			17. Elevations (DF and RKB, RT, GR, etc.) 3552 GR		
18. Total Measured Depth of Well 23408 ft			19. Plug Back Measured Depth 23343 ft			20. Was Directional Survey Made? YES		21. Type Electric and Other Logs Run GAMMA		
22. Producing Interval(s), of this completion - Top, Bottom, Name 13010' - 23260'								WOLFCAMP		
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
10.75"		45.5		1265'		13.5"		670 sks		0
7.625"		29.7		10047'/12516'		9.875"/8.75"		1190 sks		0
5.5"		20		23392'		6.75"		1420 sks		0
24. LINER RECORD						25. TUBING RECORD				
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET			
26. Perforation record (interval, size, and number)						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.				
						DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED		
Perforate from 13010 ft to 23260 ft, 1 SPF, .55 inch holes with 559 total shots						13010' - 23260'		43 stage frac with 30,968,725 lbs of 100 mesh sand		
28. PRODUCTION										
Date First Production 5/15/2022		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing				Well Status (Prod. or Shut-in) Producing				
Date of Test 5/22/2022	Hours Tested 24 hrs	Choke Size 40/64	Prod'n For Test Period	Oil - Bbl 760	Gas - MCF 5734	Water - Bbl. 5504	Gas - Oil Ratio 7545			
Flow Tubing Press. 2301	Casing Pressure 82	Calculated 24-Hour Rate	Oil - Bbl. 760	Gas - MCF 5734	Water - Bbl. 5504	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold								30. Test Witnessed By		
31. List Attachments C-102, Directional Survey										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.								33. Rig Release Date:		
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude				Longitude				NAD83		
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature 			Printed Name Jeff Trlica			Title Regulatory Analyst			Date 5/25/2022	
E-mail Address jtrlica@taprllc.com										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

[illegible]


No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology		From	To	Thickness In Feet	Lithology
0	932		Quaternary					
932	1552		Rustler					
1552	4725		Top of Salt					
4725	4944		Base of Salt					
4944	4975		Lamar					
4975	6233		Bell					
6233	7671		Cherry Canyon					
7671	9192		Brushy Canyon					
9192	9631		Bonespring					
9631	10174		Avalon					
10174	10921		1st Bone Spring Sand					
10921	11965		2nd Bone Spring Sand					
11965	12289		3rd Bone Spring Sand					
12289	12859		Wolfcamp A					
12859			Wolfcamp B					

Tap Rock
Prometheus
Defining Wells
T24S-R33E



Defining Prometheus Well

Prometheus Wells

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 111226

ACKNOWLEDGMENTS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 111226
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 111226

CONDITIONS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 111226
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	4/14/2023