

Well Name: BISTI COAL 20	Well Location: T25N / R12W / SEC 20 / NENE / 36.391693 / 108.128159	County or Parish/State: SAN JUAN / NM
Well Number: 1	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM25448	Unit or CA Name:	Unit or CA Number:
US Well Number: 3004528382	Well Status: Gas Well Shut In	Operator: DJR OPERATING LLC

Subsequent Report

Type of Submission: Subsequent Report	Type of Action: Plug and Abandonment
Date Sundry Submitted: 03/29/2021	Time Sundry Submitted: 09:49
Date Operation Actually Began: 03/23/2021	

Actual Procedure: The subject well was Plugged & Abandoned on "DATE" per the attached detailed As Plugged Wellbore Diagram and Marker.

SR Attachments

Actual Procedure

PA_Marker_20210329094859.pdf

EOWR_AsPlugged_WBD_20210329094859.pdf

Well Name: BISTI COAL 20	Well Location: T25N / R12W / SEC 20 / NENE / 36.391693 / 108.128159	County or Parish/State: SAN JUAN / NM
Well Number: 1	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM25448	Unit or CA Name:	Unit or CA Number:
US Well Number: 3004528382	Well Status: Gas Well Shut In	Operator: DJR OPERATING LLC

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: FORD	Signed on: MAR 29, 2021 09:49 AM
Name: DJR OPERATING LLC	
Title: Regulatory Specialist	
Street Address: 1 Road 3263	
City: Aztec	State: NM
Phone: (505) 632-3476	
Email address: sford@djrlc.com	

Field Representative

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: WILLIAM F TAMBEKOU	BLM POC Title: PETROLEUM ENGINEER
BLM POC Phone: 7192698500	BLM POC Email Address: wtambekou@blm.gov
Disposition: Accepted	Disposition Date: 03/31/2021
Signature: William Max Tambekou	

DJR Operating, LLC
Bisti Coal 20 – 1
30-045-28382
NENE Unit A Sec. 20, T25N, R12W
San Juan County, NM



P&A End of Well Report
DJR Operating, LLC
Bisti Coal 20 #001
API: 30-045-28382
NENE A-20-25N-12W

Spud Date: 10/23/1990

Plugged Date: 03/23/2021

3-23-2021:

Set CR at 1070'. PT casing, did not test.

Plug 1: Fruitland perfs: Mix and pump 12 sx class G cement through CR.

Plug 2: From top of CR at 1070', mix and place 90 sx class G + 2% CaCl₂ cement on top of CR, TOOH.

Plug 3: TIH, tag plug 2 at 160'. Mix and pump 18 sx class G cement to fill casing.

Cut off WH, TOC in 4 1/2" = 13', 7" x 4 1/2" annulus = 33'. Top off with 9 sx Class G cement.

All cement used: Class G cement mixed at 15.8 ppg. 1.15 yield.

BLM Representative onsite to witness: Michael Gilbreath

DJR Operating, LLC
Bisti Coal 20 – 1
30-045-28382
NENE Unit A Sec. 20, T25N, R12W
San Juan County, NM



DJR Operating, LLC

P&A End of Well Report

Bisti Coal 20-1

API # 30-045-28382

NE/NE Unit A Sec.20, T25N, R12W
San Juan County, NM

GL 6279'

KB 6292'

Spud Date 10/23/1990

SURF CSG

Hole size 8.75"
Csg Size: 7"
Wt: 20#
Grade: J-55
ID: 6.456"
Depth 134'
casing cap ft³/ft: 0.2273
TOC: Circ to surf

FORMATION TOPS

Nacimiento	Surface
Ojo Alamo	N/A
Kirtland	N/A
Fruitland	924'
Pictured Cliffs	1149'

PROD CSG

Hole size 6.25"
Csg Size: 4.5"
Wt: 9.5#
Grade: J-55
ID: 4.090"
Depth 1314'
casing cap ft³/ft: 0.0912
7x4.5 capacity ft³/ft 0.1169
TOC: Circ to surf

Fruitland Coal perms
1101'-1121'

PBTD 1270'
TD 1315'

3-23-2021: Cut off WH, TOC in 4 1/2" = 13', 7" x 4 1/2" annulus = 33'. Top off with 9 sx Class G cement.

3-23-2021: Plug 3: TIH, tag plug 2 at 160'. Mix and pump 18 sx class G cement to fill casing.

3-23-2021: Plug 2: From top of CR at 1070', mix and place 90 sx class G + 2% CaCl₂ cement on top of CR. TOOH.

3-23-2021: Plug 1: Fruitland perms: Mix and pump 12 sx class G cement through CR.

3-23-2021: Set CR at 1070'. PT casing, did not test.

All cement used was Class G mixed at 15.8 ppg, yield 1.15
Regulatory representative, Michael Gilbreath, BLM
GPS Coordinates: Lat: 36.39164031017572, Lng: -108.12843214720488

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 196965

CONDITIONS

Operator: DJR OPERATING, LLC 1 Road 3263 Aztec, NM 87410	OGRID: 371838
	Action Number: 196965
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
mkuehling	String pressures not reported - well plugged 3/23/2023	4/6/2023