

Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO.
30-005-60569
5. Indicate Type of Lease
STATE [X] FEE []
6. State Oil & Gas Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)
1. Type of Well: Oil Well [X] Gas Well [] Other []
2. Name of Operator
Petrolia Energy Corporation
3. Address of Operator
710 N Post Oak Rd, Ste 400 Houston, TX 77024
4. Well Location
Unit Letter H : 2310 feet from the N line and 990 feet from the E line
Section 36 Township 8S Range 28E NMPM County: Chavez
11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3862' KB

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:
PERFORM REMEDIAL WORK [] PLUG AND ABANDON []
TEMPORARILY ABANDON [] CHANGE PLANS []
PULL OR ALTER CASING [] MULTIPLE COMPL []
DOWNHOLE COMMINGLE []
CLOSED-LOOP SYSTEM []
OTHER: []
SUBSEQUENT REPORT OF:
REMEDIAL WORK [] ALTERING CASING []
COMMENCE DRILLING OPNS. [] P AND A [X]
CASING/CEMENT JOB []
OTHER: []

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Petrolia Energy Corporation retained Permian 5 Energy Service to plug well 25. Class C cement used. Each day was started with a safety meeting. Permian 5 arrived at well site location on 5/31/22.

6/6/22: Levelled well location, rigged up the pulling unit, removed sucker rods and tubing. Assembled BOP and rigged down for the day.

6/7/22: Encountered scale in wellbore, used scraper to clean wellbore. Circulated mud in well and ordered vacuum truck. Ran Cement Bond Log, Shut down for the day.

6/8/22: Circulated the mud, spot 25 sacks cement, tagged cement at 2205, spot 12 sacks, BT 207, TC 1923. Shut down for the day.

6/9/22: Ran pipe and tagged at 1940. Squeezed 66 sacks, Perfs 1700', TC 1350, PK 964, Tag 1488. Squeeze 60 sacks, perfs 950', TC 650, PK 322. Shut down for the day.

6/10/22: Unset PK. Squeezed 35 sacks, Perfs 950, TC 650, PK 322, Tag 680. Surface 205' - 0' 80 sacks cement. Pumped cement until circulated to surface. Shut down rig & equipment.

Spud Date: []

Rig Release Date: 6/11/2022

Approved for plugging of well bore only. Liability under bond is retained pending Location cleanup & receipt of C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE [Signature] TITLE CEO DATE 4/26/2023

Type or print name Mark Allen E-mail address: mark.a@petroliaenergy.com PHONE: 832-723-1266


For State Use Only

APPROVED BY: [Signature] TITLE Staff Manager DATE 4/27/23
Conditions of Approval (if any):

Petrolia Energy Corporation		
Author:	<u>MARK ALLEN</u>	<u>Proposed</u>
Well Name	<u>Twin Lakes SA Unit</u>	Well No. <u>#29</u>
Field/Pool	<u>Twin Lakes; SA (Assoc)</u>	API #: <u>30-005-60569</u>
County	<u>Chaves</u>	Location: <u>Sec 36, T8S, R28E</u>
State	<u>New Mexico</u>	<u>2310 FNL & 990 FEL</u>
Spud Date	<u>5/31/1979</u>	GL: <u>3858</u>

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface Csg	8 5/8		28#	80	12 1/2	75	0
Prod Csg	4 1/2		9.5#	2,730	7 7/8	225	1303' Calc

Formation	Top
T/Salt	866
B/Salt	1612
San Andres	2042



8 5/8 28# CSG @ 80
Hole Size: 12 1/2

4. Perf & Sqz 25 sx cmt @ 130' to surface.

3. Perf & Sqz 30 sx cmt @ 916-716'. WOC & Tag (T/Salt)

2. Spot 25 sx cmt @ 1662-1312'. (B/Salt)

1. Set 4 1/2" CIBP @ 2573'. Circ hole w/ MLF. Pressure test csg. Spot 25 sx cmt @ 2573-2225'

Perfs @ 2623-2664

4 1/2 9.5# CSG @ 2,730
Hole Size: 7 7/8

TDPB @ 2729
TD @ 2730

33.5774574
-104.0362015

District I
 1625 N. French Dr., Hobbs, NM 88240
 Phone:(575) 393-6161 Fax:(575) 393-0720

District II
 811 S. First St., Artesia, NM 88210
 Phone:(575) 748-1283 Fax:(575) 748-9720

District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
 1220 S. St Francis Dr., Santa Fe, NM 87505
 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 209528

CONDITIONS

Operator: PETROLIA ENERGY CORPORATION 710 N Post Oak Rd Houston, TX 77024	OGRID: 371666
	Action Number: 209528
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	4/27/2023