

Submit a Copy To Appropriate District
Office
District I – (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II – (575) 748-1283
811 S. First St., Artesia, NM 88210
District III – (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV – (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-12489
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No. 19520
7. Lease Name or Unit Agreement Name North Hobbs G/SA Unit
8. Well Number 341
9. OGRID Number 157984
10. Pool name or Wildcat HOBBS; GRAYBURG-SAN ANDRES
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3642' (GR)

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator
Occidental Permian LTD

3. Address of Operator
P.O. Box 4294 Houston, TX 77210-4294

4. Well Location
Unit Letter **O** : **330** feet from the **SOUTH** line and **2310** feet from the **EAST** line
Section **28** Township **18S** Range **38E** NMPM County **LEA**

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐
CLOSED-LOOP SYSTEM ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ **P AND A** ☒
CASING/CEMENT JOB ☐ PNR ☐
OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

See procedure attached.

Spud Date:

4/6/23

Rig Release Date:

4/12/23

I hereby certify that the information above is true and complete to the best of my knowledge and belief.


SIGNATURE **Roni Mathew** TITLE **Regulatory Advisor** DATE **04/25/2023**

Type or print name **Roni Mathew** E-mail address: **roni_mathew@oxy.com** PHONE: **(713) 215-7827**
For State Use Only

APPROVED BY: **Kerry Fortner** TITLE **Compliance Officer A** DATE **4/26/23**
Conditions of Approval

Date	Daily Summary
4/6/2023	MIRU, Check psi, 0 psi, Dug cellar, Nd wh, Nu bop, Sion.
4/10/2023	Circulated well w/ 160 bbls of 10# gelled plug mud, Pressure tested csg, Established tight rate @ 3/4 bbl w/ 900 psi, Held 300 psi, Pooh w/ tbg to derrick, Rih w/ 7" ad1 packer, Set packer @ 2399', Pressure tested csg from 2399' to 3900' to 600 psi and held, Bled off, Ruwl, Rih and perforated 7" csg @ 2720', Pooh and rdwl, Established tight injection rate @ 3/4 bbls a min w/ 900 psi, Notified NMOCD and approved to spot 50 sxs, Pooh w/ tbg & pkr, With EOT @ 2770' Mixed and pumped 50 sx class c cmt, Displaced w/ 14.2 bbls of 10# gelled bw, POOH w/ tbg, Sion.
4/11/2023	RIH w/ tbg, Tagged TOC @ 2475', Notified NMOCD, POOH w/ tbg, Rih w 7" ad1 packer, Isolated casing leaks and bad casing from 1700' to 295', Notified NMOCD, Approved to spot 200 sxs of cmt, With EOT @ 1752' mixed and pumped 200 sxs class c cmt and displaced w/ 3.1 bbls of bw, POOH w/ tbg, Loaded csg w 5 bbls of bw, Squeezed 9 bbls of bw and pressured up to 500 psi, Sion.
4/12/2023	Check psi, 0 psi, Rih w/ tbg, Tagged TOC @ 854', Pressure tested csg to 600 psi for 30 min, Lost 50 psi, Stayed w/ 550 psi, Notified NMOCD, Approved to perf surface plug, Pooh LD tbg, Ruwl, Rih w/ 3-1/8" perforating gun and perforated @ 272', Pooh and rdwl, Established circulation from 272' to surface out 13-3/4" surface csg, Shut surface csg and fluid coming out of the ground but not out 9-5/8" intermediate surface valve, (Records show old sqz @ 382' w/ 175 sx), Rd workfloor, Nd bop, Nu capflange, Mixed and circulated 195 sxs class c cmt from 272' to surface, All casings full of cmt, Rdpu, Cleaned location, Sion.

Current WBD



District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

COMMENTS

Action 210491

COMMENTS

Operator: OCCIDENTAL PERMIAN LTD P.O. Box 4294 Houston, TX 772104294	OGRID: 157984
	Action Number: 210491
	Action Type: [C-103] Sub. Plugging (C-103P)

COMMENTS

Created By	Comment	Comment Date
plmartinez	DATA ENTRY PM	4/27/2023

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 210491

CONDITIONS

Operator: OCCIDENTAL PERMIAN LTD P.O. Box 4294 Houston, TX 772104294	OGRID: 157984
	Action Number: 210491
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
kfortner	Need C103Q and marker photo to release	4/26/2023