Received by OCD: 5/3/2023 9:51:57 AM

1	i
_	
~	4
<b>P</b>	
<b>I</b>	
-	į
	١
2.1	
-	
11	ì
-	i
	١
00	
m,	١
0	
	Į
0	ı
5.4	
9	
V.	,
16	
· * *	
. 0	
0,	
0	
110	
ing	
oing	
ging	
aging	
naging	
maging	
naging	
Imaging	
Imaging	
o Imaging	
Imaging	
to Imaging	
d to Imaging	
d to Imaging	
ed to Imaging	
sed to Imaging	
ased to Imaging	
ased to Imaging	
eased to Imaging	
leased to Imaging	
eleased to Imaging	
leased to Imaging	

Office	State of New Mex	vico		Form C-103
District I – (575) 393-6161	Energy, Minerals and Natur			Revised July 18, 2013
1625 N. French Dr., Hobbs, NM 88240			WELL API NO.	
<u>District II</u> – (575) 748-1283 811 S. First St., Artesia, NM 88210	OIL CONSERVATION	DIVISION	30-015-23709	
District III - (505) 334-6178	1220 South St. Fran	cis Dr.	<ol> <li>Indicate Type of STATE </li> </ol>	FEE
1000 Rio Brazos Rd., Aztec, NM 87410 District IV – (505) 476-3460	Santa Fe, NM 87	505	6. State Oil & Gas I	
1220 S. St. Francis Dr., Santa Fe, NM 87505			V0-5920-0001	
	AND REPORTS ON WELLS		7. Lease Name or U	nit Agreement Name
(DO NOT USE THIS FORM FOR PROPOSALS DIFFERENT RESERVOIR. USE "APPLICATION"			State MA Com	
PROPOSALS.)	_	Robert	8. Well Number	
	Well Other SWD		#1	
2. Name of Operator Endeavor Energy Resources, LP			<ol> <li>OGRID Number</li> <li>190595</li> </ol>	
3. Address of Operator			10. Pool name or W	ildcat
110 North Marienfeld, Suite 200, Mid	and, TX 79701		SWD; Bone Spring	
4. Well Location				
Unit Letter H: 1980				
		inge 28E	NMPM	County Eddy
11.	Elevation (Show whether DR, 2998'			
	2770	<u>GL</u>	and the second s	
12. Check Appr	opriate Box to Indicate Na	ature of Notice,	Report or Other Da	ata
NOTICE OF INTEN	ITION TO:	SLIB	SEQUENT REPO	ORT OF:
	UG AND ABANDON	REMEDIAL WORK		TERING CASING
The state of the s	ANGE PLANS	COMMENCE DRI		AND A PNR
	ILTIPLE COMPL	CASING/CEMENT	JOB 🗆	PNR
DOWNHOLE COMMINGLE				
CLOSED-LOOP SYSTEM  OTHER:	п	OTHER:		П
13. Describe proposed or completed				
of starting any proposed work).		. For Multiple Con	npletions: Attach wel	bore diagram of
proposed completion or recompl	etion.			
03/30/23 Moved plugging equipment to le				
ND well head, NU BOP. 04/05/23 Rig up				og @ 6984'. POH w/ 224
11S OF 2 1/8. SEL 9 3/8 CIBP (a) 6980 . 04/0			note w/ 4 yr nots with	
				F. Pressure tested csg.
Held 500 PSI. Spotted 50 sx class C cmt (w/ tbg to 6570'. 04/10/23 Spotted 50 sx c	@ 6980-6830'. 04/07/23 RU R	enegade Wireline,	ran CBL from 6810-2	F. Pressure tested csg. 558'. RD wireline. RIH
Held 500 PSI. Spotted 50 sx class C cmt (w/ tbg to 6570'. 04/10/23 Spotted 50 sx c 2791'. 04/11/23 Perf'd @ 2104'. Pressure	@ 6980-6830'. 04/07/23 RU R lass C cmt @ 6570-6421'. WOO d up. Spotted 50 sx class C cmt	enegade Wireline, C. Tagged plug @ t @ 2154-2005'. W	ran CBL from 6810-2 6376'. Spotted 50 sx c 'OC. Tagged plug @ 1	F. Pressure tested csg. 558'. RD wireline. RIH class C cmt @ 2940- 1972'. Perf'd @ 1063'.
Held 500 PSI. Spotted 50 sx class C cmt (w/tbg to 6570'. 04/10/23 Spotted 50 sx c 2791'. 04/11/23 Perf'd @ 2104'. Pressure Sqz'd 100 sx class C cmt @ 1063-963'. V	@ 6980-6830'. 04/07/23 RU R lass C cmt @ 6570-6421'. WOO d up. Spotted 50 sx class C cmt VOC. 04/12/23 Tagged plug @	enegade Wireline, C. Tagged plug @ t @ 2154-2005'. W 935'. Perf'd @ 472	ran CBL from 6810-2 6376'. Spotted 50 sx o OC. Tagged plug @ 1 2'. ND BOP & spool.	F. Pressure tested csg. 558'. RD wireline. RIH class C cmt @ 2940- 1972'. Perf'd @ 1063'. Flanged up well head.
Held 500 PSI. Spotted 50 sx class C cmt (w/tbg to 6570'. 04/10/23 Spotted 50 sx c 2791'. 04/11/23 Perf'd @ 2104'. Pressure Sqz'd 100 sx class C cmt @ 1063-963'. V Sqz'd 320 sx class C cmt @ 472' to surfa	@ 6980-6830'. 04/07/23 RU R. ass C cmt @ 6570-6421'. WOO d up. Spotted 50 sx class C cmt /OC. 04/12/23 Tagged plug @ ce. Cleaned location, rigged do	enegade Wireline, C. Tagged plug @ t @ 2154-2005'. W 935'. Perf'd @ 472 wn, & moved off.	ran CBL from 6810-2 6376'. Spotted 50 sx o OC. Tagged plug @ 1 2'. ND BOP & spool. 04/17/23 Moved in b	F. Pressure tested csg. 558'. RD wireline. RIH class C cmt @ 2940- 1972'. Perf'd @ 1063'. Flanged up well head. ackhoe and welder. Cut
Held 500 PSI. Spotted 50 sx class C cmt (w/tbg to 6570'. 04/10/23 Spotted 50 sx c 2791'. 04/11/23 Perf'd @ 2104'. Pressure Sqz'd 100 sx class C cmt @ 1063-963'. V	@ 6980-6830'. 04/07/23 RU R lass C cmt @ 6570-6421'. WOO d up. Spotted 50 sx class C cmt VOC. 04/12/23 Tagged plug @ ce. Cleaned location, rigged do lvarado w/ OCD verified cmt @	enegade Wireline, C. Tagged plug @ t @ 2154-2005'. W 935'. Perf'd @ 472 wn, & moved off. @ surface via pictur	ran CBL from 6810-2 6376'. Spotted 50 sx of OC. Tagged plug @ 1 2'. ND BOP & spool. 04/17/23 Moved in both text message. Welcom	F. Pressure tested csg. 558'. RD wireline. RIH class C cmt @ 2940- 1972'. Perf'd @ 1063'. Flanged up well head. ackhoe and welder. Cut led on "Above Ground
Held 500 PSI. Spotted 50 sx class C cmt (w/tbg to 6570'. 04/10/23 Spotted 50 sx c 2791'. 04/11/23 Perf'd @ 2104'. Pressure Sqz'd 100 sx class C cmt @ 1063-963'. V Sqz'd 320 sx class C cmt @ 472' to surfa off well head & anchors. Gabriel David A	@ 6980-6830'. 04/07/23 RU R lass C cmt @ 6570-6421'. WOO d up. Spotted 50 sx class C cmt VOC. 04/12/23 Tagged plug @ ce. Cleaned location, rigged do lvarado w/ OCD verified cmt @	enegade Wireline, C. Tagged plug @ t @ 2154-2005'. W 935'. Perf'd @ 472 wn, & moved off. @ surface via pictur	ran CBL from 6810-2 6376'. Spotted 50 sx of OC. Tagged plug @ 1 2'. ND BOP & spool. 04/17/23 Moved in both text message. Welcom	F. Pressure tested csg. 558'. RD wireline. RIH class C cmt @ 2940- 1972'. Perf'd @ 1063'. Flanged up well head. ackhoe and welder. Cut led on "Above Ground
Held 500 PSI. Spotted 50 sx class C cmt (w/tbg to 6570'. 04/10/23 Spotted 50 sx c 2791'. 04/11/23 Perf'd @ 2104'. Pressure Sqz'd 100 sx class C cmt @ 1063-963'. V Sqz'd 320 sx class C cmt @ 472' to surfa off well head & anchors. Gabriel David A	@ 6980-6830'. 04/07/23 RU R lass C cmt @ 6570-6421'. WOO d up. Spotted 50 sx class C cmt VOC. 04/12/23 Tagged plug @ ce. Cleaned location, rigged do lvarado w/ OCD verified cmt @	enegade Wireline, C. Tagged plug @ t @ 2154-2005'. W 935'. Perf'd @ 472 wn, & moved off. @ surface via pictur	ran CBL from 6810-2 6376'. Spotted 50 sx of OC. Tagged plug @ 1 2'. ND BOP & spool. 04/17/23 Moved in both text message. Welcom	F. Pressure tested csg. 558'. RD wireline. RIH class C cmt @ 2940- 1972'. Perf'd @ 1063'. Flanged up well head. ackhoe and welder. Cut led on "Above Ground
Held 500 PSI. Spotted 50 sx class C cmt (w/tbg to 6570'. 04/10/23 Spotted 50 sx c 2791'. 04/11/23 Perf'd @ 2104'. Pressure Sqz'd 100 sx class C cmt @ 1063-963'. V Sqz'd 320 sx class C cmt @ 472' to surfa off well head & anchors. Gabriel David A Dry Hole Marker". Installed 2' concrete f	@ 6980-6830'. 04/07/23 RU R. ass C cmt @ 6570-6421'. WOO d up. Spotted 50 sx class C cmt //OC. 04/12/23 Tagged plug @ ce. Cleaned location, rigged do lvarado w/ OCD verified cmt @ orm w/ 6 sx cmt. Backfilled cel	enegade Wireline, C. Tagged plug @ t @ 2154-2005'. W 935'. Perf'd @ 47' wn, & moved off. @ surface via pictuallar, cut off deadme	ran CBL from 6810-2 6376'. Spotted 50 sx of OC. Tagged plug @ 1 2'. ND BOP & spool. 04/17/23 Moved in both text message. Welcom	F. Pressure tested csg. 558'. RD wireline. RIH class C cmt @ 2940- 1972'. Perf'd @ 1063'. Flanged up well head. ackhoe and welder. Cut led on "Above Ground
Held 500 PSI. Spotted 50 sx class C cmt (w/tbg to 6570'. 04/10/23 Spotted 50 sx c 2791'. 04/11/23 Perf'd @ 2104'. Pressure Sqz'd 100 sx class C cmt @ 1063-963'. V Sqz'd 320 sx class C cmt @ 472' to surfa off well head & anchors. Gabriel David A	@ 6980-6830'. 04/07/23 RU R lass C cmt @ 6570-6421'. WOO d up. Spotted 50 sx class C cmt VOC. 04/12/23 Tagged plug @ ce. Cleaned location, rigged do lvarado w/ OCD verified cmt @	enegade Wireline, C. Tagged plug @ t @ 2154-2005'. W 935'. Perf'd @ 47' wn, & moved off. @ surface via pictuallar, cut off deadme	ran CBL from 6810-2 6376'. Spotted 50 sx of OC. Tagged plug @ 1 2'. ND BOP & spool. 04/17/23 Moved in both text message. Welcom	F. Pressure tested csg. 558'. RD wireline. RIH class C cmt @ 2940- 1972'. Perf'd @ 1063'. Flanged up well head. ackhoe and welder. Cut led on "Above Ground
Held 500 PSI. Spotted 50 sx class C cmt (w/tbg to 6570'. 04/10/23 Spotted 50 sx c 2791'. 04/11/23 Perf'd @ 2104'. Pressure Sqz'd 100 sx class C cmt @ 1063-963'. V Sqz'd 320 sx class C cmt @ 472' to surfa off well head & anchors. Gabriel David A Dry Hole Marker". Installed 2' concrete f	@ 6980-6830'. 04/07/23 RU R. ass C cmt @ 6570-6421'. WOO d up. Spotted 50 sx class C cmt //OC. 04/12/23 Tagged plug @ ce. Cleaned location, rigged do lvarado w/ OCD verified cmt @ orm w/ 6 sx cmt. Backfilled cel	enegade Wireline, C. Tagged plug @ t @ 2154-2005'. W 935'. Perf'd @ 47' wn, & moved off. @ surface via pictuallar, cut off deadme	ran CBL from 6810-2 6376'. Spotted 50 sx of OC. Tagged plug @ 1 2'. ND BOP & spool. 04/17/23 Moved in both text message. Welcom	F. Pressure tested csg. 558'. RD wireline. RIH class C cmt @ 2940- 1972'. Perf'd @ 1063'. Flanged up well head. ackhoe and welder. Cut led on "Above Ground
Held 500 PSI. Spotted 50 sx class C cmt (w/tbg to 6570'. 04/10/23 Spotted 50 sx c 2791'. 04/11/23 Perf'd @ 2104'. Pressure Sqz'd 100 sx class C cmt @ 1063-963'. V Sqz'd 320 sx class C cmt @ 472' to surfa off well head & anchors. Gabriel David A Dry Hole Marker". Installed 2' concrete f	@ 6980-6830'. 04/07/23 RU R. ass C cmt @ 6570-6421'. WOO d up. Spotted 50 sx class C cmt //OC. 04/12/23 Tagged plug @ ce. Cleaned location, rigged do Ivarado w/ OCD verified cmt @ orm w/ 6 sx cmt. Backfilled cel	enegade Wireline, C. Tagged plug @ t @ 2154-2005'. W 935'. Perf'd @ 47; wn, & moved off. @ surface via pictur llar, cut off deadme	ran CBL from 6810-2 6376'. Spotted 50 sx of COC. Tagged plug @ 1 2'. ND BOP & spool. 04/17/23 Moved in b re text message. Weld n, cleaned location, a	F. Pressure tested csg. 558'. RD wireline. RIH class C cmt @ 2940- 1972'. Perf'd @ 1063'. Flanged up well head. ackhoe and welder. Cut led on "Above Ground
Held 500 PSI. Spotted 50 sx class C cmt (w/ tbg to 6570'. 04/10/23 Spotted 50 sx c 2791'. 04/11/23 Perf'd @ 2104'. Pressure Sqz'd 100 sx class C cmt @ 1063-963'. V Sqz'd 320 sx class C cmt @ 472' to surfa off well head & anchors. Gabriel David A Dry Hole Marker". Installed 2' concrete f	@ 6980-6830'. 04/07/23 RU R. ass C cmt @ 6570-6421'. WOO d up. Spotted 50 sx class C cmt //OC. 04/12/23 Tagged plug @ ce. Cleaned location, rigged do Ivarado w/ OCD verified cmt @ orm w/ 6 sx cmt. Backfilled cel	enegade Wireline, C. Tagged plug @ t @ 2154-2005'. W 935'. Perf'd @ 47; wn, & moved off. @ surface via pictur llar, cut off deadme	ran CBL from 6810-2 6376'. Spotted 50 sx of COC. Tagged plug @ 1 2'. ND BOP & spool. 04/17/23 Moved in b re text message. Weld n, cleaned location, a	F. Pressure tested csg. 558'. RD wireline. RIH class C cmt @ 2940- 1972'. Perf'd @ 1063'. Flanged up well head. ackhoe and welder. Cut led on "Above Ground
Held 500 PSI. Spotted 50 sx class C cmt (w/ tbg to 6570'. 04/10/23 Spotted 50 sx c 2791'. 04/11/23 Perf'd @ 2104'. Pressure Sqz'd 100 sx class C cmt @ 1063-963'. V Sqz'd 320 sx class C cmt @ 472' to surfa off well head & anchors. Gabriel David A Dry Hole Marker". Installed 2' concrete f	@ 6980-6830'. 04/07/23 RU R. ass C cmt @ 6570-6421'. WOO d up. Spotted 50 sx class C cmt //OC. 04/12/23 Tagged plug @ ce. Cleaned location, rigged do Ivarado w/ OCD verified cmt @ orm w/ 6 sx cmt. Backfilled cel	enegade Wireline, C. Tagged plug @ t @ 2154-2005'. W 935'. Perf'd @ 47; wn, & moved off. @ surface via pictur llar, cut off deadme	ran CBL from 6810-2 6376'. Spotted 50 sx of CC. Tagged plug @ 1 2'. ND BOP & spool. 04/17/23 Moved in both test text message. Welcom, cleaned location, a	F. Pressure tested csg. 558'. RD wireline. RIH class C cmt @ 2940- 1972'. Perf'd @ 1063'. Flanged up well head. ackhoe and welder. Cut led on "Above Ground
Held 500 PSI. Spotted 50 sx class C cmt (w/ tbg to 6570'. 04/10/23 Spotted 50 sx c 2791'. 04/11/23 Perf'd @ 2104'. Pressure Sq2'd 100 sx class C cmt @ 1063-963'. V Sq2'd 320 sx class C cmt @ 472' to surfa off well head & anchors. Gabriel David A Dry Hole Marker". Installed 2' concrete f	@ 6980-6830'. 04/07/23 RU R. ass C cmt @ 6570-6421'. WOO d up. Spotted 50 sx class C cmt //OC. 04/12/23 Tagged plug @ ce. Cleaned location, rigged do Ivarado w/ OCD verified cmt @ orm w/ 6 sx cmt. Backfilled cel	tenegade Wireline, C. Tagged plug @ t @ 2154-2005'. W 935'. Perf'd @ 47; wn, & moved off. @ surface via pictur llar, cut off deadme	ran CBL from 6810-2 6376'. Spotted 50 sx of COC. Tagged plug @ 12'. ND BOP & spool. 04/17/23 Moved in both test text message. Welcon, cleaned location, and belief.  DATI	F. Pressure tested csg. 558'. RD wireline. RIH class C cmt @ 2940- 1972'. Perf'd @ 1063'. Flanged up well head. ackhoe and welder. Cut led on "Above Ground and moved off.
Held 500 PSI. Spotted 50 sx class C cmt (w/ tbg to 6570'. 04/10/23 Spotted 50 sx c 2791'. 04/11/23 Perf'd @ 2104'. Pressure Sq2'd 100 sx class C cmt @ 1063-963'. V Sq2'd 320 sx class C cmt @ 472' to surfa off well head & anchors. Gabriel David A Dry Hole Marker". Installed 2' concrete f Spud Date:  I hereby certify that the information above SIGNATURE  Type or print name	@ 6980-6830'. 04/07/23 RU R. ass C cmt @ 6570-6421'. WOO d up. Spotted 50 sx class C cmt //OC. 04/12/23 Tagged plug @ ce. Cleaned location, rigged do Ivarado w/ OCD verified cmt @ orm w/ 6 sx cmt. Backfilled cel	enegade Wireline, C. Tagged plug @ t @ 2154-2005'. W 935'. Perf'd @ 47; wn, & moved off. @ surface via pictur llar, cut off deadme	ran CBL from 6810-2 6376'. Spotted 50 sx of COC. Tagged plug @ 12'. ND BOP & spool. 04/17/23 Moved in both test text message. Welcon, cleaned location, and belief.  DATI	F. Pressure tested csg. 558'. RD wireline. RIH class C cmt @ 2940- 1972'. Perf'd @ 1063'. Flanged up well head. ackhoe and welder. Cut led on "Above Ground and moved off.
Held 500 PSI. Spotted 50 sx class C cmt (w/ tbg to 6570'. 04/10/23 Spotted 50 sx c 2791'. 04/11/23 Perf'd @ 2104'. Pressure Sqz'd 100 sx class C cmt @ 1063-963'. V Sqz'd 320 sx class C cmt @ 472' to surfa off well head & anchors. Gabriel David A Dry Hole Marker". Installed 2' concrete f	@ 6980-6830'. 04/07/23 RU R. ass C cmt @ 6570-6421'. WOO d up. Spotted 50 sx class C cmt //OC. 04/12/23 Tagged plug @ ce. Cleaned location, rigged do Ivarado w/ OCD verified cmt @ orm w/ 6 sx cmt. Backfilled cel	tenegade Wireline, C. Tagged plug @ t @ 2154-2005'. W 935'. Perf'd @ 472 wn, & moved off. @ surface via pictur llar, cut off deadme  te:  st of my knowledge Regulatory Analyst  is jsouth@eeronline.ce	ran CBL from 6810-2 6376'. Spotted 50 sx of COC. Tagged plug @ 12'. ND BOP & spool. 04/17/23 Moved in both test text message. Welcon, cleaned location, and belief.  DATI	F. Pressure tested csg. 558'. RD wireline. RIH class C cmt @ 2940- 1972'. Perf'd @ 1063'. Flanged up well head. ackhoe and welder. Cut led on "Above Ground and moved off.  E. 4/18/2023  NE: 432-687-1575 (4014)

TDPB TD

11349 13623

Endeavor E	nergy Resources,	LP	Plugged	7	Description	O.D.	Grade	Weight	Denth	Hole	Cmt Sx	тос
Author:	Abby @ BCM	_			Surface Csg		K55	94#	400	26		0
Well Name_ Field	State MA Com Willow Lake	Well No. API#:	#1	-	- Curiace Osg		Noo		400	20	1,650	
County	Eddy	Location	30-015-23709 Sec 3, T25S, R28E	-	Inter Csg	13 3/8	K55	61 & 54.4 #	2,570	17 1/2	3,700	0
State	NM	- 0	1980 FNL & 660 FEL		Prod Csg	9 5/8	S95	47 &	9,879	12 1/4	3,650	2,214
Spud Date _	3/28/1981	_ GL	2997.9	-	Liner	7 5/8	P110	53.5# 38.05#	0245	8 1/2	745	9,345
									12260			
		30" Co	nductor set @ 50'		Liner	4 1/2	P110	15.1#	13622	6 1/2	325 Formation	11,743
											1 dilliation	Торз
4			20 csg set @ 400	with		cmt sx						
100		7. Perl	'd @ 472'. ND BOP & spool. Flanged	up well h	ead. Sqz'd 320	sx class	C cmt @	0 472' to	surface.			
		6. Perf	d @ 1063'. Sqz'd 100 sx class C cmt	@ 1063-9	63'. WOC & Tag	ged plu	g @ 935'					
	24-00-2-00-2-0											
		5. Perf	d @ 2104'. Pressured up. Spotted 50	sx class (	C cmt @ 2154-2	2005'. WO	DC. Tagg	ged plug	@ 1972'.			
			13 3/8 csg set @ 2,570	with	3,700	cmt sx						
5/224/23 400 SX @												
2690-2214'.		4. Spot	ted 50 sx class C cmt @ 2940-2791'.									
		3. Spot	ted 50 sx class C cmt @ 6570-6421'. \	NOC. Tag	ged plug @ 63	76'.						
			-									
		2 Set 9	5/8 CIBP @ 6980'. 04/06/23 RIH w/ tb	a & tagge	'4 CIDD 🐿 coo	' Cirald	hala w/	450 bbla	MIC D.			1500
	4	PSI. Sp	otted 50 sx class C cmt @ 6980-6830	<b>'</b> .		. Cilc u	noie w	430 0015	IVILE. FIE	essure te	sted CSg. Hell	u 500
		Perfs @ 7	l 50 sx class C cmt into perf @ 7418- 287-7418	7269 . WU	ic.							
4			9 5/8 csg set @ 9,879	with	3,650	cmt sx						
			9 11349-11460' R set at 11462'. Jet cut tbg @ 11	1462'								
			ug in F nipple @ 11973	1402.								
	41 - 10	1	7 5/8 liner set @ 9345-12260'	with	745	cmt sx						
		Perfs @ 12.04	46-12070'									
		CIBP @ 1300	O' CAPPED W/ 7 SX CMT									

Perfs @ 13166-13175'

4 1/2 liner set @ 11743-13622' with

cmt sx

Released to Imaging: 5/3/2023 1:37:17 PM

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

COMMENTS

Action 213066

## **COMMENTS**

Operator:	OGRID:
ENDEAVOR ENERGY RESOURCES, LP	190595
110 North Marienfeld	Action Number:
Midland, TX 79701	213066
	Action Type:
	[C-103] Sub. Plugging (C-103P)

## COMMENTS

Created By	Comment	Comment Date
plmartine	z DATA ENTRY PM	5/3/2023

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

CONDITIONS

Action 213066

## **CONDITIONS**

Operator:	OGRID:
ENDEAVOR ENERGY RESOURCES, LP	190595
110 North Marienfeld	Action Number:
Midland, TX 79701	213066
	Action Type:
	[C-103] Sub. Plugging (C-103P)

## CONDITIONS

Created By		Condition Date
kfortner	Need C103Q and Marker photo to release	5/3/2023