Form 3160-5 (June 2019)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVE	D
OMB No. 1004-013	37
Expires: October 31, 2	202

- 1				
-	5.	Lease	Serial	No

SUNDRY NOTICES AND REPORTS ON Notice this form for proposals to drill or to abandoned well. Use Form 3160-3 (APD) for su	6. If Indian, Allottee or Tribe Name		
SUBMIT IN TRIPLICATE - Other instructions on pa	ge 2	7. If Unit of CA/Agreeme	ent, Name and/or No.
1. Type of Well		8. Well Name and No.	
Oil Well Gas Well Other		8. Well Name and No.	
2. Name of Operator		9. API Well No.	
3a. Address 3b. Phone No.	. (include area code)	10. Field and Pool or Exp	oloratory Area
4. Location of Well (Footage, Sec., T.,R.,M., or Survey Description)		11. Country or Parish, Sta	ate
12. CHECK THE APPROPRIATE BOX(ES) TO IN	NDICATE NATURE OF NOT	TICE, REPORT OR OTHER	R DATA
TYPE OF SUBMISSION	TYPE OF AC	CTION	
Acidize Dec	epen Pro	duction (Start/Resume)	Water Shut-Off
Notice of Intent Actuace Actuace Bee	• =	elamation	Well Integrity
Subsequent Report Casing Repair New	v Construction Rec	complete	Other
	g and Abandon Ter	nporarily Abandon	
Final Abandonment Notice Convert to Injection Plus	g Back Wa	ter Disposal	
Accepted for Record Only ACCEPTED LIKE APPROVAL BY BLM NMOCD 5/3/23			
14. I hereby certify that the foregoing is true and correct. Name (<i>Printed/Typed</i>)			
	Title		
Signature	Date		
THE SPACE FOR FEI	DERAL OR STATE O	FICE USE	
Approved by			
•	TT'-d		
	Title	Dat	<u>ie</u>
Conditions of approval, if any, are attached. Approval of this notice does not warra certify that the applicant holds legal or equitable title to those rights in the subject which would entitle the applicant to conduct operations thereon.			
Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any false, fictitious or fraudulent statements or representations as to any matter wit		llfully to make to any depar	rtment or agency of the United States

(Instructions on page 2)

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

(Form 3160-5, page 2)

Additional Information

Location of Well

 $0. \ SHL: \ NENW \ / \ 330 \ FNL \ / \ 1980 \ FWL \ / \ TWSP: \ 18S \ / \ RANGE: \ 32E \ / \ SECTION: \ 12 \ / \ LAT: \ 0.0 \ / \ LONG: \ 0.0 \ (\ TVD: \ 0 \ feet, \ MD: \ 0 \ feet \)$ BHL: \ NENW \ / \ 330 \ FNL \ / \ 1980 \ FWL \ / \ TWSP: \ 18S \ / \ SECTION: \ / \ LAT: \ 0.0 \ / \ LONG: \ 0.0 \ (\ TVD: \ 0 \ feet, \ MD: \ 0 \ feet \)



U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Well Number: 01

Sundry Print Report

Well Name: CHEVRON 12 FED Well Location: T18S / R32E / SEC 12 / County or Parish/State: LEA /

NENW /

Type of Well: OIL WELL **Allottee or Tribe Name:**

Lease Number: NMNM40456 **Unit or CA Name: Unit or CA Number:**

US Well Number: 300252974700S1 Well Status: Temporarily Abandoned **Operator: MATADOR**

PRODUCTION COMPANY

Notice of Intent

Sundry ID: 2714188

Type of Submission: Notice of Intent Type of Action: Temporary Abandonment

Date Sundry Submitted: 02/09/2023 Time Sundry Submitted: 02:51

Date proposed operation will begin: 02/10/2023

Procedure Description: BLM Bond No.: NMB001079 Surety Bond No.: RLB0015172 Matador respectfully request that the TA status of this well be extended for 1 year, to allow additional time for the evaluation of the P&A/ recompletion options of the well. Bradenhead test form and MIT pressure chart are attached from the MIT completed on 1/28/23, witnessed by Gilberto Espinoza (BLM).

Surface Disturbance

Is any additional surface disturbance proposed?: No

NOI Attachments

Procedure Description

 $Chevron_12_Federal__1_WBD_and_TA_20230217110436.pdf$

eceived by OCD: 3/23/2023 7:34:54 AM
Well Name: CHEVRON 12 FED

Well Location: T18S / R32E / SEC 12 /

NENW /

County or Parish/State: LEA/ 5 of

NM

Well Number: 01

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMNM40456

Unit or CA Name:

Unit or CA Number:

US Well Number: 300252974700S1

Well Status: Temporarily Abandoned

Operator: MATADOR PRODUCTION COMPANY

Conditions of Approval

Specialist Review

TA_COA_20230322130358.pdf

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: NICKY FITZGERALD Signed on: FEB 17, 2023 11:05 AM

Name: MATADOR PRODUCTION COMPANY

Title: Regulatory

Street Address: 5400 LBJ FREEWAY STE 1500

City: DALLAS State: TX

Phone: (972) 371-5448

Email address: nicky.fitzgerald@matadorresources.com

Field

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD BLM POC Title: Petroleum Engineer

BLM POC Phone: 5752345972 **BLM POC Email Address:** jshepard@blm.gov

Disposition: Approved **Disposition Date:** 03/22/2023

Signature: Jonathon Shepard

Page 2 of 2

BUREAU OF LAND MANAGEMENT


Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

Conditions of Approval for Temporary Abandonment of Wells

Definition: A temporarily abandoned well is a completion that is not capable of production in paying quantities, but which may have future value. Pursuant to 43 CFR 3162.3-4 (c), no well may be temporarily abandoned for more than 30 days without the prior approval of the authorized officer.

- 1. TA status will be effective for a period of up to one year from the date of sundry approval and can be renewed annually thereafter per IM NM-2016-017.
- A bridge plug (CIBP) must be installed 50 to 100 feet above any open perforations or open hole. The CIBP must be capped with either a minimum of 25 sacks of cement if placed with tubing or 35 feet of cement if placed with a bailer. The top of the cement must be verified by tagging.
- 3. The wellbore must be filled with corrosion inhibited fluid and pressure tested to 500 psi. The casing shall be capable of holding this pressure for at least 30 minutes. If the well does not pass the casing integrity test, then the operator shall, within 30 days, submit a procedure to either repair the casing or to plug and abandon the well.
- 4. Contact the appropriate BLM office at least 24 hours prior to the scheduled Casing Integrity Test. For wells in Eddy County, 575-361-2822; Lea County 575-689-5981.
- 5. All downhole production/injection equipment (tubing, rods, etc.) shall be removed from the casing if it is not isolated by a packer.
- 6. A bradenhead test must be conducted. If the test indicates a problem, a remedial plan and time frame for remediation shall be submitted within ninety (90) days of the test.
- 7. Submit a subsequent Sundry Notice (Form 3160-5) with the following information:
 - a. A well bore diagram with all perforations, CIBP's, and tops of cement on CIBP's.
 - b. A description of the temporary abandonment procedure.
 - c. A clear copy or the original of the pressure test chart.

Wellbore Status as of: Current Spud: 8/25/1986 TD: 9/13/1986 9200' Completed: 9/26/1986 Current PBTD: 7/14/2001 9089' **Surface Casing:** 13 3/8" J-55 54.5# set @ 458' w/450 sx cmt circ **Intermediate Casing:** 8 5/8" 24# & 28# set @ 2900' w/1150 sx cmt circ **Production Casing:** 5 1/2" 17# J-55 set @ 9200' w/2050 sx cmt TOC @ 900' 458' X TOC @ 900' by cbl Spud: 8/25/1986 TD: 9/13/1986 9200' Completed: 9/26/1986 Current PBTD: 7/14/2001 9089' 2900' X Tagged TOC @ 8,042' CIBP @ 8,100' 4/21/00 3. Perf 8153.5, 8156.5, 8160, 8169, 8180, 8183 & 8186.5'; acdz 9/23/86 2. Perf 8443-68' w/2 spf; acdz w/500 gals 20% 460 Hornet Packer Mech Bottom X-Over ID 1.998" OD @ 8,562' 9/19/86 1. Perf 8617-28' w/2 spf; acdz w/3000 gals 20%--squeezed 9/23/1986 Second Bone Springs: 3/13/17 4. perf 9,008' - 9,014' 125,417# sand/2056 bbls water (ATP 7427 @ 17.3 bpm) TD: 9200'



Harting of Konga garage

District I 1625 N Freech Dr., Hobbs, NM 83246 Phone: (575) 393-6161 Fax. (575) 395-6729



State of New Mexico Energy, Minerals and Natural Resources Department Oil Conservation Division Hobbs District Office

	. B	RADENI	HEAD TE	ST REPORT			
Matador Resour	Uperator Nan	ne			,	'API Number	2
Cheuron 12	Federa	erty Name			ernadasan kanadasan kerina pendari tahun 1992 dalam terdapan terdapa Terdapan terdapan terdap	#	II No.
	The state of the s	⁵ Su	rface Locati	ion	ALCOLOGY NO SERVICE CONCRETE STREET, CONCRETE	THE PROPERTY OF THE PROPERTY O	Charles Commission of the Assessment of the Commission of the Comm
C 12 185	Range 32E		Feet from 330	N/S Line FN L	Peet From 1980	E/W Line FWL	County
1		-	Vell Status	9	THE THE PERSON NAMED IN COLUMN TO SERVICE AND ADDRESS OF	Mirae Employageway say purawout a	
YES TA'D WELL NO V	SHUT-IN NO	o INJ	INJECTOR	SWD OID	PRODUCER G.	1s /-z	DATE 8-2023
		OBS	ERVED D	ATA			
1 (4	Surface	(D)Inform	. / 1 \	TO CONTROL OF THE PROPERTY OF THE PARTY OF T	and the same of th		

(C)Interm(2) (D)Prod Csng (E) Tubing Pressure OPSI O PSI Flow Characteristics Puff Y / (N) YIN CO2 YIN YIN Steady Flow Y /(N) WTR_ Y/N Y/N Y / (N) Surges YIN YIN GAS YIN YIM Down to nothing Type of Fluid Y / (N) Y/N YIN Y/Y Lajected for Gas or Oil Y / (N) Y/N Waterflood & Y/N YIN 1700cz Water YIN Y/N Y/N YIM

Remarks - Picase state for each string (A,B,C,D,E) pertinent information regarding bleed down or continuous build up if applies.

With Surface value open. Casing was full. Pressured casing up to 525 PSI teld test for 35 minutes, no leah off. Bled pressure back to unit. Sequred

Witness by Gilbertespinoza PET of the Recordistrict Holly Conservation Division

Printed name: Brandon Badon

Title: Assistant Foreman

E-mail Address: brandon. badon @ natadorresources. com

Date: 1-28-2023 Phone: 337-581-8462

INSTRUCTIONS ON BACK OF THIS FORM

Witness:

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 199988

CONDITIONS

Operator:	OGRID:
MATADOR PRODUCTION COMPANY	228937
One Lincoln Centre	Action Number:
Dallas, TX 75240	199988
	Action Type:
	[C-103] Sub. Temporary Abandonment (C-103U)

CONDITIONS

Created By		Condition Date
kfortner	Like approval from BLM	5/3/2023