Submit One Copy To Appropriate District Office

Form C-103

Revised November 3, 2011

-
Z
-
4
-
~
9
6
C
C
0
$\mathcal{C}_{\mathbf{J}}$
0
-
~
90
٠.
7
\sim
0
_
9
d
0
- 5
<i>- 5</i>
A-4

District I	Energy, Minerals and Natural Resources	Revised November 3, 2011
1625 N. French Dr., Hobbs, NM 88240		WELL API NO.
<u>District II</u> 811 S. First St., Artesia, NM 88210	OIL CONSERVATION DIVISION	30-041-10125
District III	1220 South St. Francis Dr.	5. Indicate Type of Lease
1000 Rio Brazos Rd., Aztec, NM 87410	Santa Fe, NM 87505	STATE FEE
<u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM	Santa 1 C, INIVI 67303	6. State Oil & Gas Lease No.
87505		
	ND REPORTS ON WELLS O DRILL OR TO DEEPEN OR PLUG BACK TO A I FOR PERMIT" (FORM C-101) FOR SUCH	7. Lease Name or Unit Agreement Name FARRELL FEDERAL
1. Type of Well: Soil Well Gas W	Vell Other	8. Well Number #01
2. Name of Operator		9. OGRID Number
RIDGEWAY ARIZONA OIL CORP		164557
3. Address of Operator		10. Pool name or Wildcat
575 N DAIRY ASHFORD RD, EC II SU	ITE 210, HOUSTON, TX 77079	CHAVEROO SAN ANDRES
4. Well Location		
	the SOUTH line and 660feet from the WESTI	ine
	Range 33E NMPM County ROOSEV	
	Elevation (Show whether DR, RKB, RT, GR, etc.	
	2' GL	i.)
	cate Nature of Notice, Report or Other I	Data
12. Check rippropriate Box to mare	dute Patrice of Profice, Report of Other I	
TEMPORARILY ABANDON CHA	G AND ABANDON 🗌 REMEDIAL WOI	RILLING OPNS. P AND A
OTLIED:		
OTHER:	oliance with OCD rules and the terms of the Op	ready for OCD inspection after P&A
Rat hole and cellar have been filled an	ad leveled. Cathodic protection holes have been	erator's pit permit and closure plan.
	and at least 4' above ground level has been set	
71 Steel market at least 1 m diameter t	and at least 1 doors ground level has been set	in concrete. It shows the
OPERATOR NAME, LEASE N	AME, WELL NUMBER, API NUMBER, Q	UARTER/QUARTER LOCATION OR
	WNSHIP, AND RANGE. All INFORMATI	
PERMANENTLY STAMPED C	ON THE MARKER'S SURFACE.	
	y as possible to original ground contour and ha	s been cleared of all junk, trash, flow lines and
other production equipment.		
	ers have been cut off at least two feet below gro	
	ning well on lease, the battery and pit location(,
from lease and well location.	pit permit and closure plan. All flow lines, pro	duction equipment and junk have been removed
	a haan ramayad Dartahla hasas haya haan ram	loved. (Poured onsite concrete bases do not have
to be removed.)	e been removed. I oftable bases have been rem	loved. (I oured offsite concrete bases do not have
All other environmental concerns have	e been addressed as per OCD rules	
	andoned in accordance with 19.15.35.10 NMAC	C. All fluids have been removed from non-
retrieved flow lines and pipelines.		
	ning well on lease: all electrical service poles a	nd lines have been removed from lease and well
location, except for utility's distribution inf	rastructure.	
When all work has been completed, return	this form to the appropriate District office to so	chedule an inspection.
111- A ()		
SIGNATURE // WW / Park	TITLE_LAND & REGULA	TORY MGR DATE 8-12-22
TYPE OR PRINT NAME _WILLIAM BO	YDE-MAIL:wboyd@ped	levco.com PHONE: 713-574-7912
For State Use Only		
A DDD OVED DV	TITLE	D + 777
APPROVED BY:	TITLE	DATE

State of New Mexico

Energy, Minerals and Natural Resources



U.S. Department of the Interior BUREAU OF LAND MANAGEMENT Sundry Print Regor

Well Name: FARRELL FEDERAL Well Location: T7S / R33E / SEC 28 /

SWSW /

County or Parish/State:

ROOSEVELT / NM

Well Number: 1 Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMNM83197 **Unit or CA Name: Unit or CA Number:**

US Well Number: 300411012500S1 Well Status: Abandoned Operator: RIDGEWAY ARIZONA

OIL CORPORATION

Subsequent Report

Sundry ID: 2646540

Type of Action: Plug and Abandonment Type of Submission: Subsequent Report

Date Sundry Submitted: 12/01/2021 Time Sundry Submitted: 03:48

Date Operation Actually Began: 11/16/2021

Actual Procedure: 11/20/21: SET 4-1/2" CIBP @ 4,200'. 11/21/21: CIRC. WELL W/ M.L.F.; PUMP 25 SXS. CLASS "C" CMT. @ 4,200'; WOC. 11/22/21: TAG TOC @ 3,732' (OK'D BY BLM); PERF. SQZ. HOLES @ 3,530'; ATTEMPT TO EST. INJ. RATE - PRES. UP 500# X HOLD; PUMP 25 SXS. CLASS "C" CMT. @ 3,601' (PER BLM); WOC. 11/23/21: TAG TOC @ 3,212' (OK'D BY BLM); PERF. SQZ. HOLES @ 2,340'; ATTEMPT TO EST. INJ. RATE - PRES. UP TO 500# X HOLD; PERF. SQZ. HOLES 2,090'; ATTEMPT TO EST. INJ. RATE - PRES. UP TO 500# X HOLD; PUMP 45 SXS. CLASS "C" CMT. @ 2,401' (PER BLM); WOC. 11/30/21: TAG TOC @ 1,777' (OK'D BY BLM); PERF. X CIRC. TO SURF., FILLING ALL ANNULI, 150 SXS. CLASS "C" CMT. @ 490'-3'; DIG OUT X CUT OFF WELLHEAD 3' B.G.L.; VERIFY CMT. TO SURF. ON ALL ANNULI; WELD ON STEEL PLATE TO CSGS. X INSTALL BELOW GROUND DRY HOLE MARKER. WELL PLUGGED AND ABANDONED 11/30/21

Accepted for record – NMOCD

IRH 05/03/2023

Page 1 of 2

eceived by OCD: 8/12/2022 9:09:17 AM
Well Name: FARRELL FEDERAL

Well Location: T7S / R33E / SEC 28 /

SWSW /

County or Parish/State: ROOSEVELT / NM

200200 /

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMNM83197

Well Number: 1

Well Status: Abandoned

Unit or CA Number:

US Well Number: 300411012500S1

Unit or CA Name:

Operator: RIDGEWAY ARIZONA OIL CORPORATION

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: DAVID EYLER Signed on: DEC 01, 2021 03:48 PM

Name: RIDGEWAY ARIZONA OIL CORPORATION

Title: Agent

Street Address: 415 W. WALL AVE., SUITE 1118

City: MIDLAND State: TX

Phone: (432) 687-3033

Email address: DEYLER@MILAGRO-RES.COM

Field

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: JENNIFER SANCHEZ

BLM POC Phone: 5756270237

Disposition: Accepted

Signature: Jennifer Sanchez

BLM POC Title: Petroleum Engineer

BLM POC Email Address: j1sanchez@blm.gov

Disposition Date: 12/02/2021

Well Name: FARRELL FEDERAL

Well Number: 1

County or Parish/State: ROOSEVELT

Well Location: T7S / R33E / SEC 28 / SWSW

API Number: 30-041-10125

Operator: RIDGEWAY ARIZONA OIL CORPORATION

Date Operation Actually Began: 11/16/2021

Actual Procedure: 11/20/21: SET 4-1/2" CIBP @ 4,200'. 11/21/21: CIRC. WELL W/ M.L.F.; PUMP 25 SXS. CLASS "C" CMT. @ 4,200'; WOC. 11/22/21: TAG TOC @ 3,732' (OK'D BY BLM); PERF. SQZ. HOLES @ 3,530'; ATTEMPT TO EST. INJ. RATE - PRES. UP 500# X HOLD; PUMP 25 SXS. CLASS "C" CMT. @ 3,601' (PER BLM); WOC. 11/23/21: TAG TOC @ 3,212' (OK'D BY BLM); PERF. SQZ. HOLES @ 2,340'; ATTEMPT TO EST. INJ. RATE - PRES. UP TO 500# X HOLD; PERF. SQZ. HOLES 2,090'; ATTEMPT TO EST. INJ. RATE - PRES. UP TO 500# X HOLD; PUMP 45 SXS. CLASS "C" CMT. @ 2,401' (PER BLM); WOC. 11/30/21: TAG TOC @ 1,777' (OK'D BY BLM); PERF. X CIRC. TO SURF., FILLING ALL ANNULI, 150 SXS. CLASS "C" CMT. @ 490'-3'; DIG OUT X CUT OFF WELLHEAD 3' B.G.L.; VERIFY CMT. TO SURF. ON ALL ANNULI; WELD ON STEEL PLATE TO CSGS. X INSTALL BELOW GROUND DRY HOLE MARKER. WELL PLUGGED AND ABANDONED 11/30/21

WELLBORE DIAGRAM: After P&A Operations							
Operator:	Rid	Ridgeway Arizona Oil Company			30-041-10125		
Lease:	Farrell Federal	Legals:	I, S28, T7S, R33E	Field:	Chaveroo San Andreas		
Well Number:	1	County:	Roosevelt	State:	New Mexico		
WELLHEAD:	-		25 sys	of cement to	surface inside and outside of 4-1/2"		
Surface Casing				ations at 60'	surface inside and outside of 4 1/2		
Size:	8-5/8"						
Wght:	24#		9# brir	ne or mud			
Depth:	403'						
TOC:	SURFACE		45 sxs	of cement or 3	153' inside and outside 4-1/2"		
Hole Size:	12-1/4"		Perforation	ns 50' below si	urface casing shoe		

Production Casing

Size: 4-1/2" Wght: 9.5# Depth: 4,470' DV Tool: NONE TOC: 3,700' 7-7/8" Hole Size:

9# brine or mud

45 sxs of cement, or 162' inside and outside 4-1/2" Perforations at 1,500'

PERFORATIONS:

CHAVAROO SAN ANDREAS

4,263' - 4,414'

9# brine or mud

45 sxs of cement, or 162' inside and outside 4-1/2" Perforations at 3,000'

9# brine or mud

3 sxs on top or 37' of cement

CIBP: 4213'

Updated: By: 9/18/2019

Perforations PBTD: 4432' 4470' TD:

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 133502

CONDITIONS

Oncertor	OGRID:
RIDGEWAY ARIZONA OIL CORP.	164557
575 N. Dairy Ashford	Action Number:
Houston, TX 77079	133502
	Action Type:
	[C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By		Condition Date
john.harrisor	None	5/3/2023