

Well Name: WOOLLEY FEDERAL	Well Location: T17S / R30E / SEC 21 / NESW /	County or Parish/State: EDDY / NM
Well Number: 6	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMLC029342A	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001531256	Well Status: Abandoned	Operator: SPUR ENERGY PARTNERS LLC

Accepted for record – NMOCD gc5/5/2023

Subsequent Report

Sundry ID: 2722070

Type of Submission: Subsequent Report	Type of Action: Plug and Abandonment
Date Sundry Submitted: 03/22/2023	Time Sundry Submitted: 08:16
Date Operation Actually Began: 03/01/2023	

Actual Procedure: Please find plugging post job summary and plugged WBD attached for your review. Thank you.

SR Attachments

Actual Procedure

WOOLLEY\_FEDERAL\_6\_\_WBD\_\_AS\_PLUGGED\_20230322081546.pdf

WOOLLEY\_FEDERAL\_6\_\_P\_A\_SUMMARY\_20230322081546.pdf

Received by OCD: 4/5/2023 1:01:59 PM

Well Name: WOOLLEY FEDERAL

Well Location: T17S / R30E / SEC 21 / NESW /

County or Parish/State: EDDY / NM

Well Number: 6

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMLC029342A

Unit or CA Name:

Unit or CA Number:

US Well Number: 3001531256

Well Status: Abandoned

Operator: SPUR ENERGY PARTNERS LLC

Page 2 of 5

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: SARAH CHAPMANSigned on: MAR 22, 2023 08:16 AM

Name: SPUR ENERGY PARTNERS LLC

Title: Regulatory Directory

Street Address: 9655 KATY FREEWAY, SUITE 500

City: HoustonState: TX

Phone: (832) 930-8613

Email address: SCHAPMAN@SPUREPLLC.COM

Field

Representative Name:

Street Address:

City:State:Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: JAMES A AMOSBLM POC Title: Acting Assistant Field Manager

BLM POC Phone: 5752345927BLM POC Email Address: jamos@blm.gov

Disposition: AcceptedDisposition Date: 03/22/2023

Signature: James A. Amos

DATE	SUMMARY
3/1/2023	Make Location bigger and clean with backhoe. RU Equipment. Lay down HH. RD work floor. Unset rod pump. Secure well SDFN.
3/2/2023	RU Corod lightning production equipment. Start POOH Corod. RD Lightning. ND Flange. NU BOP. POOH 160 jts tallying OOH. Secure Well. SDFN.
3/3/2023	RU WL. RIH GR. Tag @ 3060'. RD WL. RIH w/ bit and 160 jts and pushed trash to 5020'. POOH 160 jts w/ bit. Secure well. SDFN.
3/6/2023	RU WL. RIH WL. w/ 5.5" CIBP. RD WL. RIH 143 jts. Circulated well w/ 105 bbls mud. Pressure test csg to 500# for 30 min (test good). Pump Plug #1 from EOT 4490' to ETOC 4248' w/ 25 sxs of cmt class C w/ 3.7 mix + 24.5 displacement, 33 c/ft 14.8#. LD 58 jts. Get circulation w/ 7 bbls of mud. Pump Plug #2 from EOT 3199' to ETOC 2938' w/ 25 sxs of cmt class C w/ 3.7 mix + 17 displacement, 33 cu/ft, 14.8#, WOC & Tag. Tag @ 2941'. LD 52 Jts. Secure well, SDFN.
3/13/2023	LD 20 jts. Pump plug #3 from EOT @ 1317' to ETOC @ 946' w/ 5.4 mix + 5.4 displacement, 47.5 c/ft, 14.8#, 36 sxs of class C cmt. WOC & tag. Tag plug #3 @ 950'. Pump Plug #4 w/ 25 sxs of class C cmt w/ 3.7 mix + 2.2 displacement from EOT @ 635' to ETOC @ 383', 33 c/ft, 14.8#. Tag plug #4 @ 390'. Lay down 5 jts. Pump plug #5 w/ 25 sxs of class C cmt from EOT @ 250' to surface. Secure well, SDFN.
3/14/2023	ND BOP. RDWSU & Pump. Load Equip. Clean Location. Drove rig to yar.

API #	30-015-31256	<b>AS PLUGGED</b>  <b>WOOLLEY FEDERAL 6</b>	County, ST	Eddy County, NM
Operator	Spur Energy Partners		Sec-Twn-Rng	21-17S-30E
Field	LOCO HILLS; GLORIETA-YESO		Footage	1564 FSL, 1838 FWL
Spud Date	8/5/2000		Survey	32.8171387, -103.979599

Formation (MD)	
RUSTLER	
SALT	510'
YATES	1,260'
QUEEN	2,235'
SAN ANDRES	2,996'
GLORIETA	4,493'
YESO	
PADDOCK	4,554'

RKB	12'
GL	3,643'

Hole Size	17 1/2"
TOC	Surface
Method	CIRC

Csg Depth	404'
Size	13 3/8"
Weight	48#
Grade	K55
Connections	STC
Cement	596 SX


Top of Salt @ 510'Base of Salt @ 1,002'Top of Yates @ 1,260'Top of San Andres @ 2,996'

Hole Size	7 7/8"
TOC	SURFACE
Method	CIRC

Csg Depth	5,193'
Size	5 1/2"
Weight	17#
Grade	J55
Connections	LTC
Cement	903 SX

PBTD	5,180'
TD MD	5,230'
TD TVD	5,230'

Last Update	1/31/2023
By	WSC



Plug #5 - Spot 25 sx cmt 14.8# class c cmt @ 250' - Surface

Plug #4 - Spot 25 sx cmt 14.8# class c cmt @ 635' - 390'

Hole Size	12 1/4"
TOC	Surface
Method	CIRC

Csg Depth	1,226'
Size	8 5/8"
Weight	24#
Grade	J55
Connections	STC
Cement	598 SX

Plug #3 - Spot 36 sx cmt 14.8# class c cmt @ 1,317' - 950'

Plug #2 - Spot 25 sx 14.8# Class C Cmt @ 3,199' - 2,938'

Plug #1 - Spot 25 sx 14.8# Class C Cmt @ 4,500' - 4,248'  
CIBP @ 4,500'Paddock Perforations

4,558' - 5,101': 9/5/2000 - 2,500 GAL 15% NEFE  
 9/6/2000 - 32,000 GAL HEATED 20% HCL  
 & 54,000 GAL HEATED 40# GEL  
 & 5,000 GAL 15% HCL

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS

Action 204555

CONDITIONS

Operator: Spur Energy Partners LLC 9655 Katy Freeway Houston, TX 77024	OGRID: 328947
	Action Number: 204555
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	5/5/2023