

Submit a Copy To Appropriate District
Office
District I – (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II – (575) 748-1283
811 S. First St., Artesia, NM 88210
District III – (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV – (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-25020
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. 19520
7. Lease Name or Unit Agreement Name North Hobbs G/SA Unit
8. Well Number 441A
9. OGRID Number 157984
10. Pool name or Wildcat HOBBS; GRAYBURG-SAN ANDRES
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3678' (GL)

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator
Occidental Permian LTD

3. Address of Operator
P.O. Box 4294 Houston, TX 77210-4294

4. Well Location
Unit Letter **P** : **660** feet from the **SOUTH** line and **660** feet from the **EAST** line
Section **14** Township **18S** Range **37E** NMPM County **LEA**

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input checked="" type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
CLOSED-LOOP SYSTEM <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

See final procedure and wellbore diagram attached.

Spud Date:

3/30/23

Rig Release Date:

4/5/23

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE **Roni Mathew** TITLE **Regulatory Advisor** DATE **04/10/2023**

Type or print name **Roni Mathew** E-mail address: **roni_mathew@oxy.com** PHONE: **(713) 215-7827**


For State Use Only

APPROVED BY:  TITLE **Petroleum Specialist** DATE **05/08/2023**

Conditions of Approval (if any): 

Date	24 Hr Summary
3/30/2023	Rigged up pulling unit & P&A equipment.
3/31/2023	Check psi, 0 psi, Nd wh, Nu bop, Spotted in workstring, Rih picking up 125 jts 2-3/8" tbg, Tagged 4-1/2" cibp @ 3980', Pressure tested csg to 500 psi and held, Notified NMOCD, Circulated well w 80 bbls of 10# gelled plug mud, EOT @3980', Mixed and pumped 25 sxs class c cmt, POOH w/ tbg, Sion.
4/3/2023	RIH w/ tbg, Tag'd TOC @ 3604', Notified NMOCD, POOH w/ tbg, Rih w 4-1/2" ad1 packer and 68 2-3/8" tbg, Set packer @ 2192', Ruwl, Rih and perforated 4-1/2" csg @ 2810', Pooh and rdwl, Tried to establish injection rate but pressured up to 1500 psi and held, Notified NMOCD, With EOT @2869' Mixed and pumped 20 sxs class c cmt, POOH w/ tbg, Sion.
4/4/2023	Tagged TOC @ 2534', Notified NMOCD, POOH w/ tbg x RIH & set packer @ 1160', Pressure tested to 500 psi and held, Ruwl, Rih and perforated 4-1/2" csg @ 1730', Pooh and rdwl, Established injection rate @ 1.5 bbls a min w/ 1300 psi, Mixed and pumped 40 sxs class c cmt, Sion.
4/5/2023	Check psi, 0 psi, Released packer, Rih w/ 12 jts 2-3/8" tbg, Tagged TOC @ 1506', Notified NMOCD, POOH w/ tbg, Ruwl, RIH and perforated 4-1/2" csg @ 400', Pooh and rdwl, Established rate @ .5 bbls a min w 900 psi, Notified NMOCD, Approved to perf @ 150', Ruwl, Rih and perforated 4-1/2" csg @ 150', Pooh and rdwl, Established tight rate @.5 bbls a min w 900 psi, Notified NMOCD, Approved to spot cement from 450', With EOT @ 450', Mixed and pumped 50 sxs class c cmt from 450' to surface, Pooh laying down tbg, Nd bop, Loaded csg w cmt, Nu wh, Sqz'd cmt to 400 psi, Rdpu, Cleaned location. Sion.

Current WBD



District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 205789

CONDITIONS

Operator: OCCIDENTAL PERMIAN LTD P.O. Box 4294 Houston, TX 772104294	OGRID: 157984
	Action Number: 205789
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
john.harrison	None	5/8/2023