

<b>Well Name:</b> CHICKEN NOODLE FED COM	<b>Well Location:</b> T26S / R25E / SEC 11 / SENW / 32.0579697 / -104.3702977	<b>County or Parish/State:</b> EDDY / NM
<b>Well Number:</b> 301H	<b>Type of Well:</b> OIL WELL	<b>Allottee or Tribe Name:</b>
<b>Lease Number:</b> NMNM113397	<b>Unit or CA Name:</b>	<b>Unit or CA Number:</b>
<b>US Well Number:</b> 3001549404	<b>Well Status:</b> Drilling Well	<b>Operator:</b> TAP ROCK OPERATING LLC

Subsequent Report

**Sundry ID:** 2709325

**Type of Submission:** Subsequent Report

**Date Sundry Submitted:** 01/04/2023

**Date Operation Actually Began:** 12/03/2022

**Type of Action:** Drilling Operations

**Time Sundry Submitted:** 07:39

**Actual Procedure:** Well spud on 12/3/2022 at 20:30 12/3/2022: Drill 17.5 inch surface hole to 327. 12/4/2022: Run 13.375 inch 54.5 lb J55 surface casing to 312 ft. Pump 20 bbls water spacer, followed by 330 sks of 14.8 ppg tail cmt. Drop plug and displace with 40 bbls fresh water. 30 bbls of cement returned back to surface. EST TOC at 0 ft. Pressure test casing to 1500 PSI for 30 minutes, good test. 12/14/2022: Test BOPS. Drill 9.875 intermediate hole to 8700 ft. 12/16/2022: Run 7.625 inch 29.7 lb J-55 intermediate casing to 8545 ft. Pump 30 bbls fresh water spacer, followed by 975 sks of 11.3 ppg lead cmt, 300 sks of 14.5 ppg tail cmt. Drop plug and displace with 20 bbls sugar water and 64 bbls of fresh water. 187 bbls cement to surface. EST TOC at 0 ft. Pressure test casing to 2200 for 30 minutes, good test. 12/25/2022: Drill 6.75 inch production hole to 16713 ft. 1/2/2023: Run 5.5 inch 20 lb P-110 production casing to 16693 ft MD. Pump 80 bbls spacer, then 795 sks of 14.5 ppg tail cmt. Drop plug and displace with 20 bbls sugar water and 349 bbls fresh water. 0 bbls cement returned to surface. Est TOC at 7600 ft. Surface Casing Details: Casing ran: 12/4/2022, Fluid Type Fresh Water, Hole 17.5 inch, Csg Size 13.375 inch, Weight 54.5 lbs, Grade J55, Est TOC 0 ft, Depth set 312 ft, Cement 330 sacks, Yield 1.35 tail, Class C. Pressure test: 1500 PSI, Pressure Drop: 0. Intermediate Casing Details: Casing ran: 12/16/2022, Fluid Type pink mud, Hole 9.875 inch to 8700, Csg Size 7.625 inch, Weight 29.7 lbs, Grade J-55, Est TOC 0 ft, Depth set 8585 ft, Cement 1275 sks, Yield 2.78 lead/1.23 tail, Class C, Pressure Held 2200 psi, Pres Drop 0. Production Casing details: Casing Date: 1/2/2023, Fluid Type Oil based mud, Hole 6.75 inch hole to to 16713 ft, Csg Size, 5.5 inch, Weight 20 lbs, Grade P-110, Depth set 16693 ft, EST TOC 7600 ft, Cement 795 sacks, yield 1.23 tail, Class H. 12/31/2022: TD Reached at 16713 ft MD, 9278 ft TVD. Plug Back Measured depth at 16643 ft MD, 9277 ft TVD. Rig Release on 1/2/2023 at 22:00

Received by OCD: 1/18/2023 2:17:54 PM

Page 2 of 3

Well Name: CHICKEN NOODLE FED COM	Well Location: T26S / R25E / SEC 11 / SENW / 32.0579697 / -104.3702977	County or Parish/State: EDDY / NM
Well Number: 301H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM113397	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001549404	Well Status: Drilling Well	Operator: TAP ROCK OPERATING LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: JEFFREY TRLICA	Signed on: JAN 04, 2023 07:38 AM
Name: TAP ROCK OPERATING LLC	
Title: Regulatory Analyst	
Street Address: 523 PARK POINT DRIVE SUITE 200	
City: GOLDEN	State: CO
Phone: (720) 772-5910	
Email address: JTRLICA@TAPRK.COM	

Field

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: Jonathon W Shepard	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Accepted	Disposition Date: 01/18/2023
Signature: Jonathon Shepard	

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720

**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720

**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170

**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS

Action 177216

CONDITIONS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 177216
	Action Type: [C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
gramirez	PT details for the 5.5" casing must be submitted on the next drilling sundry.	1/26/2023