<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III 1000 Rio Brazos Rd., Aztec, NM 87410

Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-101 August 1, 2011

Permit 341054

APPLICATION FOR PERMIT TO DRIL	., RE-ENTER, DEEPEN	I, PLUGBACK	, OR ADD A ZONE
--------------------------------	---------------------	-------------	-----------------

APPLICATION FOR PERIVIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE								
Operator Name and Address		2. OGRID Number						
Avant Operating, LLC		330396						
1515 Wynkoop Street		3. API Number						
Denver, CO 80202		30-025-51528						
4. Property Code	5. Property Name	6. Well No.						
334069	SKY DWELLER 14 STATE COM	007H						

7. Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
С	14	18S	34E	С	160	N	1975	W	Lea

8. Proposed Bottom Hole Location

Ī	UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
	F	23	18S	34E	F	2540	N	2310	W	Lea

9. Pool Information

AIRSTRIP;WOLFCAMP, NORTH	990	

Additional Well Information

11. Work Type	12. Well Type	13. Cable/Rotary	14. Lease Type	15. Ground Level Elevation
New Well	OIL		State	4006
16. Multiple	17. Proposed Depth	18. Formation	19. Contractor	20. Spud Date
N	18976	Wolfcamp		6/1/2023
Depth to Ground water		Distance from nearest fresh water well		Distance to nearest surface water

We will be using a closed-loop system in lieu of lined pits

21. Proposed Casing and Cement Program

Type	Hole Size	Casing Size	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	14.75	10.75	40.5	1825	830	0
Int1	9.875	7.625	29.7	10809	1240	0
Prod	6.75	5.5	20	18976	1110	0

Casing/Cement Program: Additional Comments

The 6.75-hole size is for the curve and the lateral for the 5.5 production casing string.

22. Proposed Blowout Prevention Program

Туре	Working Pressure Test Pressure		Manufacturer	
Pipe	10000	5000	Cameron	

23. I hereby certify that the information given above is true and complete to the best of my knowledge and belief. I further certify I have complied with 19.15.14.9 (A) NMAC ☒ and/or 19.15.14.9 (B) NMAC ☒, if applicable. Signature:			OIL CONSERVATION	ON DIVISION	
Printed Name:	Electronically filed by Sarah Ferre	eyros	Approved By:	Paul F Kautz	
Title:	Director of Regulatory		Title:	Geologist	
Email Address: sarah@avantnr.com		Approved Date:	5/26/2023	Expiration Date: 5/26/2025	
Date:	5/25/2023	Phone: 720-854-9020	Conditions of Approval Attached		

DISTRICT_J 1625 N. French Dr., Hobbs, N.M. 68240 Phone: (575) 393-6161 Fax: (575) 393-0720 DISTRICT II 811 S. First St., Artesia, N.M. 88210 Phone: (575) 748-1283 Fax: (575) 748-9720 DISTRICT III 1000 Rio Brazos Rd., Aztec, N.M. 87410 Phone: (505) 334-6178 Fax: (505) 334-6170 DISTRICT IV 1220 S. St. Francis Dr., Santa Fe, N.M. 87505 Phone: (505) 478-3480 Fax: (505) 476-3482 State of New Mexico
Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, N.M. 87505


Form C-102 Revised August 1, 2011 Submit one copy to appropriate District Office

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number		990	Pool Cod	е	Airstrip: Wolfcamp, North					
⁴ Property Code	⁶ Prope		⁶ Property	Name,			•	Well Number		
	SKY DWELLER 14 STATE COM							007H		
OGRID No.	Operator Name						• Elevation			
330396	AVANT OPERA			RATING, LLC				4006		
	¹⁰ Surface Location									
UL or lot no. Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/Wes	t line	County	

18 S | 34 E | 160 NORTH 1975 WEST LEA ¹¹ Bottom Hole Location If Different From Surface North/South line | Feet from the UL or lot no. Section Township Lot Idn Feet from the East/West line County 18 S **NORTH WEST** F 2540 LEA 18 Joint or Infill Dedicated Acres ¹⁴ Consolidation Code 15 Order No. SECTION 14: E/2 W/2; 160 Ac. SECTION 23: E/2 NW/4; 80 Ac. TOTAL: 240 Ac.



BOTTOM HOLE LOCATION NAD 83 NME, NMSPC ZONE 3001 Y= 631528.63 N X= 787710.49 E LAT: 32.7335500 N LONG: 103.5321176 W

CORNER COORDINATES TABLE
NAD 83 NME, NMSPC ZONE 3001

- Y= 639330.83 N, X= 785327.12 E

- Y= 639354.11 N, X= 787977.46 E

- Y= 636690.93 N, X= 785350.35 E

- Y= 634049.36 N, X= 785372.28 E

- Y= 634071.31 N, X= 788022.87 E

- Y= 628765.65 N, X= 785425.71 E

- Y= 628786.27 N, X= 788074.21 E B D F G

CORNER COORDINATES TABLE

NAD 83 NME, NMSPC ZONE 3001

A - LAT.=32.7550430' N, LONG.=103.5396776' W
B - LAT.=32.7550521' N, LONG.=103.5310567' W
D - LAT.=32.7477870' N, LONG.=103.5396664' W
F - LAT.=32.7405263' N, LONG.=103.5396432' W
G - LAT.=32.7405319' N, LONG.=103.5310391' W
J - LAT.=32.7260035' N, LONG.=103.5396144' W
K - LAT.=32.7260053' N, LONG.=103.5310023' W

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

Form APD Comments

Permit 341054

PERMIT COMMENTS

Operator Name and Address:	API Number:
Avant Operating, LLC [330396]	30-025-51528
1515 Wynkoop Street	Well:
Denver, CO 80202	SKY DWELLER 14 STATE COM #007H

Created By	Comment	Comment Date
sferreyros	Avant requests to batch-set surface casing with the other wells on the pad.	5/25/2023
sferreyros	Avant requests to batch-set surface casing with the other wells on the pad.	5/25/2023

Form APD Conditions

Permit 341054

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

PERMIT CONDITIONS OF APPROVAL

Operator Name and Address:	API Number:
Avant Operating, LLC [330396]	30-025-51528
1515 Wynkoop Street	Well:
Denver, CO 80202	SKY DWELLER 14 STATE COM #007H

OCD Reviewer	Condition
pkautz	Notify OCD 24 hours prior to casing & cement
pkautz	Will require a File As Drilled C-102 and a Directional Survey with the C-104
pkautz	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string
pkautz	Oil base muds are not to be used until fresh water zones are cased and cemented providing isolation from the oil or diesel. This includes synthetic oils. Oil based mud, drilling fluids and solids must be contained in a steel closed loop system
pkautz	Cement is required to circulate on both surface and intermediate1 strings of casing
pkautz	The Operator is to notify NMOCD by sundry (Form C-103) within ten (10) days of the well being spud



Avant Operating, LLC

Lea Co., NM (NAD 83) Sky Dweller Sky Dweller 14 State Com 007H

OH

Plan: Plan 0.1

Standard Planning Report

22 May, 2023







49,746.83909310

Database: EDM 5000.16 Single User Db Company: Avant Operating, LLC
Project: Lea Co., NM (NAD 83)

Site: Sky Dweller
Well: Sky Dweller 14 State Com 007H

Wellbore: OH
Design: Plan 0.1

Local Co-ordinate Reference:

TVD Reference:
MD Reference:
North Reference:

Survey Calculation Method:

Well Sky Dweller 14 State Com 007H

WELL @ 4032.5usft (4032.5) WELL @ 4032.5usft (4032.5)

Grid

Minimum Curvature

Project Lea Co., NM (NAD 83)

Map System: Geo Datum:

Map Zone:

US State Plane 1983 North American Datum 1983 New Mexico Eastern Zone

IGRF2000

System Datum:

Mean Sea Level

60.94

176.96

Site Sky Dweller

 Site Position:
 Northing:
 630,428.61 usft
 Latitude:
 32.7305680°N

 From:
 Lat/Long
 Easting:
 785,714.46 usft
 Longitude:
 103.5386350°W

Position Uncertainty: 0.0 usft Slot Radius: 13-3/16 "

Well Sky Dweller 14 State Com 007H

 Well Position
 +N/-S
 0.0 usft
 Northing:
 639,188.24 usft
 Latitude:
 32.7546102°N

 +E/-W
 0.0 usft
 Easting:
 787,303.57 usft
 Longitude:
 103.5332526°W

 +E/-W
 0.0 usft
 Easting:
 787,303.57 usft
 Longitude:
 103.5332526°W

 Position Uncertainty
 0.0 usft
 Wellhead Elevation:
 usft
 Ground Level:
 4,006.0 usft

Grid Convergence: 0.43 $^{\circ}$

Wellbore OH

Magnetics Model Name Sample Date Declination Dip Angle Field Strength

(°) (°) (nT)

8.59

0.0

12/31/2004

0.0

Design Plan 0.1 **Audit Notes:** Version: Phase: PROTOTYPE Tie On Depth: 0.0 Vertical Section: Depth From (TVD) +N/-S +E/-W Direction (usft) (usft) (usft) (°)

0.0

 Plan Survey Tool Program
 Date
 5/22/2023

 Depth From (usft)
 Depth To (usft)
 Survey (Wellbore)
 Tool Name
 Remarks

 1
 0.0
 18,975.9
 Plan 0.1 (OH)
 B001Mb_MWD+HRGM

OWSG MWD + HRGM





Database: EDM 5000.16 Single User Db
Company: Avant Operating, LLC
Project: Lea Co., NM (NAD 83)

Site: Sky Dweller

Well: Sky Dweller 14 State Com 007H

Wellbore: OH
Design: Plan 0.1

Local Co-ordinate Reference:

TVD Reference:
MD Reference:
North Reference:

Survey Calculation Method:

Well Sky Dweller 14 State Com 007H

WELL @ 4032.5usft (4032.5) WELL @ 4032.5usft (4032.5)

Grid

Plan Sections										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	TFO (°)	Target
0.0	0.00	0.00	0.0	0.0	0.0	0.00	0.00	0.00	0.00	
5,500.0	0.00	0.00	5,500.0	0.0	0.0	0.00	0.00	0.00	0.00	
5,670.4	3.41	68.90	5,670.3	1.8	4.7	2.00	2.00	0.00	68.90	
10,638.6	3.41	68.90	10,629.7	108.2	280.3	0.00	0.00	0.00	0.00	
10,809.0	0.00	0.00	10,800.0	110.0	285.0	2.00	-2.00	0.00	180.00	
10,931.6	0.00	0.00	10,922.6	110.0	285.0	0.00	0.00	0.00	0.00	
11,681.5	90.00	174.67	11,400.0	-365.4	329.3	12.00	12.00	0.00	174.67	
11,683.5	90.00	174.67	11,400.0	-367.4	329.5	0.00	0.00	0.00	0.00	
11,923.3	90.00	179.47	11,400.0	-606.8	341.7	2.00	0.00	2.00	90.00	
18,976.4	90.00	179.47	11,400.0	-7,659.6	406.9	0.00	0.00	0.00	0.00	Sky Dweller 14 State





Database: EDM 5000.16 Single User Db
Company: Avant Operating, LLC
Project: Lea Co., NM (NAD 83)

Site: Sky Dweller

Well: Sky Dweller 14 State Com 007H

Wellbore: OH
Design: Plan 0.1

Local Co-ordinate Reference:

TVD Reference:
MD Reference:
North Reference:

Survey Calculation Method:

Well Sky Dweller 14 State Com 007H

WELL @ 4032.5usft (4032.5) WELL @ 4032.5usft (4032.5)

Grid

Planned Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
0.0	0.00	0.00	0.0	0.0	0.0	0.0	0.00	0.00	0.00
100.0	0.00	0.00	100.0	0.0	0.0	0.0	0.00	0.00	0.00
200.0	0.00	0.00	200.0	0.0	0.0	0.0	0.00	0.00	0.00
300.0	0.00	0.00	300.0	0.0	0.0	0.0	0.00	0.00	0.00
400.0	0.00	0.00	400.0	0.0	0.0	0.0	0.00	0.00	0.00
500.0	0.00	0.00	500.0	0.0	0.0	0.0	0.00	0.00	0.00
600.0	0.00	0.00	600.0	0.0	0.0	0.0	0.00	0.00	0.00
700.0	0.00	0.00	700.0	0.0	0.0	0.0	0.00	0.00	0.00
800.0	0.00	0.00	800.0	0.0	0.0	0.0	0.00	0.00	0.00
900.0	0.00	0.00	900.0	0.0	0.0	0.0	0.00	0.00	0.00
4 000 0									
1,000.0	0.00	0.00	1,000.0	0.0	0.0	0.0	0.00	0.00	0.00
1,100.0	0.00	0.00	1,100.0	0.0	0.0	0.0	0.00	0.00	0.00
1,200.0 1,300.0	0.00	0.00 0.00	1,200.0 1,300.0	0.0	0.0	0.0	0.00	0.00 0.00	0.00
1,400.0	0.00 0.00	0.00	1,300.0	0.0 0.0	0.0 0.0	0.0 0.0	0.00 0.00	0.00	0.00 0.00
1,400.0	0.00	0.00	1,400.0		0.0		0.00		0.00
1,500.0	0.00	0.00	1,500.0	0.0	0.0	0.0	0.00	0.00	0.00
1,600.0	0.00	0.00	1,600.0	0.0	0.0	0.0	0.00	0.00	0.00
1,700.0	0.00	0.00	1,700.0	0.0	0.0	0.0	0.00	0.00	0.00
1,800.0	0.00	0.00	1,800.0	0.0	0.0	0.0	0.00	0.00	0.00
RUSTLER									
1,900.0	0.00	0.00	1,900.0	0.0	0.0	0.0	0.00	0.00	0.00
1,910.0	0.00	0.00	1,910.0	0.0	0.0	0.0	0.00	0.00	0.00
	0.00	0.00	1,310.0	0.0	0.0	0.0	0.00	0.00	0.00
SALT	0.00	0.00	2 000 0	0.0	0.0	0.0	0.00	0.00	0.00
2,000.0 2,100.0	0.00	0.00	2,000.0 2,100.0	0.0	0.0	0.0	0.00	0.00	
2,100.0	0.00	0.00	2,100.0	0.0	0.0	0.0	0.00	0.00	0.00
2,300.0	0.00	0.00	2,300.0	0.0	0.0 0.0	0.0 0.0	0.00 0.00	0.00	0.00 0.00
2,300.0	0.00	0.00	2,300.0		0.0	0.0	0.00	0.00	0.00
2,400.0	0.00	0.00	2,400.0	0.0	0.0	0.0	0.00	0.00	0.00
2,500.0	0.00	0.00	2,500.0	0.0	0.0	0.0	0.00	0.00	0.00
2,600.0	0.00	0.00	2,600.0	0.0	0.0	0.0	0.00	0.00	0.00
2,700.0	0.00	0.00	2,700.0	0.0	0.0	0.0	0.00	0.00	0.00
2,800.0	0.00	0.00	2,800.0	0.0	0.0	0.0	0.00	0.00	0.00
2,900.0	0.00	0.00	2,900.0	0.0	0.0	0.0	0.00	0.00	0.00
3,000.0	0.00	0.00	3.000.0	0.0	0.0	0.0	0.00	0.00	0.00
3,100.0	0.00	0.00	3,100.0	0.0	0.0	0.0	0.00	0.00	0.00
3,200.0	0.00	0.00	3,200.0	0.0	0.0	0.0	0.00	0.00	0.00
3,300.0	0.00	0.00	3,300.0	0.0	0.0	0.0	0.00	0.00	0.00
3,400.0	0.00	0.00	3.400.0	0.0	0.0	0.0	0.00	0.00	0.00
3,400.0 3,500.0	0.00	0.00	3,400.0 3,500.0	0.0	0.0	0.0	0.00	0.00	0.00
3,600.0	0.00	0.00	3,600.0	0.0	0.0	0.0	0.00	0.00	0.00
3,683.0	0.00	0.00	3,683.0	0.0	0.0	0.0	0.00	0.00	0.00
		0.00	5,005.0	0.0	0.0	0.0	0.00	0.00	0.00
SEVEN RIVE 3,700.0	0.00	0.00	3,700.0	0.0	0.0	0.0	0.00	0.00	0.00
3,800.0	0.00	0.00	3,800.0	0.0	0.0	0.0	0.00	0.00	0.00
3,900.0	0.00	0.00	3,900.0	0.0	0.0	0.0	0.00	0.00	0.00
4,000.0	0.00	0.00	4,000.0	0.0	0.0	0.0	0.00	0.00	0.00
4,100.0	0.00	0.00	4,100.0	0.0	0.0	0.0	0.00	0.00	0.00
4,200.0	0.00	0.00	4,200.0	0.0	0.0	0.0	0.00	0.00	0.00
4,300.0	0.00	0.00	4,300.0	0.0	0.0	0.0	0.00	0.00	0.00
4,400.0	0.00	0.00	4,400.0	0.0	0.0	0.0	0.00	0.00	0.00
4,427.0	0.00	0.00	4,427.0	0.0	0.0	0.0	0.00	0.00	0.00
QUEEN			,						
4,500.0	0.00	0.00	4,500.0	0.0	0.0	0.0	0.00	0.00	0.00
1,000.0	0.00	0.00	4,600.0	0.0	0.0	0.0	0.00	0.00	0.00





Database: EDM 5000.16 Single User Db
Company: Avant Operating, LLC
Project: Lea Co., NM (NAD 83)

Site: Sky Dweller

Well: Sky Dweller 14 State Com 007H

Wellbore: OH
Design: Plan 0.1

Local Co-ordinate Reference:

TVD Reference:
MD Reference:
North Reference:

Survey Calculation Method:

Well Sky Dweller 14 State Com 007H

WELL @ 4032.5usft (4032.5) WELL @ 4032.5usft (4032.5)

Grid

anned Surv	vey									
De	sured epth sft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
_	4,700.0	0.00	0.00	4,700.0	0.0	0.0	0.0	0.00	0.00	0.00
	4,800.0	0.00	0.00	4,800.0	0.0	0.0	0.0	0.00	0.00	0.00
	4,900.0	0.00	0.00	4,900.0	0.0	0.0	0.0	0.00	0.00	0.00
	5,000.0	0.00	0.00	5,000.0	0.0	0.0	0.0	0.00	0.00	0.00
	5,100.0	0.00	0.00	5,100.0	0.0	0.0	0.0	0.00	0.00	0.00
	5,200.0	0.00	0.00	5,200.0	0.0	0.0	0.0	0.00	0.00	0.00
	5,300.0	0.00	0.00	5,300.0	0.0	0.0	0.0	0.00	0.00	0.00
į	5,400.0	0.00	0.00	5,400.0	0.0	0.0	0.0	0.00	0.00	0.00
	5,500.0	0.00	0.00	5,500.0	0.0	0.0	0.0	0.00	0.00	0.00
KO	P - Start B	Ruild 2 00								
	5,600.0	2.00	68.90	5,600.0	0.6	1.6	-0.5	2.00	2.00	0.00
;	5,000.0	2.00	00.90	5,000.0	0.0	1.0	-0.5	2.00	2.00	0.00
	5,620.0	2.40	68.90	5,620.0	0.9	2.3	-0.8	2.00	2.00	0.00
	ERRY CAI			-,						
			00.00	E 070 0	4.0	4 7	4.0	0.00	0.00	0.00
	5,670.4	3.41	68.90	5,670.3	1.8	4.7	-1.6	2.00	2.00	0.00
Star	rt 4968.2 l	hold at 5670.4 N	ID							
	5,700.0	3.41	68.90	5,699.8	2.5	6.4	-2.1	0.00	0.00	0.00
į	5,800.0	3.41	68.90	5,799.7	4.6	11.9	-4.0	0.00	0.00	0.00
	5,806.3	3.41	68.90	5,806.0	4.7	12.3	-4.1	0.00	0.00	0.00
	USHY CAI		22.23	-,555.5		.2.3	***	5.55	5.55	0.00
	5,900.0	3.41	68.90	5,899.5	6.7	17.5	-5.8	0.00	0.00	0.00
(6,000.0	3.41	68.90	5,999.3	8.9	23.0	-7.6	0.00	0.00	0.00
(6,100.0	3.41	68.90	6,099.1	11.0	28.6	-9.5	0.00	0.00	0.00
	6,200.0	3.41	68.90	6,199.0	13.2	34.1	-11.3	0.00	0.00	0.00
	6,300.0	3.41	68.90	6,298.8	15.3	39.6	-13.2	0.00	0.00	0.00
,	0,000.0	3.41	00.50	0,230.0			-13.2	0.00	0.00	0.00
(6,400.0	3.41	68.90	6,398.6	17.4	45.2	-15.0	0.00	0.00	0.00
	6,500.0	3.41	68.90	6,498.4	19.6	50.7	-16.9	0.00	0.00	0.00
	6,600.0	3.41	68.90	6,598.3	21.7	56.3	-18.7	0.00	0.00	0.00
	6,700.0	3.41	68.90	6,698.1	23.9	61.8	-20.6	0.00	0.00	0.00
(6,800.0	3.41	68.90	6,797.9	26.0	67.4	-22.4	0.00	0.00	0.00
6	6,802.1	3.41	68.90	6,800.0	26.1	67.5	-22.4	0.00	0.00	0.00
	NE SPRIN		55.55	2,000.0		05		0.00	5.55	0.00
			00.00	0.007.0	07.0	70.0	010	0.00	0.00	0.00
	6,889.3	3.41	68.90	6,887.0	27.9	72.3	-24.0	0.00	0.00	0.00
BO	NE SPRIN	IG LM								
(6,900.0	3.41	68.90	6,897.7	28.1	72.9	-24.2	0.00	0.00	0.00
	7,000.0	3.41	68.90	6,997.5	30.3	78.5	-26.1	0.00	0.00	0.00
	7,100.0	3.41	68.90	7,097.4	32.4	84.0	-27.9	0.00	0.00	0.00
				1,001.4						
	7,200.0	3.41	68.90	7,197.2	34.6	89.6	-29.8	0.00	0.00	0.00
7	7,300.0	3.41	68.90	7,297.0	36.7	95.1	-31.6	0.00	0.00	0.00
	7,400.0	3.41	68.90	7,396.8	38.8	100.7	-33.5	0.00	0.00	0.00
	7.500.0	3.41	68.90	7,496.7	41.0	106.2	-35.3	0.00	0.00	0.00
	7,600.0 7,600.0									
	0.000,	3.41	68.90	7,596.5	43.1	111.7	-37.1	0.00	0.00	0.00
-	7,700.0	3.41	68.90	7,696.3	45.3	117.3	-39.0	0.00	0.00	0.00
	7,800.0	3.41	68.90	7,796.1	47.4	122.8	-40.8	0.00	0.00	0.00
	7,900.0	3.41	68.90	7,896.0	49.6	128.4	-40.8 -42.7	0.00	0.00	0.00
	8,000.0	3.41	68.90	7,995.8	51.7	133.9	-44.5	0.00	0.00	0.00
8	8,100.0	3.41	68.90	8,095.6	53.8	139.5	-46.4	0.00	0.00	0.00
5	8,200.0	3.41	68.90	8,195.4	56.0	145.0	-48.2	0.00	0.00	0.00
	8,300.0	3.41	68.90	8,295.2	58.1	150.6	-50.0	0.00	0.00	0.00
	8,383.9	3.41	68.90	8,379.0	59.9	155.2	-51.6	0.00	0.00	0.00
Top	of FBSG			0.000		.== .				
		3.41	68.90	8,395.1	60.3	156.1	-51.9	0.00	0.00	0.00
	8,400.0									
	8,400.0 8,500.0	3.41	68.90	8,494.9	62.4	161.7	-53.7	0.00	0.00	0.00





Database: EDM 5000.16 Single User Db
Company: Avant Operating, LLC
Project: Lea Co., NM (NAD 83)

Site: Sky Dweller

Well: Sky Dweller 14 State Com 007H

Wellbore: OH
Design: Plan 0.1

Local Co-ordinate Reference:

TVD Reference:
MD Reference:
North Reference:

Survey Calculation Method:

Well Sky Dweller 14 State Com 007H

WELL @ 4032.5usft (4032.5) WELL @ 4032.5usft (4032.5)

Grid

y									
ned Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
Top of SBS0	Shale								
8,600.0 8,700.0 8,800.0 8,900.0	3.41 3.41 3.41 3.41	68.90 68.90 68.90 68.90	8,594.7 8,694.5 8,794.4 8,894.2	64.5 66.7 68.8 71.0	167.2 172.8 178.3 183.8	-55.6 -57.4 -59.3 -61.1	0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00
9,000.0 9,100.0 9,119.2	3.41 3.41 3.41	68.90 68.90 68.90	8,994.0 9,093.8 9,113.0	73.1 75.2 75.7	189.4 194.9 196.0	-62.9 -64.8 -65.1	0.00 0.00 0.00	0.00 0.00 0.00	0.00 0.00 0.00
Top of SBSC	SD								
9,200.0 9,300.0	3.41 3.41	68.90 68.90	9,193.7 9,293.5	77.4 79.5	200.5 206.0	-66.6 -68.5	0.00 0.00	0.00 0.00	0.00 0.00
9,400.0 9,421.7	3.41 3.41	68.90 68.90	9,393.3 9,415.0	81.7 82.1	211.6 212.8	-70.3 -70.7	0.00 0.00	0.00 0.00	0.00 0.00
7op of TBS0 9,500.0 9,600.0 9,642.1	3.41 3.41 3.41 3.41	68.90 68.90 68.90	9,493.1 9,592.9 9,635.0	83.8 85.9 86.8	217.1 222.7 225.0	-72.2 -74.0 -74.8	0.00 0.00 0.00	0.00 0.00 0.00	0.00 0.00 0.00
Top of TBSG	SD								
9,700.0 9,734.3	3.41 3.41	68.90 68.90	9,692.8 9,727.0	88.1 88.8	228.2 230.1	-75.9 -76.5	0.00 0.00	0.00 0.00	0.00 0.00
Top WFMP									
9,800.0 9,900.0 10,000.0	3.41 3.41 3.41	68.90 68.90 68.90	9,792.6 9,892.4 9,992.2	90.2 92.4 94.5	233.8 239.3 244.9	-77.7 -79.5 -81.4	0.00 0.00 0.00	0.00 0.00 0.00	0.00 0.00 0.00
10,100.0 10,200.0 10,300.0 10,400.0 10,500.0	3.41 3.41 3.41 3.41 3.41	68.90 68.90 68.90 68.90 68.90	10,092.1 10,191.9 10,291.7 10,391.5 10,491.4	96.6 98.8 100.9 103.1 105.2	250.4 255.9 261.5 267.0 272.6	-83.2 -85.1 -86.9 -88.8 -90.6	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00
10,600.0 10,638.6	3.41 3.41	68.90 68.90	10,591.2 10,629.7	107.3 108.2	278.1 280.3	-92.4 -93.2	0.00 0.00	0.00 0.00	0.00 0.00
Start Drop -2	2.00								
10,700.0 10,800.0 10,809.0	2.18 0.18 0.00	68.90 68.90 0.00	10,691.0 10,791.0 10,800.0	109.3 110.0 110.0	283.1 285.0 285.0	-94.1 -94.7 -94.7	2.00 2.00 2.00	-2.00 -2.00 -2.00	0.00 0.00 -766.50
Start 122.6 h	old at 10809.0 N	ID							
10,900.0 10,931.6	0.00 0.00	0.00 0.00	10,891.0 10,922.6	110.0 110.0	285.0 285.0	-94.7 -94.7	0.00 0.00	0.00 0.00	0.00 0.00
KOP #2 - Sta 11,000.0 11,100.0 11,200.0 11,300.0 11,328.1	8.21 20.21 32.21 44.22 47.59	174.67 174.67 174.67 174.67 174.67	10,990.8 11,087.5 11,177.1 11,255.5 11,275.1	105.1 80.7 36.8 -24.7 -44.8	285.5 287.7 291.8 297.6 299.4	-89.8 -65.3 -21.3 40.4 60.6	12.00 12.00 12.00 12.00 12.00	12.00 12.00 12.00 12.00 12.00	0.00 0.00 0.00 0.00 0.00
	14 State Com 00		11,213.1	-44.0	233.4	00.0	12.00	12.00	0.00
11,400.0 11,500.0 11,600.0	56.22 68.22 80.22	174.67 174.67 174.67	11,319.4 11,365.9 11,393.1	-101.0 -189.0 -284.6	304.7 312.9 321.8	117.1 205.3 301.3	12.00 12.00 12.00	12.00 12.00 12.00	0.00 0.00 0.00
11,681.5	90.00	174.67	11,400.0	-365.4	329.3	382.3	12.00	12.00	0.00
LP - Start 2. 0 11,683.5	90.00 hold at 11681.5	5 MD 174.67	11,400.0	-367.4	329.5	384.4	0.00	0.00	0.00
Start DLS 2. 11,700.0	90.00	175.00	11,400.0	-383.8	331.0	400.8	2.00	0.00	2.00

NATURAL RESOURCES

Planning Report



Database: EDM 5000.16 Single User Db Company: Avant Operating, LLC
Project: Lea Co., NM (NAD 83)

Site: Sky Dweller

Well: Sky Dweller 14 State Com 007H

Wellbore: OH
Design: Plan 0.1

Local Co-ordinate Reference:

TVD Reference:
MD Reference:
North Reference:

Survey Calculation Method:

Well Sky Dweller 14 State Com 007H

WELL @ 4032.5usft (4032.5) WELL @ 4032.5usft (4032.5)

Grid

anned Survey									
annea ourvey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
11,800.0	90.00	177.00	11,400.0	-483.5	337.9	500.8	2.00	0.00	2.00
11,900.0	90.00	179.00	11,400.0	-583.5	341.4	600.8	2.00	0.00	2.00
11,923.3	3 90.00	179.47	11,400.0	-606.8	341.7	624.1	2.00	0.00	2.00
	3.1 hold at 11923.3								
12,000.0		179.47	11,400.0	-683.5	342.5	700.7	0.00	0.00	0.00
12,100.0 12,200.0		179.47 179.47	11,400.0 11,400.0	-783.5 -883.5	343.4 344.3	800.6 900.5	0.00 0.00	0.00 0.00	0.00 0.00
12,300.0		179.47	11,400.0	-983.5	345.2	1,000.4	0.00	0.00	0.00
12,400.0	90.00	179.47	11,400.0	-1,083.4	346.1	1,100.3	0.00	0.00	0.00
12,500.0		179.47	11,400.0	-1,183.4	347.1	1,200.2	0.00	0.00	0.00
12,600.0	90.00	179.47	11,400.0	-1,283.4	348.0	1,300.1	0.00	0.00	0.00
12,700.0		179.47	11,400.0	-1,383.4	348.9	1,400.0	0.00	0.00	0.00
12,800.0		179.47	11,400.0	-1,483.4	349.8	1,499.9	0.00	0.00	0.00
12,900.0		179.47	11,400.0	-1,583.4	350.8	1,599.8	0.00	0.00	0.00
13,000.0 13,100.0		179.47 179.47	11,400.0 11,400.0	-1,683.4 -1,783.4	351.7 352.6	1,699.7 1,799.6	0.00 0.00	0.00 0.00	0.00 0.00
13,100.0		179.47	11,400.0	-1,763.4 -1,883.4	353.5	1,799.6	0.00	0.00	0.00
13,300.0		179.47	11,400.0	-1,983.4	354.5	1,999.4	0.00	0.00	0.00
13,400.0	90.00	179.47	11,400.0	-2,083.4	355.4	2,099.3	0.00	0.00	0.00
13,500.0		179.47	11,400.0	-2,183.4	356.3	2,199.2	0.00	0.00	0.00
13,600.0		179.47	11,400.0	-2,283.4	357.2	2,299.1	0.00	0.00	0.00
13,700.0		179.47	11,400.0	-2,383.4	358.2	2,399.0	0.00	0.00	0.00
13,800.0	90.00	179.47	11,400.0	-2,483.4	359.1	2,498.9	0.00	0.00	0.00
13,900.0		179.47	11,400.0	-2,583.4	360.0	2,598.8	0.00	0.00	0.00
14,000.0 14,100.0		179.47 179.47	11,400.0 11,400.0	-2,683.4 -2,783.4	360.9 361.9	2,698.7 2,798.7	0.00 0.00	0.00 0.00	0.00 0.00
14,200.0		179.47	11,400.0	-2,883.4	362.8	2,898.6	0.00	0.00	0.00
14,300.0		179.47	11,400.0	-2,983.4	363.7	2,998.5	0.00	0.00	0.00
14,400.0	90.00	179.47	11,400.0	-3,083.4	364.6	3,098.4	0.00	0.00	0.00
14,500.0		179.47	11,400.0	-3,183.4	365.5	3,198.3	0.00	0.00	0.00
14,600.0		179.47	11,400.0	-3,283.4	366.5	3,298.2	0.00	0.00	0.00
14,700.0		179.47	11,400.0	-3,383.4	367.4	3,398.1	0.00	0.00	0.00
14,800.0		179.47	11,400.0	-3,483.3	368.3	3,498.0	0.00	0.00	0.00
14,900.0		179.47	11,400.0 11,400.0	-3,583.3 -3,683.3	369.2	3,597.9 3,697.8	0.00 0.00	0.00 0.00	0.00 0.00
15,000.0 15,100.0		179.47 179.47	11,400.0	-3,083.3 -3,783.3	370.2 371.1	3,697.8	0.00	0.00	0.00
15,200.0		179.47	11,400.0	-3,883.3	372.0	3,897.6	0.00	0.00	0.00
15,300.0		179.47	11,400.0	-3,983.3	372.9	3,997.5	0.00	0.00	0.00
15,400.0	90.00	179.47	11,400.0	-4,083.3	373.9	4,097.4	0.00	0.00	0.00
15,500.0	90.00	179.47	11,400.0	-4,183.3	374.8	4,197.3	0.00	0.00	0.00
15,600.0		179.47	11,400.0	-4,283.3	375.7	4,297.2	0.00	0.00	0.00
15,700.0 15,800.0		179.47 179.47	11,400.0 11,400.0	-4,383.3 -4,483.3	376.6 377.6	4,397.1 4,497.0	0.00 0.00	0.00 0.00	0.00 0.00
15,900.0 16,000.0		179.47 179.47	11,400.0 11,400.0	-4,583.3 -4,683.3	378.5 379.4	4,596.9 4,696.8	0.00 0.00	0.00 0.00	0.00 0.00
16,100.0		179.47	11,400.0	-4,783.3	380.3	4,090.8	0.00	0.00	0.00
16,200.0		179.47	11,400.0	-4,883.3	381.2	4,896.6	0.00	0.00	0.00
16,300.0	90.00	179.47	11,400.0	-4,983.3	382.2	4,996.5	0.00	0.00	0.00
16,400.0	90.00	179.47	11,400.0	-5,083.3	383.1	5,096.4	0.00	0.00	0.00
16,500.0		179.47	11,400.0	-5,183.3	384.0	5,196.3	0.00	0.00	0.00
16,600.0		179.47	11,400.0	-5,283.3	384.9	5,296.3	0.00	0.00	0.00
16,700.0 16,800.0		179.47 179.47	11,400.0 11,400.0	-5,383.3 -5,483.3	385.9 386.8	5,396.2 5,496.1	0.00 0.00	0.00 0.00	0.00 0.00
10,800.0	90.00	1/9.4/	11,400.0	-5,483.3	380.8	5,496.1	0.00	0.00	0.00







Database: Company: Project:

Site:

EDM 5000.16 Single User Db Avant Operating, LLC Lea Co., NM (NAD 83)

Sky Dweller

Well: Sky Dweller 14 State Com 007H

Wellbore: OH
Design: Plan 0.1

Local Co-ordinate Reference:

TVD Reference:
MD Reference:
North Reference:

Survey Calculation Method:

Well Sky Dweller 14 State Com 007H

WELL @ 4032.5usft (4032.5) WELL @ 4032.5usft (4032.5)

Grid

Measured Depth	Inclination	Azimuth	Vertical Depth	+N/-S	+E/-W	Vertical Section	Dogleg Rate	Build Rate	Turn Rate
(usft)	(°)	(°)	(usft)	(usft)	(usft)	(usft)	(°/100usft)	(°/100usft)	(°/100usft)
16,900.0	0 90.00	179.47	11,400.0	-5,583.3	387.7	5,596.0	0.00	0.00	0.00
17,000.0	0 90.00	179.47	11,400.0	-5,683.3	388.6	5,695.9	0.00	0.00	0.00
17,100.0	0 90.00	179.47	11,400.0	-5,783.2	389.6	5,795.8	0.00	0.00	0.00
17,200.0	0 90.00	179.47	11,400.0	-5,883.2	390.5	5,895.7	0.00	0.00	0.00
17,300.0	0 90.00	179.47	11,400.0	-5,983.2	391.4	5,995.6	0.00	0.00	0.00
17,400.0	0 90.00	179.47	11,400.0	-6,083.2	392.3	6,095.5	0.00	0.00	0.00
17,500.0	0 90.00	179.47	11,400.0	-6,183.2	393.3	6,195.4	0.00	0.00	0.00
17,600.0	0 90.00	179.47	11,400.0	-6,283.2	394.2	6,295.3	0.00	0.00	0.00
17,700.0	0 90.00	179.47	11,400.0	-6,383.2	395.1	6,395.2	0.00	0.00	0.00
17,800.0	0 90.00	179.47	11,400.0	-6,483.2	396.0	6,495.1	0.00	0.00	0.00
17,900.0	0 90.00	179.47	11,400.0	-6,583.2	397.0	6,595.0	0.00	0.00	0.00
18,000.0	0 90.00	179.47	11,400.0	-6,683.2	397.9	6,694.9	0.00	0.00	0.00
18,100.0	0 90.00	179.47	11,400.0	-6,783.2	398.8	6,794.8	0.00	0.00	0.00
18,200.0	0 90.00	179.47	11,400.0	-6,883.2	399.7	6,894.7	0.00	0.00	0.00
18,300.0	0 90.00	179.47	11,400.0	-6,983.2	400.6	6,994.6	0.00	0.00	0.00
18,400.0	0 90.00	179.47	11,400.0	-7,083.2	401.6	7,094.5	0.00	0.00	0.00
18,500.0	0 90.00	179.47	11,400.0	-7,183.2	402.5	7,194.4	0.00	0.00	0.00
18,600.0	0 90.00	179.47	11,400.0	-7,283.2	403.4	7,294.3	0.00	0.00	0.00
18,700.0	0 90.00	179.47	11,400.0	-7,383.2	404.3	7,394.2	0.00	0.00	0.00
18,800.0	0 90.00	179.47	11,400.0	-7,483.2	405.3	7,494.1	0.00	0.00	0.00
18,900.0	0 90.00	179.47	11,400.0	-7,583.2	406.2	7,594.0	0.00	0.00	0.00
18,976.4	4 90.00	179.47	11,400.0	-7,659.6	406.9	7,670.4	0.00	0.00	0.00

Design Targets									
Target Name - hit/miss target - Shape	Dip Angle (°)	Dip Dir. (°)	TVD (usft)	+N/-S (usft)	+E/-W (usft)	Northing (usft)	Easting (usft)	Latitude	Longitude
Sky Dweller 14 State Co - plan misses target o - Point	0.00 center by 168.	0.00 6usft at 113	11,400.0 28.1usft MD	62.9 (11275.1 TVD	334.3 , -44.8 N, 299	639,251.13 i.4 E)	787,637.91	32.7547761°N	103.5321636°W
Sky Dweller 14 State Co - plan hits target cent - Point	0.00 er	0.00	11,400.0	-7,659.6	406.9	631,528.63	787,710.47	32.7335500°N	103.5321176°W

Casing Points					
	Measured Depth	Vertical Depth		Casing Diameter	Hole Diameter
	(usft)	(usft)	Name	(")	(")
	11,681.2	11,400.0 LP		5-1/2	5-1/2





Database: EDM 5000.16 Single User Db
Company: Avant Operating, LLC
Project: Lea Co., NM (NAD 83)
Site: Sky Dweller

Sky Dweller
Sky Dweller 14 State Com 007H

Wellbore: OH
Design: Plan 0.1

Well:

Local Co-ordinate Reference: TVD Reference: MD Reference:

North Reference: Survey Calculation Method: Well Sky Dweller 14 State Com 007H

WELL @ 4032.5usft (4032.5) WELL @ 4032.5usft (4032.5)

nations						
	Measured Depth (usft)	Vertical Depth (usft)	Name	Lithology	Dip (°)	Dip Direction (°)
	1,800.0	1,800.0	RUSTLER			
	1,910.0	1,910.0	SALT			
	3,683.0	3,683.0	SEVEN RIVERS			
	4,427.0	4,427.0	QUEEN			
	5,620.0	5,620.0	CHERRY CANYON			
	5,806.3	5,806.0	BRUSHY CANYON			
	6,802.1	6,800.0	BONE SPRING			
	6,889.3	6,887.0	BONE SPRING LM			
	8,383.9	8,379.0	Top of FBSG SD			
	8,506.1	8,501.0	Top of SBSG Shale			
	9,119.2	9,113.0	Top of SBSG SD			
	9,421.7	9,415.0	Top of TBSG Carb			
	9,642.1	9,635.0	Top of TBSG SD			
	9,734.3	9,727.0	Top WFMP			

an Annotations					
Measured Depth (usft)	Vertical Depth (usft)	Local Coor +N/-S (usft)	dinates +E/-W (usft)	Comment	
5,500.	5,500.0	0.0	0.0	KOP - Start Build 2.00	
5,670.	5,670.3	1.8	4.7	Start 4968.2 hold at 5670.4 MD	
10,638.	10,629.7	108.2	280.3	Start Drop -2.00	
10,809.	10,800.0	110.0	285.0	Start 122.6 hold at 10809.0 MD	
10,931.	10,922.6	110.0	285.0	KOP #2 - Start Build 12.00	
11,681.	5 11,400.0	-365.4	329.3	LP - Start 2.0 hold at 11681.5 MD	
11,683.	5 11,400.0	-367.4	329.5	Start DLS 2.00 TFO 90.00	
11,923.	3 11,400.0	-606.8	341.7	Start 7053.1 hold at 11923.3 MD	
18,976.	11,400.0	-7,659.6	406.9	TD at 18976.4	

State of New Mexico Energy, Minerals and Natural Resources Department

Submit Electronically Via E-permitting

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

NATURAL GAS MANAGEMENT PLAN

This Natural Gas Management Plan must be submitted with each Application for Permit to Drill (APD) for a new or recompleted well.

Section 1 – Plan Description Effective May 25, 2021

I. Operator: Avant Operation	ng, LLC O	GRID: 330396	Date: 05/22	2/2023				
II. Type: ⊠ Original □ An	nendment du	e to □ 19.15.27.	9.D(6)(a) NMA	.C □ 19.15.27.9.D(6))(b) NMAC □	Other.		
If Other, please describe:								
III. Well(s): Provide the foll be recompleted from a single					ells proposed to	o be dri	lled or proposed to	
Well Name	API	ULSTR	Footages	Anticipated Oil BBL/D	Anticipated Gas MCF/D		Anticipated Produced Water BBL/D	
Sky Dweller 14 State Com 007H		C-14-T18S-R34E	160FNL/1975F	WL 1200 BBL/D	2200 MCF/D	5500	5500 BBL/D	
Sky Dweller 14 State Com 301H		C-14-T18S-R34E	320FNL/1988F	WL 1200 BBL/D	2200 MCF/D	5500) BBL/D	
Sky Dweller 14 State Com 601H		C-14-T18S-R34E	160FNL/2000F	WL 1200 BBL/D	2200 MCF/D	5500) BBL/D	
IV. Central Delivery Point V. Anticipated Schedule: Proproposed to be recompleted f	ovide the fol	lowing informat			ll or set of well	ls propo	D)(1) NMAC] sed to be drilled or	
Well Name	API	Spud Date	TD Reached	Completion	Initial		First Production	
			Date	Commencement D	Pate Back	Date	Date	
Sky Dweller 14 State Com 007H		06/01/2023	07/03/2023	09/01/2023	09/18/2	023	10/01/2023	
Sky Dweller 14 State Com 301H		06/01/2023	07/03/2023	09/01/2023	09/18/2	023	10/01/2023	
Sky Dweller 14 State Com 601H		06/01/2023	07/03/2023	09/01/2023	09/18/2	023	10/01/2023	

- VI. Separation Equipment: ⊠ Attach a complete description of how Operator will size separation equipment to optimize gas capture.
- VII. Operational Practices:

 ☐ Attach a complete description of the actions Operator will take to comply with the requirements of Subsection A through F of 19.15.27.8 NMAC.
- VIII. Best Management Practices:

 Attach a complete description of Operator's best management practices to minimize venting during active and planned maintenance.

Section 2 – Enhanced Plan EFFECTIVE APRIL 1, 2022

Beginning April 1, 2022, an operator that is not in compliance with its statewide natural gas capture requirement for the applicable reporting area must complete this section.

🗵 Operator certifies that it is not required to complete this section because Operator is in compliance with its statewide natural gas capture requirement for the applicable reporting area.

IX. Anticipated Natural Gas Production:

Well	API	Anticipated Average Natural Gas Rate MCF/D	Anticipated Volume of Natural Gas for the First Year MCF

X. Natural Gas Gathering System (NGGS):

Operator	System	ULSTR of Tie-in	Anticipated Gathering Start Date	Available Maximum Daily Capacity of System Segment Tie-in

XI. Map. \square Attach an accurate and legible map depicting the location of the well(s), the anticipated pipeline route(s) connecting the
production operations to the existing or planned interconnect of the natural gas gathering system(s), and the maximum daily capacity of
the segment or portion of the natural gas gathering system(s) to which the well(s) will be connected.

XII. Line Capacity. The natural gas	s gathering system \square will \square will n	ot have capacity to gather 100	0% of the anticipated natural gas
production volume from the well price	or to the date of first production.		

XIII. Line Pressure. Operator \square does \square does not anticipate that its existing well(s) connected to the same segmen	t, or portion	ı, of the
natural gas gathering system(s) described above will continue to meet anticipated increases in line pressure caused l	y the new w	vell(s).

_	_					
	7 A 441- O	4 ? 1 4		_4: :	4 _ 41 :	1 1:
	T Allach Umera	ior s bian io	manage nrodu	ciion in resn	onse to the incre	eased line pressure

XIV. Confidentiality: Operator asserts confidentiality pursuant to Section 71-2-8 NMSA 1978 for the information provided in
Section 2 as provided in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and attaches a full description of the specific information
for which confidentiality is asserted and the basis for such assertion.

Section 3 - Certifications <u>Effective May 25, 2021</u>

Operator certifies that, after reasonable inquiry and based on the available information at the time of submittal: 🖂 Operator will be able to connect the well(s) to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system: or ☐ Operator will not be able to connect to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system. If Operator checks this box, Operator will select one of the following: Well Shut-In. ☐ Operator will shut-in and not produce the well until it submits the certification required by Paragraph (4) of Subsection D of 19.15.27.9 NMAC; or Venting and Flaring Plan.

Operator has attached a venting and flaring plan that evaluates and selects one or more of the potential alternative beneficial uses for the natural gas until a natural gas gathering system is available, including: power generation on lease; (a) **(b)** power generation for grid; compression on lease; (c) (d) liquids removal on lease; reinjection for underground storage; (e) (f) reinjection for temporary storage; (g) reinjection for enhanced oil recovery; fuel cell production; and (h) other alternative beneficial uses approved by the division. (i)

Section 4 - Notices

- 1. If, at any time after Operator submits this Natural Gas Management Plan and before the well is spud:
- (a) Operator becomes aware that the natural gas gathering system it planned to connect the well(s) to has become unavailable or will not have capacity to transport one hundred percent of the production from the well(s), no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised venting and flaring plan containing the information specified in Paragraph (5) of Subsection D of 19.15.27.9 NMAC; or
- (b) Operator becomes aware that it has, cumulatively for the year, become out of compliance with its baseline natural gas capture rate or natural gas capture requirement, no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised Natural Gas Management Plan for each well it plans to spud during the next 90 days containing the information specified in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and shall file an update for each Natural Gas Management Plan until Operator is back in compliance with its baseline natural gas capture rate or natural gas capture requirement.
- 2. OCD may deny or conditionally approve an APD if Operator does not make a certification, fails to submit an adequate venting and flaring plan which includes alternative beneficial uses for the anticipated volume of natural gas produced, or if OCD determines that Operator will not have adequate natural gas takeaway capacity at the time a well will be spud.

I certify that, after reasonable inquiry, the statements in and attached to this Natural Gas Management Plan are true and correct to the best of my knowledge and acknowledge that a false statement may be subject to civil and criminal penalties under the Oil and Gas Act.

Signature:
Printed Name: John Harper
Title: VP of Geosciences
E-mail Address: John@avantnr.com
Date: 05/22/23
Phone: 678-988-6644
OIL CONSERVATION DIVISION (Only applicable when submitted as a standalone form)
Approved By:
Title:
Approval Date:
Conditions of Approval:

Avant Operating, LLC Natural Gas Management Plan

- VI. Separation equipment will be sized by construction engineering staff based on stated manufacturer daily throughput capacities and anticipated daily production rates to ensure adequate capacity. Closed vent system piping, compression needs, and VRUs will be sized utilizing ProMax modelling software to ensure adequate capacity for anticipated production volumes and conditions.
- VII. Avant Operating, LLC (Avant) will take the following actions to comply with the regulations listed in 19.15.27.8:
 - A. Avant will maximize the recovery of natural gas by minimizing the waste, as defined by 19.15.2 NMAC, of natural gas through venting and flaring. Avant will ensure that well(s) will be connected to a natural gas gathering system with sufficient capacity to transport natural gas.
 - B. All drilling operations will be equipped with a rig flare located at least 100' from the nearest surface hole. Rig flare will be utilized to combust any natural gas that is brought to surface during normal drilling operations. In the case of emergency venting or flaring the volumes will be estimated and reported appropriately.
 - C. During completion operations any natural gas brought to surface will be flared. Immediately following the finish of completion operations, all well flowback will be directed to permanent separation equipment. Produced natural gas from separation equipment will be sent to sales. It is not anticipated that gas will not meet pipeline standards. However, if natural gas does not meet gathering pipeline quality specifications, Avant will flare the natural gas for 60 days or until the natural gas meets the pipeline quality specifications, whichever is sooner. Avant will ensure that the flare is sized properly and is equipped with automatic igniter or continuous pilot. The gas sample will be analyzed twice per week and the gas will be routed into a gathering system as soon as pipeline specifications are met.
 - D. Natural gas will not be flared with the exceptions and provisions listed in the 19.15.27.8 D.(I) through (4). If there is no adequate takeaway for the separator gas, well(s) will be shut in until the natural gas gathering system is available with exception of emergency or malfunction situations. Venting and/or flaring volumes will be estimated and repolted appropriately.
 - E. Avant will comply with the performance standards requirements and provisions listed in 19.15.27.8 (I) through (8). All equipment will be designed and sized to handle maximum anticipated pressures and throughputs to minimize the waste. Production storage tanks constructed after May 25, 2021, will be equipped with automatic gauging system. Flares constructed after May 25, 2021, will be equipped with automatic igniter or continuous pilot. Flares will be located at least 100' from the well and storage tanks unless otherwise approved by the division. Avant will conduct AVO inspections as described in 19.15.27.8 E (5) (a) with frequencies specified in 19.15.27.8 E (5) (b) and (c). All emergencies will be resolved as quickly and safely as feasible to minimize waste.
 - F. The volume of natural gas that is vented or flared as the result of malfunction or emergency during drilling and completions operations will be estimated. The volume of natural gas that is vented, flared, or beneficially used during production operations, will be measured, or estimated. Avant will install equipment to measure

Intent	X	As Dril	led											
-	rator Nar nt Oper	ne: ating, LL	.C				perty N / Dwel			ate C	om			Well Number 007H
Kick C	Off Point	(KOP)												
UL C	Section 14	Township 18S	Range 34E	Lot	Feet 50		From N	1/S	Feet		1	n E/W	County	
Latitu			J4L		Longitu		21638	N 2310 W Lea NAD 1638 83						
First T	ake Poin	nt (FTP)												
UL C	Section 14	Township	Range 34E	Lot	Feet 100		From N	I/S	Feet		1	n E/W	County	
Latitu		_	J4E		Longitu									
Last T	ake Poin	t (LTP)												
UL F	Section 23	Township 18S	Range 34E	Lot	Feet 2540	Fro	m N/S	Feet		From	E/W	Count	ΞΥ	
Latitu					Longitu	ıde	21176			1		NAD 83		
Is this	well the	defining v	vell for th	e Horiz	zontal S _l	oacin	g Unit?	, ,	Yes					
Is this	well an	infill well?		No										
	l is yes p ng Unit.	lease prov	ide API if	availab	ole, Opei	rator	Name	and v	vell n	umbe	r for I	Definir	ng well fo	r Horizontal
API#														
Ope	rator Nar	me:	<u> </u>			Pro	perty N	lame	:					Well Number

KZ 06/29/2018