Form 3160-5 (June 2019)

UNITED STATES DEPARTMENT OF THE INTERIOR

FORM APPROVED

		OMB No. 1004-013' Expires: October 31, 20	
α	1 3 7		

BUR	EAU OF LAND MANAGEMENT	5. Lease Serial No. NMNM057164			
	IOTICES AND REPORTS ON W		6. If Indian, Allottee o	r Tribe Name	
	form for proposals to drill or to Use Form 3160-3 (APD) for suc		NAVAJO NATION		
	` ,	· ·	7. If Unit of CA/Agree	ement, Name and/or No.	
1. Type of Well	TRIPLICATE - Other instructions on pag	Greater Lybrook/NMNM144419X			
Oil Well Gas W	_	8. Well Name and No.	GREATER LYBROOK UNIT/050H		
2. Name of Operator ENDURING RE	SOURCES LLC		9. API Well No. 3004538278		
	JITE 2500, DENVER, CO 3b. Phone No.	(include area code)	10. Field and Pool or Exploratory Area		
	(303) 573-123		LYBROOK MANCOS W		
4. Location of Well (Footage, Sec., T., F	R.,M., or Survey Description)		11. Country or Parish, State		
SEC 23/T23N/R9W/NMP			SAN JUAN/NM		
12. CHE	CK THE APPROPRIATE BOX(ES) TO INI	DICATE NATURE OF NOT	ICE, REPORT OR OTH	HER DATA	
TYPE OF SUBMISSION		TYPE OF AC	TION		
Notice of Intent	Acidize Deep		luction (Start/Resume)	Water Shut-Off	
	Alter Casing Hydr	raulic Fracturing Recl	amation	Well Integrity	
Subsequent Report	Casing Repair New	Construction Reco	omplete	V Other	
	Change Plans Plug	and Abandon Tem	porarily Abandon		
Final Abandonment Notice	Convert to Injection Plug	Back Wate	er Disposal		
completed. Final Abandonment No is ready for final inspection.) 4/22/2023: Test 9 5/8" Casing Test BOP as follows: Tested C rams 250 psi (Low) for 5 min, 3 4/22/023- 4/27/2023- Drilling 8 TD 8 @ 12,134.95 4/27/2023 Run 5-1/2 Production 12084.0, PBTD @ 12,052.6. Cement Summary: PJSM with Lead Cement: 185.9 bbls (441 G Cement at 13.3 ppg, 1.57 ftd displacement. Displaced with 2	Choke manifolds and Blinds 250 psi (Low 3000 psi (High) for 10 min. Tested Annu 3-1/2 hole. On Casing, 1 Jts of 5-1/2", 17# P-110, B American Cementing. Pressure tested I sx) ASTM Type I/II at 12.4 ppg, 2.37 ft3 3/sk, 7.69 gal H2O/sk. Washed lines, dro 281 bbls FW with cement retarder in 1st From 11:30 To 13:00 - 4/27/2023 Top of	s, including reclamation, have by for 5 min, 3000 psi (High lar 250 psi (Low) for 5 min TC, csng set @ 12,134.95 lines to 5,000 psi. Pumped 8/sk, 13.40 gal H2O/sk. Pumped plug & began 50 bbls. FCP 1,830 psi Bum Son bols.	n) for 10 min. Tested in, 3000 psi (High) for 2 for 10 min. Tested in, 3000 psi (High) for 2 for 10	upper and lower pipe 10 min. All tests good 34.8, float collar 2 @ tar @11.0 ppg. Pumped 83.1 bbls (1373 sx) Class to 2,945- psi. Bled back 3	
14. I hereby certify that the foregoing is	true and correct. Name (Printed/Typed)	DECLII ATODY AC	ENIT		
LENA WILSON / Ph: (253) 737-354	40	REGULATORY AG	ENI		
Signature	Date	05/01/20	023		
	THE SPACE FOR FED	ERAL OR STATE OF	ICE USE		
Approved by					
KENNETH G RENNICK / Ph: (505) 564-7742 / Accepted	Petroleum Eng Title		05/02/2023 Date	
	hed. Approval of this notice does not warran equitable title to those rights in the subject leaduct operations thereon.		NC		

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

Additional Information


Additional Remarks

BBL, Calculated Back 60 bbl's Cement in place at 13:00 on 4/27/2023, Wash Through All Cement Lines, Rig Down American. Totals bbls of cement 569, total sacks of cement 1814

4/27/2023: Rig Released @ 04:45

Location of Well

0. SHL: SWSW / 417 FSL / 685 FWL / TWSP: 23N / RANGE: 9W / SECTION: 23 / LAT: 36.206299 / LONG: -107.764783 (TVD: 0 feet, MD: 0 feet) PPP: NESE / 2226 FSL / 1322 FEL / TWSP: 23N / RANGE: 9W / SECTION: 26 / LAT: 36.193271 / LONG: -107.749411 (TVD: 4651 feet, MD: 11000 feet) PPP: SWNE / 1713 FNL / 2626 FEL / TWSP: 23N / RANGE: 9W / SECTION: 26 / LAT: 36.193271 / LONG: -107.749411 (TVD: 4651 feet, MD: 11000 feet) PPP: NENW / 950 FSL / 0 FEL / TWSP: 23N / RANGE: 9W / SECTION: 26 / LAT: 36.193271 / LONG: -107.749411 (TVD: 4651 feet, MD: 11100 feet) PPP: NWNW / 14 FNL / 986 FWL / TWSP: 23N / RANGE: 9W / SECTION: 26 / LAT: 36.205116 / LONG: -107.763762 (TVD: 4682 feet, MD: 5047 feet) BHL: SWSW / 232 FSL / 711 FWL / TWSP: 23N / RANGE: 9W / SECTION: 25 / LAT: 36.191294 / LONG: -107.747017 (TVD: 4647 feet, MD: 12099 feet)



District III

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 212464

CONDITIONS

Operator:	OGRID:
ENDURING RESOURCES, LLC	372286
6300 S Syracuse Way, Suite 525	Action Number:
Centennial, CO 80111	212464
	Action Type:
	[C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	6/2/2023