

Well Name: GREATER LYBROOK UNIT	Well Location: T23N / R9W / SEC 23 / SWSW / 36.206263 / -107.764834	County or Parish/State: SAN JUAN / NM
Well Number: 049H	Type of Well: OIL WELL	Allottee or Tribe Name: NAVAJO NATION
Lease Number: NMNM057164	Unit or CA Name: WEST LYBROOK EXPLORATORY UNIT	Unit or CA Number: NMNM135216X
US Well Number: 3004538284	Well Status: Drilling Well	Operator: ENDURING RESOURCES LLC

Subsequent Report

Sundry ID: 2725490

Type of Submission: Subsequent Report	Type of Action: Casing
Date Sundry Submitted: 04/13/2023	Time Sundry Submitted: 08:59
Date Operation Actually Began: 04/10/2023	

Actual Procedure: 4/10/2023 – MIRU 4/10/2023 – Pressure tested casing at 1500 PSI for 30 minutes – good 4/10/2023 through 4/11/2023 – Drilling ahead 12 ¼” casing 4/11/23 – intermediate TD at 2647.8 MD Casing Summary: Float shoe (1.90) 1 jt 9 5/8" 36.0# J55 LTC casing (40.45), float collar (1.20), 64 jts 9 5/8" 36.0# J55 LTC casing (2,572.98), Casing Pup Joint 9 5/8" 36.0# J55 LTC (3.0), Casing Hanger (3.2), Landing Joint (30.04). Casing set at 2,647.80, float collar at 2,604.30 ft MD. Pressure tested lines to 3000 psi. Pumped 10 bbls FW, 10 bbls D-Mud Breaker, & 10 bbls of FW. Pumped Lead Cement: 194 bbls (519 sx) 90:10 Poz:Type III at 12.5 ppg, 2.14 ft3/sk, 12.05 gal H2O/sk. Pumped Tail Cement: 33.0 bbls (137 sx) Type III Blend at 14.6 ppg, 1.38 ft3/sk, 6.61 gal H2O/sk. Dropped plug & began displacement. Displaced with 199 bbls FW. FCP at 750 psi @ 2.8 BPM and Bump Plug to 1,250 psi, bled back 1 Bbl floats held. Maintained returns throughout job. Calculated 70 bbls to surface and got 70 bbls of good cement to surface. Top of Lead to surface and top of tail at 2,157 ft MD. Total bbls cement 227 bbl, total sks cement 656 sks. Rig released @ 14:30 on 4/11/2023 14.

SR Attachments

Actual Procedure

3_intermediate_casing_GLU_049H_20230413085837.pdf

Well Name: GREATER LYBROOK UNIT	Well Location: T23N / R9W / SEC 23 / SWSW / 36.206263 / -107.764834	County or Parish/State: SAN JUAN / NM
Well Number: 049H	Type of Well: OIL WELL	Allottee or Tribe Name: NAVAJO NATION
Lease Number: NMNM057164	Unit or CA Name: WEST LYBROOK EXPLORATORY UNIT	Unit or CA Number: NMNM135216X
US Well Number: 3004538284	Well Status: Drilling Well	Operator: ENDURING RESOURCES LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: LENA WILSON	Signed on: APR 13, 2023 08:58 AM
Name: ENDURING RESOURCES LLC	
Title: REGULATORY AGENT	
Street Address: 200 ENERGY COURT	
City: FARMINGTON	State: NM
Phone: (253) 737-3540	
Email address: LWILSON@ENDURINGRESOURCES.COM	

Field

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5055647742	BLM POC Email Address: krennick@blm.gov
Disposition: Accepted	Disposition Date: 04/13/2023
Signature: Kenneth Rennick	

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 207924

CONDITIONS

Operator: ENDURING RESOURCES, LLC 6300 S Syracuse Way, Suite 525 Centennial, CO 80111	OGRID: 372286
	Action Number: 207924
	Action Type: [C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	6/7/2023