

Submit 1 Copy To Appropriate District Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

WELL API NO. 30-025-01142
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No. 543630
7. Lease Name or Unit Agreement Name New Mexico AN State
8. Well Number #7
9. OGRID Number 213190
10. Pool name or Wildcat Saunders, Permo Upper Penn
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 4213' DR

SUNDRY NOTICES AND REPORTS ON WELLS
 (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator
CrownQuest Operating, LLC

3. Address of Operator
P.O. Box 53310, Midland, TX 79710

4. Well Location
 Unit Letter **A** : **660** feet from the **N** line and **660** feet from the **E** line
 Section **22** Township **14S** Range **33E** NMPM County **Lea**

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK ☐	REMEDIAL WORK ☐
TEMPORARILY ABANDON ☐	ALTERING CASING ☐
PULL OR ALTER CASING ☐	COMMENCE DRILLING OPNS. ☐
DOWNHOLE COMMINGLE ☐	P AND A ☐
CLOSED-LOOP SYSTEM ☐	CASING/CEMENT JOB ☐
OTHER: ☐	OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

1. Tag 5 1/2 CIBP @ 9740' w/ 15' sx cmt on top.
2. Set 5 1/2 CIBP @ 9270'. Cic hole w/ MLF. Pressure test csg. Spot 25 sx cmt @ 9270-9070'.
3. Perf & Sqz 50 sx cmt @ 7065-6865'. (Tubb)
4. Cut 5 1/2" csg @ 4100'. POH.
5. Spot 30 sx cmt @ 4167-4050'. WOC & Tag (8 5/8 shoe, SA, & 5 1/2 stub)
6. Spot 50 sx cmt @ 2700-2550'. WOC & Tag (Yates)
7. Perf & Sqz 60 sx cmt @ 1675-1575'. WOC & Tag (Anhy)
8. Perf & Sqz 235 sx cmt @ 430' to surface.
9. Cut off wellhead, verify cmt @ surface, weld on Dry Hole Marker.

Add plugs for the following:
 Abo top @ 7710'
 Glorieta top @ 5547'
 Perf & Sqz both.

Adhere to NMOCD COAs attached

Spud Date:



Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Kourtney Dixon TITLE Regulatory DATE 5/9/2023

Type or print name Kourtney Dixon E-mail address: kourtney.wtor@gmail.com PHONE: 281-944-9513

For State Use Only

APPROVED BY: [Signature] TITLE Petroleum Specialist DATE 06/14/2023

Conditions of Approval (if any):

Date Spudded: 12/28/1958

KB: 4298' KB, 4283' GL

CrownQuest Operating, LLC**NM AN State #7****Wellbore Diagram**

660' FNL, 660' FEL, Sec. 22, T-14-S, R-33-E,

Lea County, NM, API #30-025-01142

Current13-3/8", 48#, K-55 csg @ 370'.
Cmt w/400 sx, circ to surface.**Formation Tops**

Anhy – 1623

Yates – 2647

SA – 4117

Glorieta- 5547

Tubb – 7014

Abo – 7710

Wolfcamp - 9708

8-5/8", 24# & 32#, S-80 & J-55
casing @ 4117'. Cmt'd w/2200 sx.
TOC: 640'

TOC 7895' by CBL

9321 - 9336 BGHB Ac dz w/5000 gal

9223 - 9233

9393 - 9398

9475 - 9480

9488 - 9493

9538 - 9543

9625 - 9630

9670 - 9675

9679 - 9684

CIBP @ 9740+15' cmt

Bough "B"

9757 - 9778 BGHB Ac dz w/2500 gal

9766 - 9668 BGHB Ac dz w/250 gal

9774 - 9778 BGHC Ac dz w/5000 gal

9930 - 9936' BGHC Ac dz w/5000 gal

5 1/2", 17# & 20#, S-95, N-80 csg @ 10,000'
Cmt'd w/400 sx. TOC 7895' by Temp.

TD: 10,000'

PBD: 9970'

SPM:	7
Approx. Pump Spacing:	in
Motor:	Nema D

Rod Record

1	Polish Rod	26.00	ft
2	1" Pony rods	6.00	ft
149	1.25 FG Rods	5,587.50	ft
148	3/4" N97 rods	3,700.00	ft
11	1.5 Cbar	275.00	
1	21k ST	0.75	
1	1.5" Cbar	25.00	ft
1	Stabilizer Sub	4.00	ft
1	2.0" x 1.25" Pump	24.00	ft
Total Length		9,648.25	ft

Tubing Record

1	KB Delta	10.00	ft
299	Jts 2-7/8" 6.5# N-80 Tbg (±)	9,657.70	ft
1	2-7/8" x 5-1/2" TAC	2.75	ft
1	Lift Sub	4.00	ft
1	2-3/8" MC SN 2-7/8" CT SN	3.00	ft
1	MH w/ dip tub	30.00	ft
0	Jts 2-7/8" TP w BP	0.00	ft
Total Length		9,707.45	ft
TAC Depth:		9,667.70	ft
SN Depth:		9,670.45	ft

Drawn by:

Date Spudded: 12/28/1958
KB: 4298' KB, 4283' GL

CrownQuest Operating, LLC
NM AN State #7
Wellbore Diagram

660' FNL, 660' FEL, Sec. 22, T-14-S, R-33-E,
Lea County, NM, API #30-025-01142

Proposed

13-3/8", 48#, K-55 csg @ 370'.
Cmt w/400 sx, circ to surface.

Formation Tops
Anhy – 1623
Yates – 2647
SA – 4117
Glorieta- 5547
Tubb – 7014
Abo – 7710
Wolfcamp - 9708

8-5/8", 24# & 32#, S-80 & J-55
casing @ 4117'. Cmt'd w/2200 sx.
TOC: 640'

TOC 7895' by CBL

9321 - 9336	BGHB	Ac dz w/5000 gal
9223 - 9233		
9393 - 9398		
9475 - 9480		
9488 - 9493		
9538 - 9543		
9625 - 9630		
9670 - 9675		
9679 - 9684		
Bough "B"		
9757 - 9778	BGHB	Ac dz w/2500 gal
9766 - 9668	BGHB	Ac dz w/250 gal
9774 - 9778	BGHC	Ac dz w/5000 gal
9930 - 9936'	BGHC	Ac dz w/5000 gal

CIBP @ 9740+15' cmt

5 1/2", 17# & 20#, S-95, N-80 csg @ 10,000'
Cmt'd w/400 sx. TOC 7895' by Temp.

TD: 10,000'

PBTD: 9970'

8. Perf & Sqz 235 sx cmt @ 430' to surface.

7. Perf & Sqz 60 sx cmt @ 1675-1575'. WOC & Tag (Anhy)

6. Spot 50 sx cmt @ 2700-2550'. WOC & Tag (Yates)

5. Spot 30 sx cmt @ 4167-4050'. WOC & Tag (8 5/8 shoe, SA, & 5 1/2 stub)

4. Cut 5 1/2" csg @ 4100'. POH.

3. Perf & Sqz 50 sx cmt @ 7065-6865'. (Tubb)

2. Set 5 1/2 CIBP @ 9270'. Cic hole w/ MLE.
Pressure test csg. Spot 25 sx cmt @ 9270-9070'.

1. Tag 5 1/2 CIBP @ 9740' w/ 15' sx cmt on top.

Drawn by:

Released to Imaging: 6/14/2023 10:16:32 AM

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 226009

CONDITIONS

Operator: CROWNQUEST OPERATING, LLC P.O. Box 53310 Midland, TX 79710	OGRID: 213190
	Action Number: 226009
	Action Type: [C-103] NOI Plug & Abandon (C-103F)

CONDITIONS

Created By	Condition	Condition Date
john.harrison	Approved w/ conditions. Adhere to NMOCD COAs attached.	6/14/2023