<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone: (575) 393-6161 Fax: (575) 393-0720

Phone: (575) 393-6161 Fax: (575) 393-0720

District II

811 S. First St., Artesia, NM 88210

Phone: (575) 748-1283 Fax: (575) 748-9720

District III

1000 Rio Brazos Road, Aztec, NM 87410

Phone: (505) 334-6178 Fax: (505) 334-6170

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico

Form C-101 Revised July 18, 2013

Energy Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr.

☐AMENDED REPORT

1220 S. St. Francis I Phone: (505) 476-34					Santa Fe,	NM 8	7505					
APPLICA	ATION	N FOR I			, RE-ENTER	R, DEE	PEN,	PLUGBACK				
			1. Operator Name a						^{2.} OGRID Num	lber		
		1.1	FAE II Operat		=				329326 3. API Number	·		
		11	757 Katy Freew Houston, TX)				30-025-223			
4. Propert			,		5. Property Name				^{6.} Well No.			
3313	311				G G TRAVIS					#002		
				7. S	urface Location	1						
UL - Lot	Section	Township	Range	Lot Idn	Feet from	N/S	S Line	Feet From	E/W Line	County		
J	21	23S	37E		1980		S	1980	Е	LEA		
				8 Propos	sed Bottom Hole	e Locati	on					
UL - Lot	Section	Township	Range	Lot Idn	Feet from	N/S	S Line	Feet From	E/W Line	County		
J	21	23S	37E		1980		S	1980	Е	LEA		
				9. P	ool Information	1						
TEAGUE; (GLORIET	A-UPPER F	PADDOCK, SW //	Pool Name TEAGUE; Pa	e ADDOCK-BLINEBI	RY // IMF	PERIAL; T	UBB-DRINKARD	58595	Pool Code 5 // 58300 // 33600		
				Addition	nal Well Inform	ation						
11. Work			12. Well Type O		13. Cable/Rotary R			P 15. Ground Level Elevation 3308'				
^{16.} Mult YE	-		17. Proposed Depth 6303'	GLO	^{18.} Formation DR-PAD-BLIN-TUBB-	DRINK	19. Contractor 20. Spud Date 18D 06/09/2022			^{20.} Spud Date 06/09/2022		
Depth to Ground	d water		Distar	nce from neares	st fresh water well			Distance t	Distance to nearest surface water			
We will be us	sing a clo	sed-loop sy	stem in lieu of li	ined pits				·				
			21. P	roposed Ca	asing and Ceme	nt Prog	ram					
Type	Hole	Size	Casing Size	Casing V	Weight/ft	Setting	Depth	Sacks of C	Cement	Estimated TOC		
Surface	12.2	250"	9.625"	3:	2#	102	23'	300 s	sxs	Surface		
Production	8.7	50"	7.000"	23-	26#	630	03'	500 s	sxs			
			Casing	/Cement Pi	rogram: Additio	onal Co	mments					
			22. P	ronosed RI	owout Preventi	on Prog	ram					
	Туре			Vorking Pressi		onitug	Test Pres	ssure	N	Manufacturer		
Do	uble Ra	am		3,000#			3,000	0#	Ţ	Jnknown		

of my knowledge and belief.	given above is true and complete to the best	OIL CONSERVATION DIVISION				
19.15.14.9 (B) NMAC , if applicable	with 19.15.14.9 (A) NMAC ☐ and/or	Approved By:				
	ie.	Approved By.				
Signature:		P Kauta				
Printed name: VANESSA NEAL		Title:				
Title: SR RESERVOIR ENGINEER		Approved Date: 06/28/2023 Expiration Date: 06/28/2025				
E-mail Address: vanessa@faenergyus.co	<u>om</u>					
Date: 27 JUN 2023	Phone: 832-219-0990	Conditions of Approval Attached				

¹ API Number

Joint or Infill

Y

Consolidation Code

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone: (575) 393-6161 Fax: (575) 393-0720 811 S. First St., Artesia, NM 88210

Phone: (575) 748-1283 Fax: (575) 748-9720 District III 1000 Rio Brazos Road, Aztec, NM 87410 Phone: (505) 334-6178 Fax: (505) 334-6170

<u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3460 Fax: (505) 476-3462

12 Dedicated Acres

40

State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-102 Revised August 1, 2011 Submit one copy to appropriate District Office

³ Pool Name

1980

☐ AMENDED REPORT

LEA

WELL LOCATION AND ACREAGE DEDICATION PLAT

² Pool Code

30	30-025-22311			3600		IMPERIAL; TUBB-DRINKARD				
⁴ Property	Property Code 5 Property Name						⁶ Well Number			
33131	11		G G TRAVIS						#002	
7 OGRID	⁷ OGRID No. ⁸ Operator Name						9 F	⁹ Elevation		
32932	329326 FAE II OPERATING, LLC						3	3307'		
	¹⁰ Surface Location									
UL - Lot	Section	Township	Range	Lot Idn	Feet from	N/S Line	Feet From	E/W Line	County	
J	21	23S	37E		1980	S	1980	E	LEA	
	"Bottom Hole Location If Different From Surface									
UL - Lot	Section	Township	Range	Lot Idn	Feet from	N/S Line	Feet From	E/W Line	County	

1980

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

Order No.

		pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. 12/20/2022 Signature Date VANESSA NEAL Printed Name
NW/4 SE/4 Sec 21 (40 acres)	1980'	vanessa@faenergyus.com E-mail Address 18SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.
1980,		Date of Survey Signature and Seal of Professional Surveyor:

¹ API Number

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone: (575) 393-6161 Fax: (575) 393-0720 District II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720 District III

1000 Rio Brazos Road, Aztec, NM 87410 Phone: (505) 334-6178 Fax: (505) 334-6170 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505

Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-102 Revised August 1, 2011 Submit one copy to appropriate District Office

☐ AMENDED REPORT

³ Pool Name

WELL LOCATION AND ACREAGE DEDICATION PLAT

² Pool Code

30-025-22311		5	8595		TEAGUE; GLC	RIETA-UPPER	PADDOCK, SV	V		
⁴ Property	Code		•	5]	Property Name			⁶ We	⁶ Well Number	
33131	1		G G TRAVIS						#002	
⁷ OGRID	No.			8 (Operator Name			9 E	levation	
32932	6			FAE II O	PERATING,	3	3307'			
	¹⁰ Surface Location									
UL - Lot	Section	Township	Range	Lot Idn	Feet from	N/S Line	Feet From	E/W Line	County	
J	21	23S	37E		1980	S	1980	Е	LEA	
			11 Bottom	Hole Locati	on If Differe	ent From Sur	face			
UL - Lot	Section	Township	Range	Lot Idn	Feet from	N/S Line	Feet From	E/W Line	County	
J	21	23S	37E	ì	1980	S	1980	Е	LEA	
12 Dedicated Acres	13 Joint o	r Infill	Consolidation Code	15 Order No.						
40	1	Y								

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

16			17 OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofoge entered by the division. 06/27/2023 Signature Date VANESSA NEAL Printed Name
	NW/4 SE/4 Sec 21 (40 acres)		vanessa@faenergyus.com E-mail Address 18SURVEYOR CERTIFICATION
	O	1980'	I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. Date of Survey
	1980		Signature and Seal of Professional Surveyor: Certificate Number

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone: (575) 393-6161 Fax: (575) 393-0720 District II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

District III 1000 Rio Brazos Road, Aztec, NM 87410 Phone: (505) 334-6178 Fax: (505) 334-6170 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505

Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-102 Revised August 1, 2011 Submit one copy to appropriate District Office

■ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number Pool Code Pool Name										
30	-025-223	11	5	8300		TEAGUE; PADDOCK-BLINEBRY				
⁴ Property	⁴ Property Code ⁵ Property Name						⁶ We	⁶ Well Number		
33131	1		G G TRAVIS							
7 OGRID	RID No. 8 Operator Name							9 E	⁹ Elevation	
32932	329326 FAE II OPERATING, LLC						3	3307'		
¹⁰ Surface Location										
UL - Lot	Section	Township	Range	Lot Idn	Feet from	N/S Line	Feet From	E/W Line	County	

UL - Lot	Section	Township	Range	Lot Idn	Feet from	N/S Line	Feet From	E/W Line	County	
J	21	23S	37E		1980	S	1980	E	LEA	
	" Bottom Hole Location If Different From Surface									
UL - Lot	Section	Township	Range	Lot Idn	Feet from	N/S Line	Feet From	E/W Line	County	
J	21	23S	37E		1980	S	1980	E	LEA	
12 Dedicated Acres	13 Joint o	r Infill	Consolidation Code	15 Order No.						
40	1	Y								
	·									

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

16			17 OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. 12/20/2022 Signature Date VANESSA NEAL Printed Name
	NW/4 SE/4 Sec 21 (40 acres)		vanessa@faenergyus.com E-mail Address
	0	1980'	In the reby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. Date of Survey
	1980		Signature and Seal of Professional Surveyor: Certificate Number

State of New Mexico Energy, Minerals and Natural Resources Department

Submit Electronically
Via E-permitting

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

NATURAL GAS MANAGEMENT PLAN

This Natural Gas Management Plan must be submitted with each Application for Permit to Drill (APD) for a new or recompleted well.

Section 1 – Plan Description Effective May 25, 2021

I. Operator:	erator: FAE II Operating, LLC		OGRID:	329326	Date:	06/27/2023
II. Type: ☐ Original [☐ Amendment	due to □ 19.15.27	.9.D(6)(a) NMA	C □ 19.15.27.9.D(6)(b) NMAC ⊠	Other.
If Other, please describe	e: Add Perfs &	Acidize GLORIE	ETA-PADDOCK	-BLINEBRY-TUB	B in G G Travis	#002; DHC
III. Well(s): Provide the be recompleted from a s					vells proposed to	be drilled or proposed to
Well Name	API	ULSTR	Footages	Anticipated Oil BBL/D	Anticipated Gas MCF/D	Anticipated Produced Water BBL/D
G G TRAVIS #002	30-025-22311	J-21-23S-37E	1980' FSL & 1980' FEL	7	12	8
proposed to be recomple	le: Provide the	following informagle well pad or con	nnected to a centr	v or recompleted w ral delivery point.		proposed to be drilled or
Well Name	API	Spud Date	TD Reached	Completion	Initial I	Flow First Production
			Date	Commencement		
G G TRAVIS #002	30-025-22311	06/09/2022	06/09/2022	06/09/2022	06/23/2	06/24/2022
		-		-		nt to optimize gas capture.
Subsection A through F	of 19.15.27.8	NMAC.	-	-		·
during active and plann			ete description of	Operator's best fi	ынаденнені praci	tices to minimize venting

Section 2 – Enhanced Plan EFFECTIVE APRIL 1, 2022

Beginning April 1, 2022, an operator that is not in compliance with its statewide natural gas capture requirement for the applicable reporting area must complete this section.

☑ Operator certifies that it is not required to complete this section because Operator is in compliance with its statewide natural gas capture requirement for the applicable reporting area.

IX. Anticipated Natural Gas Production:

Well	API	Anticipated Average Natural Gas Rate MCF/D	Anticipated Volume of Natural Gas for the First Year MCF

X. Natural Gas Gathering System (NGGS):

Operator	System	ULSTR of Tie-in	Anticipated Gathering Start Date	Available Maximum Daily Capacity of System Segment Tie-in

XI. Map. \square Attach an accurate and legible map depicting the location of the well(s), the anticipated pipeline route(s) connecting the
production operations to the existing or planned interconnect of the natural gas gathering system(s), and the maximum daily capacity of
the segment or portion of the natural gas gathering system(s) to which the well(s) will be connected.

XII. Line Capacity. The natural s	gas gathering system	will □ will not have	capacity to gather	100% of the anticipated	l natural gas
production volume from the well	prior to the date of first p	production.			

XIII. Line Pressure. Operator \square does \square does not anticipate that its existing well(s) connected to the same segment, or portion, of the
natural gas gathering system(s) described above will continue to meet anticipated increases in line pressure caused by the new well(s).

	A 44 1 C	```	9 1			•	4 . 41	1 1'
1 1	Апаси С	merator	's nian i	o manage	production	in response	to the increas	ed line pressure

XIV. Confidentiality: Operator asserts confidentiality pursuant to Section 71-2-8 NMSA 1978 for the information provided	l ir
Section 2 as provided in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and attaches a full description of the specific information of the	ior
for which confidentiality is asserted and the basis for such assertion.	

Section 3 - Certifications Effective May 25, 2021

	Effective May 20, 2021					
Operator certifies that, after	reasonable inquiry and based on the available information at the time of submittal:					
☑ Operator will be able to connect the well(s) to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system; or						
hundred percent of the anti- into account the current and	te to connect to a natural gas gathering system in the general area with sufficient capacity to transport one cipated volume of natural gas produced from the well(s) commencing on the date of first production, taking d anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system. **x*, Operator will select one of the following:					
Well Shut-In. □ Operator v	will shut-in and not produce the well until it submits the certification required by Paragraph (4) of Subsection					
D of 19.15.27.9 NMAC; or						
alternative beneficial uses for (a)	Operator has attached a venting and flaring plan that evaluates and selects one or more of the potential for the natural gas until a natural gas gathering system is available, including: bower generation on lease; bower generation for grid; compression on lease; iquids removal on lease; reinjection for underground storage; reinjection for temporary storage; reinjection for enhanced oil recovery; fuel cell production; and other alternative beneficial uses approved by the division.					

Section 4 - Notices

- 1. If, at any time after Operator submits this Natural Gas Management Plan and before the well is spud:
- (a) Operator becomes aware that the natural gas gathering system it planned to connect the well(s) to has become unavailable or will not have capacity to transport one hundred percent of the production from the well(s), no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised venting and flaring plan containing the information specified in Paragraph (5) of Subsection D of 19.15.27.9 NMAC; or
- (b) Operator becomes aware that it has, cumulatively for the year, become out of compliance with its baseline natural gas capture rate or natural gas capture requirement, no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised Natural Gas Management Plan for each well it plans to spud during the next 90 days containing the information specified in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and shall file an update for each Natural Gas Management Plan until Operator is back in compliance with its baseline natural gas capture rate or natural gas capture requirement.
- 2. OCD may deny or conditionally approve an APD if Operator does not make a certification, fails to submit an adequate venting and flaring plan which includes alternative beneficial uses for the anticipated volume of natural gas produced, or if OCD determines that Operator will not have adequate natural gas takeaway capacity at the time a well will be spud.

I certify that, after reasonable inquiry, the statements in and attached to this Natural Gas Management Plan are true and correct to the best of my knowledge and acknowledge that a false statement may be subject to civil and criminal penalties under the Oil and Gas Act.

Signature:
Printed Name: Vanessa Neal
Title: Sr. Reservoir Engineer
E-mail Address: vanessa@faenergyus.com
Date: 27 JUN 2023
Phone: 832-219-0990
OIL CONSERVATION DIVISION
(Only applicable when submitted as a standalone form)
Approved By:
Title:
Approval Date:
Conditions of Approval:

FAE II Operating, LLC ("FAE") Natural Gas Management Plan

VI. Separation Equipment

- Separation equipment is sized to allow for retention time and velocity to adequately separate oil, gas, and water at anticipated peak rates.
- Valves and meters are designed to service without flow interruption or venting of gas.
- Gas from treater and wellhead will be tied into the sales line.

VII. Operational Practices

19.15.27.8 (A)

FAE's field operations are designed with the goal of minimizing venting of natural gas. Wellhead and existing production equipment are tied into the gas sales line.

19.15.27.8 (B) Venting and Flaring during drilling operations

- Venting will only occur if there is an equipment malfunction and/or to avoid risk of an immediate and substantial adverse impact on safety, public health, or the environment.
- Daily vented volumes during drilling operations will be estimated on the daily report.
- All equipment will be available to process wellhead production upon completion of the well.

19.15.27.8 (C) Venting and Flaring during completions or recompletions operations.

- During all phases of flowback, wells will flow through a sand separator, or other appropriate
 flowback separation equipment, and the well stream will be directed to a central tank battery (CTB)
 through properly sized flowlines.
- The CTB will have properly sized separation equipment for maximum anticipated flowrates.
- All gas from wellhead and treater will be routed to a sales outlet. Fluids will be routed to tanks; vented gas volumes from oil tanks will be estimated based on annual GOR since expected production from well is <60 MCFPD.

19.15.27.8 (D) Venting and Flaring during production operations.

- During production, the well stream will be routed to the CTB where multiple stages of separation will separate gas from liquids. All gas from wellhead and treater will be routed to a sales outlet. Fluids will be routed to tanks; vented gas volumes from oil tanks will be estimated based on annual GOR since expected production from will is <60 MCFPD.
- AVO inspections will be conducted on the well and facility as required (weekly or monthly) based on actual daily production from the well or facility. Records of inspections will be kept for no less than 5 years. Any active leaks or releases will be reported as required and repaired in a timely manner.
- Gas sales volumes are recorded and monitored via EFMS.

19.15.27.8 (E) Performance Standards

- Production equipment will be designed to handle maximum anticipated rates and pressure.
- AVO inspections will be conducted on the well and facility as required (weekly or monthly) based on actual daily production from the well or facility. Records of inspections will be kept for no less than 5 years. Any active leaks or releases will be reported as required and repaired in a timely manner.
- Gas/H2S detectors will be installed throughout the facilities and wellheads to detect leaks and enable timely repairs.

19.15.27.8 (F) Measurement or estimation of vented and flared natural gas

- All gas from wellhead and treater will be routed to a sales outlet.
- When metering is not practical due to low pressure/low rate (<60 MCFPD), the vented volume will be estimated based on annual GOR.

VIII. Best Management Practices

- FAE will use best management practices to vent as minimally as possible during well intervention operations and downhole well maintenance.
- All gas from wellhead and treater will be routed to a sales outlet. Fluids will be routed to tanks; vented gas volumes from oil tanks will be estimated based on annual GOR since expected production from will is <60 MCFPD. All venting events will be recorded and all start-up, shutdown, maintenance logs will be kept for control equipment
- All equipment will be maintained to provide highest run-time possible.
- AVO inspections will be conducted on the well and facility as required (weekly or monthly) based on actual daily production from the well or facility. Records of inspections will be kept for no less than 5 years. Any active leaks or releases will be reported as required and repaired in a timely manner.
- Gas sales volumes are recorded and monitored via EFMS.
- All procedures are drafted to keep venting to the absolute minimum.

Well Name:	G G TRA	VIS #002	API: _	30-025-22311	Lease Type:	STATE
Location:	1980' FSL & 1980' F	EL	T-R-Sec-Spot-Lot:	23S-37E-21-J	Lease No:	
Formation(s):	DHC: [58595] Teague; GLC	DR-UPR PAD,	SW, [58300] Teague; I	PAD-BLINE, [33600] Imperial; TUE	Stounty/State:	Lea, NM
		PROPOS	SED			
Surface Csg	1			КВ		
Size:	9-5/8"			DF		
Wt.&Thrd:	32#			GL:		
Grade: Set @:	1023'			•	: <u>11/9/1967</u> : 12/29/1967	
Sxs cmt:	300 sxs			Compil Date	12/23/1307	
Circ:	Circ					
TOC:	Surface			<u> History - Highli</u>	ghts	
Hole Size:	12-1/4"			4007.40 !! 5		
		- 111		<u>1967-12:</u> Well D 1970-10: TA'd w		
		- 111			BP & added perfs a	nd acidized
		- 111			•	ull Duak Pkr. Clean out
				to PBTD @ 6296	6'. Circulate clean. A	Add Perfs & Acidize
				GLOREITA-PAD production string	DOCK-BLINEBRY-	-TUBB. RIH w/
				production string	J. NTP.	
			GI OPI	ETA (Top @ 4938')		
				152', 4961-4963' (2 SPF) - PROPO	SED	
				CK (Top @ 4973')		
				79', 4992-4994', 5004-5006', 5021		
				64', 5078-5080', 5084-5086', 5121		`
				Acidize 4951-5132' w/ 3000 gals 15 v/ 300 bbls 2% KCL wtr	% NEFE HCL acid,	1000# rocksalt & flush
			—	113' - Sep 1999		
				Acidized w/ 1000 gals acid; Frac w/	30,000 gals & 80,0	00# sand
			5283-52	86', 5300-5305', 5311-5316' (2 SP	F) - PROPOSED	
				Acidize 5283-5316' w/ 2000 gals 15	% NEFE HCL acid,	600# rocksalt & flush w/
				200 bbls 2% KCL wtr		
				RY (Top @ 5325') 13' (9 holes) - Dec 1967		
				Acidized w/ 1500 gals; Frac w/ 20,0	00 gals & 26,000# s	sand
				73' (11 holes) - Dec 1967		
SN	5980'			Acidized w/ 1500 gals; Frac w/ 20,0	•	
EOT	6016'			37', 5642-5645', 5648-5650', 5712 - PROPOSED	-5714', 5720-5723',	5742-5743', 5761-5763'
Production	Csa		· ·	- 1 101 002 <i>D</i> Acidize 5635-5763' w/ 3000 gals 15	% NEFF HCL acid	1000# rocksalt & flush
Size:	7"			v/ 300 bbls 2% KCL wtr	70 1121 2 1102 4014,	Todon Todkodić a nadn
Wt.&Thrd:	23-26#		5804-59	08' (11 holes) - Dec 1967		
Grade:	J-55			Acidized w/ 1500 gals; Frac w/ 15,0	00 gals & 17,000# s	sand
Set @:	6303'		TUBB (<u>Top @ 5940')</u>		
Sxs Cmt: Circ:	500 sxs		DDINIA.	ARD (Top @ 6119')		
TOC:				(21' (12 holes) - Dec 1967		
Hole Size:	8-3/4"			Acidized w/ 1500 gals; Frac w/ 20,0	00 gals & 20,000# ៖	sand
		PBTD 62	296'			
		TD 630	3'			

Tubulars - Capacities and Performance	
2-3/8" Tubing (~191 jts 2-3/8" tubing, SN, 4' perf sub, MA w/ bull plug)	
2 0/0 Tubing (101 jus 2 0/0 tubing, 0/1, 1 port ods, mix till odin plag)	

Well Name:	:	G G TRA	VIS #002	API: _	30-025-22311	Lease Type:	STATE
Location	: 1980' F	SL & 1980' F	EL	T-R-Sec-Spot-Lot:	23S-37E-21-J	Lease No:	
Formation(s):	[58300] Teag	ue; PADDOCK	C-BLINEBRY	_		ounty/State:	Lea, NM
			CURRE	NT			
Surface Cso						KB:	
Size:	9-5/8"					DF: 3307'	
Wt.&Thrd: Grade:	32#					GL:	
Set @:	1023'					ate: 11/9/1967 ate: 12/29/1967	
Sxs cmt:	300 sxs						
Circ:	Circ						
TOC:	Surface				<u>History - Hig</u>	thlights	
Hole Size:	12-1/4"		ч н		1967-12: We	II D 2 C	
			- 11		<u>1970-10:</u> TA'		
			- 11			CIBP & added perfs a	and acidized
			- 11			·	
					All info from	OCD well files ONL	Y
				PADDO	OCK (Top @ 4938')		
				F102 F2	0121 Com 1000		
					213' - Sep 1999 Acidized w/ 1000 gals acid; Frac	w/ 30 000 gals & 80 (000# sand
				,	10101200 W 1000 gale dola, 1 100	w co,coo gaio a co,	oon cana
CIBP		5300'			BRY (Top @ 5325') [ISOLATED	1	
Dual Bkr w/	olua	5978'			l13' (9 holes) - Dec 1967 Acidized w/ 1500 gals; Frac w/ 2	0 000 gala 8 26 000#	cond
Dual Pkr w/ բ	plug	3976			573' (11 holes) - Dec 1967	0,000 gais & 26,000#	Sanu
<u>Production</u>	<u>Csg</u>				Acidized w/ 1500 gals; Frac w/ 2	0,000 gals & 26,000#	sand
Size:	7"				908' (11 holes) - Dec 1967	_	
Wt.&Thrd:	23# & 26#			,	Acidized w/ 1500 gals; Frac w/ 1	5,000 gals & 17,000#	sand
Grade:	6303'			TUDE /	Ton @ 5040"\		
Set @: Sxs Cmt:	6303' 500 sxs			TOPR (<u>Top @ 5940')</u>		
Circ:				DRINK	ARD (Top @ 6119') [ISOLATED	<u>D1</u>	
TOC:				6129-62	221' (12 holes) - Dec 1967		
Hole Size:	8-3/4"				Acidized w/ 1500 gals; Frac w/ 2	0,000 gals & 20,000#	sand
			PBTD 62				
			TD 630	13 °			
ulars - Capac	ities and Perfo	ormance					

<u> Fubulars -</u>	- Capacities and Performance		

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 233575

CONDITIONS

Operator:	OGRID:
FAE II Operating LLC	329326
11757 Katy Freeway, Suite 725	Action Number:
Houston, TX 77079	233575
	Action Type:
	[C-101] Drilling Non-Federal/Indian (APD)

CONDITIONS

Created By	Condition	Condition Date
pkautz	MUST APPLY FOR DHC	6/28/2023