

Form 3160-5 (June 2019)

# **UNITED STATES** DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0137
Expires: October 31, 2021

Expires: October 31, 2
5. Lease Serial No. NMLC066126

SUNDRY NOTICES AND REPORTS ON WELLS

6	If Indian	Allottee or Tribe Name	

	form for proposals to drill or to Use Form 3160-3 (APD) for su		,	
SUBMIT IN	TRIPLICATE - Other instructions on pag	ge 2	7. If Unit of CA/Agreer	ment, Name and/or No.
1. Type of Well  Oil Well  Gas V	Well Other		8. Well Name and No.	EA SOUTH 25 FEDERAL/8
2. Name of Operator EARTHSTONE	OPERATING LLC		9. API Well No. 30025	43057
3a. Address 1400 WOODLOCH FO		. (include area code)	10. Field and Pool or Ex	
	(281) 298-42	240	LEA; Bone Spring/L	
4. Location of Well (Footage, Sec., T., SEC 25/T20S/R34E/NMP	R.,M., or Survey Description)		11. Country or Parish, S	State
12. CHE	ECK THE APPROPRIATE BOX(ES) TO IN	IDICATE NATURE OF NOT	ICE, REPORT OR OTHI	ER DATA
TYPE OF SUBMISSION		TYPE OF AC	TION	
Notice of Intent		Iraulic Fracturing Rec	duction (Start/Resume) lamation omplete	Water Shut-Off Well Integrity Other
Subsequent Report			omplete porarily Abandon	
Final Abandonment Notice	l — —	_	er Disposal	
-RU; TIH; PULL AND LAY DO -SET CIBP@ 11,198' MD -DUMP BAIL 35' CMNT W/ES -MIT WILL BE CONDUCTED				AL
JENNIFER ELROD / Ph: (817) 953		Senior Regulatory	Technician	
Signature		Date	06/12/20	23
	THE SPACE FOR FED	ERAL OR STATE OF	FICE USE	
Approved by				
JONATHON W SHEPARD / Ph: (	575) 234-5972 / Approved	Petroleum En		06/16/2023 ate
	ched. Approval of this notice does not warrar equitable title to those rights in the subject leaduct operations thereon.	nt or		
	3 U.S.C Section 1212, make it a crime for a nents or representations as to any matter with		llfully to make to any dep	artment or agency of the United States

(Instructions on page 2)

### **GENERAL INSTRUCTIONS**

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

### SPECIFIC INSTRUCTIONS

*Item 4* - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

### **NOTICES**

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

**BURDEN HOURS STATEMENT:** Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

(Form 3160-5, page 2)

# **Additional Information**

## **Location of Well**

 $0. \ SHL: \ SESE / 330 \ FSL / 490 \ FEL / TWSP: 20S / RANGE: 34E / SECTION: 25 / LAT: 32.321594 / LONG: -103.302433 ( TVD: 0 feet, MD: 0 feet ) \\ PPP: \ SESE / 330 \ FSL / 490 \ FEL / TWSP: 20S / RANGE: 34E / SECTION: 25 / LAT: 0.0 / LONG: 0.0 ( TVD: 0 feet, MD: 0 feet ) \\ BHL: \ SESE / 330 \ FSL / 330 \ FEL / TWSP: 20S / RANGE: 34E / SECTION: 25 / LAT: 0.0 / LONG: 0.0 ( TVD: 0 feet, MD: 0 feet ) \\ SESE / 330 \ FSL / 33$ 

## **BUREAU OF LAND MANAGEMENT**

Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

# **Conditions of Approval for Temporary Abandonment of Wells**

**Definition:** A temporarily abandoned well is a completion that is not capable of production in paying quantities, but which may have future value. Pursuant to 43 CFR 3162.3-4 (c), no well may be temporarily abandoned for more than 30 days without the prior approval of the authorized officer.

- 1. TA status will be effective for a period of up to one year from the date of sundry approval and can be renewed annually thereafter per IM NM-2016-017.
- A bridge plug (CIBP) must be installed 50 to 100 feet above any open perforations or open hole. The CIBP must be capped with either a minimum of 25 sacks of cement if placed with tubing or 35 feet of cement if placed with a bailer. The top of the cement must be verified by tagging.
- 3. The wellbore must be filled with corrosion inhibited fluid and pressure tested to 500 psi. The casing shall be capable of holding this pressure for at least 30 minutes. If the well does not pass the casing integrity test, then the operator shall, within 30 days, submit a procedure to either repair the casing or to plug and abandon the well.
- 4. Contact the appropriate BLM office at least 24 hours prior to the scheduled Casing Integrity Test. For wells in Eddy County, 575-361-2822; Lea County 575-689-5981.
- 5. All downhole production/injection equipment (tubing, rods, etc.) shall be removed from the casing if it is not isolated by a packer.
- 6. A bradenhead test must be conducted. If the test indicates a problem, a remedial plan and time frame for remediation shall be submitted within ninety (90) days of the test.
- 7. Submit a subsequent Sundry Notice (Form 3160-5) with the following information:
  - a. A well bore diagram with all perforations, CIBP's, and tops of cement on CIBP's.
  - b. A description of the temporary abandonment procedure.
  - c. A clear copy or the original of the pressure test chart.

	<u>by OCD</u> ?a6d€16/2	023 \&A	SE.NAMPM	Lea So	outh 25 Federal	WELL NO.		#(	008 AI	PI NO		30-025-43057 Page
CURRENT STAT NOTES	TUS Active											
			T	CA	SING RECORD					LC	OGGING RI	ECORD
ш		HOLE SIZE	SIZE/ GRADE	WT (#)	DEPTH	TOC	ME	THOD	TYPE	INTER	RVAL	NOTES
		17.5" 12.25"	13.375"	54.5#	1,196'	Surface		isual				-
	ш	8.75"	9.625" 7"	36# 29#	5,745' 11,652'	Surface Surface		isual isual				
	ш											
	Ш		LOG TOPS			PERE∩R	ATIONS	S AND / OF	R OPENHOLE	(Packers Plu	ıs Frac Por	t Sleeve)
<b>41</b> 1 11	13-3/8", 54.5#	ZONE	TOP	SS	DATE	DEPT			PF PF	. (I dokora i id	<u> </u>	IOTES
	cem. @ surface				7/24/2016	11,298' - 1	1,307'		4		4	0 holes
		-										
4	8-5/8" 24#/32#											
- 111	cem. @ surface	NOTES:										
- 111		NOTES.										
- 111				Rod p	oump BHA. 2-7/8" t	ubing, TAC @	11,060	)', SN @ 1	1,158', EOT @	11,228'		
- 111				Insert	pump and rods rai	n to depth and	set in S	SN				
- 111												
- 111												
- 111												
- 111												
- 111												
- 111												
- 111												
- 111												
- 111												
	•											
''												
	Perfs: 11,298' - 1	11,307'										
	7" 29# Casing, cem.	@ ourfoo	•									
	TD @ 11,652	. W Suriaci	e									
	6,002											
REMARKS												
										CREATED E	2∨	al
										DATE	71	6/12/202

FIE <b>R</b> evensea	l by OCD 3 60 46/2	023 &A	62:MAMPM	Lea So	outh 25 Federal	WELL NO.		#(	800	API NO.	3	30-025-43057	Page 6
CURRENT STA NOTES	TUS Active												
NOTES	-												
				CA	SING RECORD					LC	OGGING RE	CORD	
Ш	Ш	HOLE SIZE	SIZE/ GRADE	WT (#)	DEPTH	TOC	ME	THOD	TYPE	INTER		NOTES	;
- 111	ш	17.5"	13.375"	54.5#	1,196'	Surface	٧	isual					
- 111	ш	12.25"	9.625"	36#	5,745'	Surface		isual					
-	ш	8.75"	7"	29#	11,652'	Surface	V	isual					
-	ш												
			LOG TOPS			PERFOR	ATIONS	S AND / OF	R OPENHO	LE (Packers Plu	ıs Frac Port	Sleeve)	
	13-3/8", 54.5#	ZONE	TOP	SS	DATE	DEPT			PF	•		OTES	
	cem. @ surface				7/24/2016	11,298' - 1	1,307'		4		40	holes	
	8-5/8" 24#/32#												
	cem. @ surface			-									
		NOTES:											
		-	I.	I									
	EST TOC @ 11,163	3'											
	35' cement plug												
	CIBP @ 11,198'												
	Perfs: 11,298' - 1	1,307'											
	7" 29# Casing, cem.	@ surface	e										
	TD @ 11,652												
REMARKS													
		-								CREATED E	BY		cbb
1										DATE		6	/12/2023

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

CONDITIONS

Action 229547

### **CONDITIONS**

Operator:	OGRID:
Earthstone Operating, LLC	331165
1400 Woodloch Forest; Ste 300	Action Number:
The Woodlands, TX 77380	229547
	Action Type:
	[C-103] NOI Temporary Abandonment (C-103I)

#### CONDITIONS

Created By	Condition	Condition Date
kfortner	Run TA status MIT/BHT test	7/7/2023