

Well Name: FEDERAL 18	Well Location: T19S / R33E / SEC 18 / SENE /	County or Parish/State: LEA / NM
Well Number: 04	Type of Well: INJECTION - ENHANCED RECOVERY	Allottee or Tribe Name:
Lease Number: NMLC064790	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002501671	Well Status: Plugged and Abandoned	Operator: SPUR ENERGY PARTNERS LLC

Accepted for Record Only

SUBJECT TO LIKE APPROVAL BY BLM

X 7

NMOCD 7/13/23

Subsequent Report

Sundry ID: 2709227

Type of Submission: Subsequent Report	Type of Action: Workover Operations
Date Sundry Submitted: 01/03/2023	Time Sundry Submitted: 11:52
Date Operation Actually Began: 12/19/2022	

**Actual Procedure:** 12/19/2022 Move All Equipment to Location. AOL & PJSM, H2S Equipment in Place & Functional, Spot Spur Matting Board, MIRU PU, NDWH, NUBOP, RU Floor & Tongs, Crew Took Lunch. PU On Tbg. 1 Pt. Over String Weight Went Back Down And Pulled Up Again & Kept Coming Something Parted, POOH W/ 101 Jts. 2 3/8" J55 IPC Tbg. & Top Half Of Packer, Mandrel Had Parted, Had Holes In Jt. #11 & #14 From Surface, Bunch Of Pins Ate Up, Tally & Move Out Old Tbg., MI New Tbg. & Tally, Secure Well & SDFN, Will Have Fisherman On Location In The Morning. 12/20/2022 AOL & PJSM, H2S Equipment In Place & Functional, Prepare To RIH W/ Spear To Catch Fish, RIH W/ 2 3/8" Spear W/ 1.91" Grapple, 100 Jts. 2 3/8" WF Poly Core Tbg., Tagged Fish @ 3279', Set Grapple, POOH W/ Tbg. Set Back Down Higher So We Know We Have Fish, POOH Tbg., LD Spear & Fish Of Packer Body, Left 1/2 Of Packer Mandrel & 6' x 2 3/8" Tbg. Sub W/ Profile Nipple, PU Bit & Scraper RIH W/ 100 Jts. 2 3/8" WF Poly Core Tbg., Ran Scraper To 3297', Worked Up Down Where Are Going To Be Setting Packer, POOHn W/ Tbg., LD Bit & Scraper, Secure Well & SDFN. 12/21/2022 AOL & PJSM, H2S Equipment In Place & Functional, MIRU Tbg. Testers, PU 4" 1X AS Packer, RIH W/ 2 3/8" WLEG, 2 3/8" x 1.43R SS Landing Nipple, 2 3/8" x 6' Sub NP, 2 3/8" x 4" 1X AS Packer W/ 1.50F Profile Nipple SS, T-2 O/O Tool, 2 3/8" x 1.90" XO, 99 Jts 2 3/8" WF Poly Core Tbg. 2 3/8" x 16' WF Poly Core Tbg. Subs, 1 Jt. 2 3/8" WF Poly Core Tbg., Testing To 3K Below Slips, Pump 30 Bbls Packer Fluid Down Csg. Set Packer W/ 10K Compression, L&T W/ 4 Bbls. Packer Fluid to 500# For 20 Mins., GT, NDBOP, NUWH, RU Chart Recorder On Csg. To 540# For 30 Mins. Gained 20# to 560# Due To Temperature Of Packer Fluid, RDMO PU, Clean Location, Will Run MIT @ 8 AM In The Morning. 12/22/2022 AOL, Waiting On OCD Rep To Make It To Location, MI RU TRM Kill Truck On Csg. W/ Chart Recorder, OCD Rep AOL, Pressure Csg To 535# Start Pressure, Chart For 32 Mins., End Pressure @ 535#, Well Passed, OCD Rep Put It Into The System As Passed, Secure Well & Move Out Kill Truck.

Received by OCD: 1/19/2023 8:12:37 AM

Page 2 of 6

Well Name: FEDERAL 18	Well Location: T19S / R33E / SEC 18 / SENE /	County or Parish/State: LEA / NM
Well Number: 04	Type of Well: INJECTION - ENHANCED RECOVERY	Allottee or Tribe Name:
Lease Number: NMLC064790	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002501671	Well Status: Plugged and Abandoned	Operator: SPUR ENERGY PARTNERS LLC

SR Attachments

Actual Procedure

Federal\_18\_\_4\_BHT\_and\_MIT\_\_12\_22\_22\_20230103115233.pdf

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: SARAH CHAPMAN	Signed on: JAN 03, 2023 11:52 AM
Name: SPUR ENERGY PARTNERS LLC	
Title: Regulatory Directory	
Street Address: 9655 KATY FREEWAY, SUITE 500	
City: Houston	State: TX
Phone: (832) 930-8613	
Email address: SCHAPMAN@SPUREPLLC.COM	

Field

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: Jonathon W Shepard	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Accepted	Disposition Date: 01/18/2023
Signature: Jonathon Shepard	

## Federal 18 #4 SWD – HIT Workover report

12/19/2022

Move All Equipment to Location. AOL & PJSM, H2S Equipment in Place & Functional, Spot Spur Matting Board, MIRU PU, NDWH, NUBOP, RU Floor & Tongs, Crew Took Lunch. PU On Tbg. 1 Pt. Over String Weight Went Back Down And Pulled Up Again & Kept Coming Something Parted, POOH W/ 101 Jts. 2 3/8" J55 IPC Tbg. & Top Half Of Packer, Mandrel Had Parted, Had Holes In Jt. #11 & #14 From Surface, Bunch Of Pins Ate Up, Tally & Move Out Old Tbg., MI New Tbg. & Tally, Secure Well & SDFN, Will Have Fisherman On Location In The Morning.

12/20/2022

AOL & PJSM, H2S Equipment In Place & Functional, Prepare To RIH W/ Spear To Catch Fish, RIH W/ 2 3/8" Spear W/ 1.91" Grapple, 100 Jts. 2 3/8" WF Poly Core Tbg., Tagged Fish @ 3279', Set Grapple, POOH W/ Tbg. Set Back Down Higher So We Know We Have Fish, POOH Tbg., LD Spear & Fish Of Packer Body, Left 1/2 Of Packer Mandrel & 6' x 2 3/8" Tbg. Sub W/ Profile Nipple, PU Bit & Scraper RIH W/ 100 Jts. 2 3/8" WF Poly Core Tbg., Ran Scraper To 3297', Worked Up Down Where Are Going To Be Setting Packer, POOHn W/ Tbg., LD Bit & Scraper, Secure Well & SDFN.

12/21/2022

AOL & PJSM, H2S Equipment In Place & Functional, MIRU Tbg. Testers, PU 4" 1X AS Packer, RIH W/ 2 3/8" WLEG, 2 3/8" x 1.43R SS Landing Nipple, 2 3/8" x 6' Sub NP, 2 3/8" x 4" 1X AS Packer W/ 1.50F Profile Nipple SS, T-2 O/O Tool, 2 3/8" x 1.90" XO, 99 Jts 2 3/8" WF Poly Core Tbg. 2 3/8" x 16' WF Poly Core Tbg. Subs, 1 Jt. 2 3/8" WF Poly Core Tbg., Testing To 3K Below Slips, Pump 30 Bbls Packer Fluid Down Csg. Set Packer W/ 10K Compression, L&T W/ 4 Bbls. Packer Fluid to 500# For 20 Mins., GT, NDBOP, NUWH, RU Chart Recorder On Csg. To 540# For 30 Mins. Gained 20# to 560# Due To Temperature Of Packer Fluid, RDMO PU, Clean Location, Will Run MIT @ 8 AM In The Morning.

12/22/2022

AOL, Waiting On OCD Rep To Make It To Location, MI RU TRM Kill Truck On Csg. W/ Chart Recorder, OCD Rep AOL, Pressure Csg To 535# Start Pressure, Chart For 32 Mins., End Pressure @ 535#, Well Passed, OCD Rep Put It Into The System As Passed, Secure Well & Move Out Kill Truck.



District I  
1625 N French Dr., Hobbs, NM 88240  
Phone: (575) 393-6151 Fax: (575) 393-6729

State of New Mexico  
Energy, Minerals and Natural Resources Department  
Oil Conservation Division Hobbs District Office

BRADENHEAD TEST REPORT

Operator Name <b>SPUR</b>		API Number <b>30-025-01671</b>	
Property Name <b>Fed. 18</b>		Well No. <b>#4</b>	

2. Surface Location

UL - Lot <b>H</b>	Section <b>18</b>	Township <b>19S</b>	Range <b>33E</b>	Feet from <b>1980</b>	N/S Line <b>N</b>	Feet From <b>660</b>	E/W Line <b>E</b>	County <b>LEA</b>
----------------------	----------------------	------------------------	---------------------	--------------------------	----------------------	-------------------------	----------------------	----------------------

Well Status

TA'D WELL YES	NO	SHUT-IN YES	NO	INJ NO	INJECTOR SWD	PRODUCER OIL	GAS	DATE <b>12-22-22</b>
------------------	----	----------------	----	-----------	-----------------	-----------------	-----	-------------------------

OBSERVED DATA

	(A)Surface	(B)Interm(1)	(C)Interm(2)	(D)Prod Csg	(E)Tubing
Pressure	<b>Cemented</b>			<b>0</b>	<b>0</b>
Flow Characteristics					
Puff	Y / N	Y / N	Y / N	Y / N	CO2
Steady Flow	Y / N	Y / N	Y / N	Y / N	WTR <input checked="" type="checkbox"/>
Surges	Y / N	Y / N	Y / N	Y / N	GAS <input type="checkbox"/>
Down to nothing	Y / N	Y / N	Y / N	Y / N	Type of Fluid
Gas or Oil	Y / N	Y / N	Y / N	Y / N	Injected for
Water	Y / N	Y / N	Y / N	Y / N	Waterflood if
					applies

Remarks - Please state for each string (A,B,C,D,E) pertinent information regarding bleed down or continuous build up if applies.

**PWD MIT/BAT**

Signature:		OIL CONSERVATION DIVISION	
Printed name:		Entered into RBDMS	
Title:		Re-test	
E-mail Address:			
Date:	Phone:		
Witness: <i>[Signature]</i>			

INSTRUCTIONS ON BACK OF THIS FORM







**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS

Action 177389

CONDITIONS

Operator: Spur Energy Partners LLC 9655 Katy Freeway Houston, TX 77024	OGRID: 328947
	Action Number: 177389
	Action Type: [C-103] Sub. Workover (C-103R)

CONDITIONS

Created By	Condition	Condition Date
kfortner	None	7/13/2023