

Submit 1 Copy To Appropriate District
Office
District I – (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II – (575) 748-1283
811 S. First St., Artesia, NM 88210
District III – (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV – (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-10132
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator Empire Petroleum Corporation – New Mexico		6. State Oil & Gas Lease No.
3. Address of Operator 2200 S. Utica Place Suite 150, Tulsa, Oklahoma 74114		7. Lease Name or Unit Agreement Name J L Greenwood
4. Well Location Unit Letter <u>I</u> : <u>660</u> feet from the <u>South</u> line and <u>960</u> feet from the <u>East</u> line Section <u>9</u> Township <u>22S</u> Range <u>37E</u> NMPM County <u>Lea</u>		8. Well Number 11
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3416' GL		9. OGRID Number 330679
		10. Pool name or Wildcat Abo

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input checked="" type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	PNR
DOWNHOLE COMMINGLE <input type="checkbox"/>			
CLOSED-LOOP SYSTEM <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

- MIRU.
- Tagged TOC @ 4980'. Circ hole w/ MLF and pressure tested casing – held. Ran CBL.
- Perf & Sqz. 25 sks of class C cement @ 3081'. WOC & tagged @ 2931'.
- Perf & Sqz. 25 sks of class C cement @ 2475'. WOC & tagged @ 2300'.
- Perf & Sqz. 25 sks of class C cement @ 1280'. WOC & tagged @ 1071'.
- Perf & Sqz. 100 sks of class C cement @ 394'. Cement @ surface.
- RDMO.
- Dug around well head and cut. Weld DHM.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Nathan Sandel TITLE Production Engineer DATE 07/13/2023

Type or print name Nathan Sandel E-mail address: nsandel@empirepetrocorp.com PHONE: 918-404-4202

For State Use Only

APPROVED BY: Kerry Fortner TITLE Compliance Officer A DATE 7/13/23

Conditions of Approval (if any):




Current WBD

Company **Empire Petroleum**
Well Name **JL Greenwood 11**

Co. Rep. **Toby Holland**
Rep. **HECTOR ORNELAS**
SO#

County, State **NM**
Date **7/10/2023**

Installation	Depth	Length	Jts.	Description	OD	ID
			0	KBC		
	-			Perforated at 394' - CIRCULATED TO SURFACE. Tagged.		
	-		394'	AT SURFACE 100 sks class C cmt		
	-					
	-					
	-					
	-					
	-		1071'	Perf'd at 1280'. Pressured up could not get injection rate.		
	-			Spot 25 sks at 1330'. Tagged at 1071'.		
	-		1330'			
	-					
	-					
	-					
	-		2300'	Perf'd and sqz 2475'. Pressured up and could not pump into it		
	-			spot 25 sks from 2525' tagged at 2300'		
	-		2525'			
	-					
	-					
	-					
	-		2931'			
	-					
	-			Perf and Squeezed 3081' sqz 25 sks class c cmt, pressured up		
	-		3181'	Could not pump into it, spot cmt from 3181' - 2931'.		
	-					
	-					
	-			Circulated hole w/ MLF. Pressure tested to 500 psi - held.		
	-			CICR AT 4980'. Tagged at 4980'		
	-					
	-					
	-			PERFS 6690' - 6807'		
	-					
	-					
	-					
	-			CIBP SET AT 6910 W/ 35 SKS OF CEMENT		
	-					
	-					
	-			Perfs 7466' - 7492'		
	-					
	-			5-1/2 Casing		
	-			TD 7497'		
	-					
	-					

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

COMMENTS

Action 239564

COMMENTS

Operator: Empire New Mexico LLC 2200 S. Utica Place Tulsa, OK 74114	OGRID: 330679
	Action Number: 239564
	Action Type: [C-103] Sub. Plugging (C-103P)

COMMENTS

Created By	Comment	Comment Date
plmartinez	DATA ENTRY PM.	7/14/2023

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 239564

CONDITIONS

Operator: Empire New Mexico LLC 2200 S. Utica Place Tulsa, OK 74114	OGRID: 330679
	Action Number: 239564
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
kfortner	Need C103Q and Marker photo to release	7/13/2023