Received by QCD i JAppi Julia bling: 20				Form C-103
<u>District I</u> – (575) 393-6161	Energy, Minerals and Natu	ral Resources		Revised August 1, 2011
1625 N. French Dr., Hobbs, NM 88240			WELL API NO.	
District II – (575) 748-1283 811 S. First St., Artesia, NM 88210	OIL CONSERVATION DIVISION		<u>30-025-38576 an</u>	
<u>District III</u> – (505) 334-6178	1220 South St. Francis Dr.		5. Indicate Type of Lease	
1000 Rio Brazos Rd., Aztec, NM 87410	Santa Fe, NM 87505		STATE FEE 6. State Oil & Gas Lease No.	
<u>District IV</u> – (505) 476-3460 1220 S. St. Francis Dr., Santa Fe, NM 87505	Santa FC, INVI 87505		V07530-0001	
SUNDRY NOT (DO NOT USE THIS FORM FOR PROPO DIFFERENT RESERVOIR. USE "APPLI	ICES AND REPORTS ON WELLS DSALS TO DRILL OR TO DEEPEN OR PLU CATION FOR PERMIT" (FORM C-101) FO	UG BACK TO A	7. Lease Name o Linam AGI	r Unit Agreement Name
PROPOSALS.) 1. Type of Well: Oil Well	Gas Well 🛛 Other		8. Wells Number 1 and 2	
2. Name of Operator			9. OGRID Number 36785	
DCP Operating Company, LP 3. Address of Operator			10. Pool name or	r Wildoot
6900 E. Layton Ave, Suite 900, De	enver CO 80237		Wildcat	i whicat
4. Well Location			•	
Unit Letter K; 1980 feet f	rom the South line and 1980 feet fro	m the West line		
Section 30	Township 18S	Range 37E	NMPM	County Lea
	11. Elevation <i>(Show whether DR,</i> 3736 GR	RKB, RT, GR, etc.)	
12. Check Appropriate Box to		port or Other Da	ata	
PERFORM REMEDIAL WORK	PLUG AND ABANDON	REMEDIAL WOR		ALTERING CASING
PULL OR ALTER CASING		CASING/CEMEN		P AND A
DOWNHOLE COMMINGLE		CASING/CEWEN		
OTHER:		OTHER Monthly	Report pursuant to	Workover C-103
13. Describe proposed or compl	eted operations. (Clearly state all perk). SEE RULE 19.15.7.14 NMAC.	ertinent details, and	give pertinent date	s, including estimated date
proposed completion or reco		For Multiple Com	pretions. Attach w	
Report for the Month ending June	30, 2023 Pursuant to Workover C	-103 for Linam A(GI #1 and AGI #2	
This is the 134 th monthly submittal of annulus pressure and bottom hole dat performance of the AGI system, the o quarterly basis for AGI #2.	a for Linam AGI #1. Since the data	for both wells prov	ide the best overall	picture of the
All flow this month continued to be of used exclusively for the rest of the m Injection Rate 153,859 scf/hr, Averag Pressure: 73 psig, Average Pressure I period of 4,509 psig and BH tempera with the generally flat trend with con	onth. Injection parameters being mo ge TAG Injection Pressure: 1,597 psi Differential: 1,523 psig. Bottom hole ture of 132 °F (Figures 8 and 9). Th	onitored for AGI #1 ig, Average TAG T e (BH) sensors prov the BH pressure decr	were as follows (F emperature: 101 °F ided the average Bl eased slightly from	igures 1, 2, 3, 4): Average 7, Average Annulus H pressure for the entire
The recorded injection parameters for this month), Average Injection Pressu Pressure Differential: 966 psig (Figur	are: 1,313 psig, Average TAG Temp	erature: 96°F, Aver	age Annulus Press	ure: 346 psig, Average
The Linam AGI #1 and AGI #2 wells sequester, Class II wastes consisting this month. The two wells provide th hereby certify that the information ab	of H_2S and CO_2 . The Linam AGI Fa he required redundancy to the plant the	acility permanently hat allows for opera	sequestered 4,863 tion with disposal	Metric Tons of CO ₂ for

SIGNATURE	TITLE <u>Co</u>	onsultant to DCP Ope	rating Company, LP/	Geolex, Inc.	DATE 7 <u>/5/2023</u>
Type or print name Alberto A. Gutierre	ez, RG	E-mail address: aag	@geolex.com	PHONE: <u>505</u>	-842-8000

For State Use Only		
APPROVED BY:	TITLE	DATE
Conditions of Approval (if any):		

Figure #1: Linam AGI #1 and #2 Combined TAG Injection Flow Rate




Figure #2: Linam AGI #1 Surface TAG Injection Pressure and Annular Pressure





Figure #3: Linam AGI #1 TAG Injection Pressure, Casing Annulus Pressure and TAG Injection

Pressure (psig)



Temperature (°F)

Figure #4: Linam AGI #1 TAG Injection Pressure and Casing Annular Pressure Differential






Figure #5: Linam AGI #2 Injection Pressure, Rate and Casing Annulus Pressure



Injection Rate (scf/hr)

Figure #6: Linam AGI #2 TAG Injection Pressure, Casing Annulus Pressure and TAG Injection Temperature



Page 7 of 11

FIGURE #7: LINAM AGI #2 TAG INJECTION PRESSURE AND CASING ANNULAR PRESSURE DIFFERENTIAL (PSIG)






Figure #8: Linam AGI #1 Bottom Hole Pressure and Temperature

Temperature (°F)




Pressure (psig)

Figure #9: Linam AGI #1 Surface Injection Pressure and Bottom Hole Pressure



CO2 Sequestered (metric tons)

Figure #10: Linam AGI Facility Daily Metric Tons of Carbon Sequestered



District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3470 Fax: (505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Operator:	OGRID:
DCP OPERATING COMPANY, LP	36785
6900 E. Layton Ave	Action Number:
Denver, CO 80237	237933
	Action Type:
	[C-103] Sub. General Sundry (C-103Z)

CONDITIONS

Created By	Condition	Condition Date
mgebremichael	None	7/14/2023

Page 12 of 12