

Well Name: COLD SNACK FED COM	Well Location: T25S / R25E / SEC 14 / SWNW / 32.1328754 / -104.3737146	County or Parish/State: EDDY / NM
Well Number: 232H	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM28169	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001553323	Well Status: Drilling Well	Operator: TAP ROCK OPERATING LLC

Subsequent Report

Sundry ID: 2729177

Type of Submission: Subsequent Report

Date Sundry Submitted: 05/04/2023

Date Operation Actually Began: 03/05/2023

Type of Action: Drilling Operations

Time Sundry Submitted: 10:24

**Actual Procedure:** Well spud on 3/5/2023 at 13:45 3/5/2023: Drill 17.5 inch surface hole to 328. 3/5/2023: Run 13.375 inch 54.5 lb J55 surface casing to 278 ft. Pump 74 bbl spacer, followed by 471 sks of 14.8 ppg tail cmt. Drop plug and displace with 36 bbls freshwater. 2 bbls of cement returned back to surface with top job. EST TOC at 0 ft. Pressure test casing to 1500 PSI for 30 minutes, good test. 3/11/2023: Test BOPS. Drill 9.875 intermediate hole to 8320 ft. 3/17/2023: Run 7.625 inch 29.7 lb P-110 intermediate casing to 8274 ft. Pump 40 bbls gel spacer, followed by 1075 sks of 11.2 ppg lead cmt, 270 sks of 13.2 ppg tail cmt. Drop plug and displace with 377 bbls of fresh water. 10 bbls cement to surface. EST TOC at 0 ft. Pressure test casing to 1830 for 30 minutes, good test. 4/21/2023: Drill 6.75 inch production hole to 19050 ft. 5/2/2023: Run 5.5 inch 20 lb P-110 production casing to 19033 ft MD. Pump 80 bbls gel spacer, then 905 sks of 14.0 ppg tail cmt. Drop plug and displace with 20 bbls MMCR water and 401 bbls fresh water. 0 bbls cement returned to surface. Est TOC at 6519 ft. Surface Casing Details: Casing ran: 3/5/2023, Fluid Type Fresh Water, Hole 17.5 inch, Csg Size 13.375 inch, Weight 54.5 lbs, Grade J55, Est TOC 0 ft, Depth set 278 ft, Cement 471 sacks, Yield 1.35 tail, Class C. Pressure test: 1500 PSI, Pressure Drop: 0. Intermediate Casing Details: Casing ran: 3/17/2023, Fluid Type diesel brine emulsion, Hole 9.875 inch to 8320, Csg Size 7.625 inch, Weight 29.7 lbs, Grade P-110, Est TOC 0 ft, Depth set 8274 ft, Cement 1345 sks, Yield 2.60 lead/1.35 tail, Class C, Pressure Held 1830 psi, Pres Drop 0. Production Casing details: Casing Date: 5/2/2023, Fluid Type oil based mud, Hole 6.75 inch to 19050 ft, Csg Size, 5.5 inch, Weight 20 lbs, Grade P-110, Depth set 19033 ft, EST TOC 6519 ft, Cement 905 sacks, yield 1.37 tail, Class H. 5/1/2023: TD Reached at 19050 ft MD, 9076 ft TVD. Plug Back Measured depth at 18982 ft MD, 9076 ft TVD. Rig Release on 5/4/2023 at 02:00

Well Name: COLD SNACK FED COM	Well Location: T25S / R25E / SEC 14 / SWNW / 32.1328754 / -104.3737146	County or Parish/State: EDDY / NM
Well Number: 232H	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM28169	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001553323	Well Status: Drilling Well	Operator: TAP ROCK OPERATING LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: JEFFREY TRLICA	Signed on: MAY 04, 2023 10:24 AM
Name: TAP ROCK OPERATING LLC	
Title: Regulatory Analyst	
Street Address: 523 PARK POINT DRIVE SUITE 200	
City: GOLDEN	State: CO
Phone: (720) 772-5910	
Email address: JTRLICA@TAPRK.COM	

Field

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Accepted	Disposition Date: 05/11/2023
Signature: Jonathon Shepard	

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720

**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720

**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170

**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS

Action 216178

CONDITIONS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 216178
	Action Type: [C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
kelly.roberts	Submit CBL for Production Casing. Report pressure test for production casing on next Sundry.	7/19/2023