

Well Name: SEINFELD FED UNIT MH	Well Location: T24S / R35E / SEC 34 / NWNE / 32.1802891 / -103.3529138	County or Parish/State: LEA / NM
Well Number: 224H	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM138890	Unit or CA Name:	Unit or CA Number: NMNM141169X
US Well Number: 3002551159	Well Status: Drilling Well	Operator: TAP ROCK OPERATING LLC

Subsequent Report

Sundry ID: 2731251

Type of Submission: Subsequent Report	Type of Action: Drilling Operations
Date Sundry Submitted: 05/16/2023	Time Sundry Submitted: 01:32
Date Operation Actually Began: 04/04/2023	

**Actual Procedure:** Well spud on 4/4/2023 at 02:45 4/4/2023: Drill 14.75 inch surface hole to 1054 ft. 4/4/2023: Run 10.75 inch 45.5 lb J-55 surface casing to 1034 ft. Pump 20 bbl gel spacer, followed by 490 sks of 13.5 ppg tail cmt. Drop plug and displace with 95 bbls freshwater. 82 bbls of cement returned back to surface with top job. EST TOC at 0 ft. Pressure test casing to 1500 PSI for 30 minutes, good test. 4/13/2023: Test BOPS. Drill 9.875 intermediate hole to 12095 ft. 4/20/2023: Run 7.625 inch 29.7 lb L-80 intermediate casing to 12057 ft. Pump 30 bbls fresh water, followed by 925 sks of 10.5 ppg lead cmt, 325 sks of 14.5 ppg tail cmt. Drop plug and displace with 512 bbls of Enerlight then 20 bbls fresh water. 230 bbls cement to surface. EST TOC at 0 ft. Pressure test casing to 2660 for 30 minutes, good test. 4/22/2023: Drill 6.75 inch production hole to 23510 ft. 5/11/2023: Run 5.5 inch 20 lb P-110 production casing to 23496 ft MD. Pump 80 bbls spacer, then 990 sks of 14.0 ppg tail cmt. Drop plug and displace with 20 bbls sugar water, 425 bbls brine and 10 bbls fresh water. 0 bbls cement returned to surface. Est TOC at 10595 ft. Surface Casing Details: Casing ran: 4/4/2023, Fluid Type Fresh Water, Hole 14.75 inch, Csg Size 10.75 inch, Weight 45.5 lbs, Grade J-55, Est TOC 0 ft, Depth set 1034 ft, Cement 490 sacks, Yield 1.79 tail, Class C. Pressure test: 1500 PSI, Pressure Drop: 0. Intermediate Casing Details: Casing ran: 4/20/2023, Fluid Type diesel brine emulsion, Hole 9.875 inch to 12095, Csg Size 7.625 inch, Weight 29.7 lbs, Grade L-80, Est TOC 0 ft, Depth set 12057 ft, Cement 1250 sks, Yield 4.34 lead/1.23 tail, Class C, Pressure Held 2660 psi, Pres Drop 0. Production Casing details: Casing Date: 5/11/2023, Fluid Type oil based mud, Hole 6.75 inch to 23510 ft, Csg Size, 5.5 inch, Weight 20 lbs, Grade P-110, Depth set 23496 ft, EST TOC 10595 ft, Cement 990 sacks, yield 1.32 tail, Class C. 5/10/2023: TD Reached at 23510 ft MD, 12339 ft TVD. Plug Back Measured depth at 23444 ft MD, 12343 ft TVD. Rig Release on 5/13/2023 at 11:30

Received by OCD: 5/19/2023 9:19:45 AM

Page 2 of 3

Well Name: SEINFELD FED UNIT MH	Well Location: T24S / R35E / SEC 34 / NWNE / 32.1802891 / -103.3529138	County or Parish/State: LEA / NM
Well Number: 224H	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM138890	Unit or CA Name:	Unit or CA Number: NMNM141169X
US Well Number: 3002551159	Well Status: Drilling Well	Operator: TAP ROCK OPERATING LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: JEFFREY TRLICA	Signed on: MAY 16, 2023 01:32 PM
Name: TAP ROCK OPERATING LLC	
Title: Regulatory Analyst	
Street Address: 523 PARK POINT DRIVE SUITE 200	
City: GOLDEN	State: CO
Phone: (720) 772-5910	
Email address: JTRLICA@TAPRK.COM	

Field

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Accepted	Disposition Date: 05/18/2023
Signature: Jonathon Shepard	

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS

Action 218467

CONDITIONS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 218467
	Action Type: [C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
kelly.roberts	Submit CBL for production casing. Report pressure test for production casing on next Sundry.	7/19/2023