Form 3160-5 (June 2019)

UNITED STATES DEPARTMENT OF THE INTERIOR

FORM APPROVEI)
OMB No. 1004-013	7
Expires: October 31, 2	02

5. Lease Serial 1	No
-------------------	----

BUREAU	U OF LAND MANAGEMENT		5. Lease Serial No.	
Do not use this form	TICES AND REPORTS ON War for proposals to drill or to Form 3160-3 (APD) for suc	re-enter an	6. If Indian, Allottee or 1	Tribe Name
SUBMIT IN TRIE	PLICATE - Other instructions on pag	e 2	7. If Unit of CA/Agreem	nent, Name and/or No.
1. Type of Well Oil Well Gas Well	Other		8. Well Name and No.	
2. Name of Operator			9. API Well No.	
3a. Address	3b. Phone No.	(include area code)	10. Field and Pool or Ex	ploratory Area
4. Location of Well (Footage, Sec., T.,R.,M.	, or Survey Description)		11. Country or Parish, S	tate
12. CHECK	THE APPROPRIATE BOX(ES) TO INI	DICATE NATURE OF NOT	 ICE, REPORT OR OTHE	R DATA
TYPE OF SUBMISSION		TYPE OF AC	CTION	
Notice of Intent	Acidize Deep Alter Casing Hydr		duction (Start/Resume)	Water Shut-Off Well Integrity
Subsequent Report			omplete nporarily Abandon	Other
Final Abandonment Notice	Convert to Injection Plug	Back Wat	er Disposal	
completed. Final Abandonment Notices is ready for final inspection.)		s, morating rectangular, na	e seen completed and the	operation has determined that the site
14. I hereby certify that the foregoing is true	and correct. Name (Printed/Typed)	Title		
Signature		Date		
epted for record – NMOCD gc8/8/2023	THE SPACE FOR FED	ERAL OR STATE O	FICE USE	
Approved by		Title	Da	te
Conditions of approval, if any, are attached. certify that the applicant holds legal or equit which would entitle the applicant to conduct	able title to those rights in the subject le	t or	Da	i.
Title 18 U.S.C Section 1001 and Title 43 U.s any false, fictitious or fraudulent statements			llfully to make to any depa	artment or agency of the United States

(Instructions on page 2)

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

Additional Information

Location of Well

 $0. \ SHL: \ SESW \ / \ 890 \ FSL \ / \ 1650 \ FWL \ / \ TWSP: \ 18S \ / \ RANGE: \ 27E \ / \ SECTION: \ 1 \ / \ LAT: \ 0.0 \ / \ LONG: \ 0.0 \ (\ TVD: \ 0 \ feet, \ MD: \ 0 \ feet)$ BHL: $SESW \ / \ 890 \ FSL \ / \ 1650 \ FWL \ / \ TWSP: \ 18S \ / \ SECTION: \ / \ LAT: \ 0.0 \ / \ LONG: \ 0.0 \ (\ TVD: \ 0 \ feet, \ MD: \ 0 \ feet)$



WBD Current

Well Name: AAO FEDERAL #012

API/Surface Loc 3001534998	Surface Legal Loc		Field Name Red Lake NE (BP) State/Provir			Well Purpose Production
Spud Date 8/13/2006 00:00		Original KB Elevation (ft) 3,620.0				
PBTD (All) (ftKB)	Total Depth All (TVD) (ftKB)					


Production, AAO FEDERAL 12 - Ori	ginal Hole, 7/24/2023 4:15:20 PM	Wellbore Sections							
Vertical schem	natic (actual)	Section Description		Size (in)	Act Top (ftk	(B) Act Btm (ftKB) Star	t Date	
		Surface Section Description		12 1/4	13.0 Act Top (ftk	353.0 (B) Act Btm (3/2006 t Date	
		Prod 1		Size (in) 7 7/8	353.0	4,075.0	8/1	8/2006	
		Casing Strings							
		Csg Des	OD (in)	Wt/Len (It		Grade		Set Depth	, ,
		Surface	8 5/8 5 1/2		24.00 J-5			4	350.00
		Prod 1 Cement Stages	5 1/2		17.00 J-	oo		4	,068.00
Manual Ma		Description Description	Sti	ring		Top (ftKB)	Btm (ftKB)	Start Dat	e
			5/		OftKB, 8	13.00	353.00		
		Description		ring rod 1, 4,068. 2	00ftKB, 5		3tm (ftKB) 4,075.00	Start Dat	e
		Tubing Strings							
		Tubing Description Tubing - Rod Pump	Run Date	St	ring Length (fl ,940.00	t)	Set Depth 3,937.0	(ftKB)	
		Itability - Rod Pullip	Jts Make	/Manufacturer	,940.00 Model	OD (in)			Len (ft)
		Tubing	106		&C Non-	2 7/8			3,392
				L	Jpset				.00
		Tubing Sub	1			2 7/8	1	1	2.00
		Tubing	2	L	&C Non- Jpset	2 7/8		J-55	90.00
		Anchor/catcher	1		Baker	5 1/2	1	N-80	3.00
		Tubing	13		&C Non- Jpset	2 7/8			452.0 0
		Seat Nipple	1			2 7/8	7.20	N-80	1.00
		Rod Strings							
***************************************		Rod Description	Run Date 2/25/2010	St 3	ring Length (fl ,933.5	t)	Set Depth 3,936.0	(ftKB)	
		Item Des		ake/Mfg.	Model	OD (in)	Wt (lb/ft)		Len (ft)
		Polished Rod	1 _Gen Manu	eric A facturer	lloy Steel	1 1/4		AS	21.00
		Guided Sucker Rod	14 Norris 9	S	pecial ervice	7/8		N-97	3,725 .00
		Lift Sub		facturer		7/8			12.00
		Lift Sub		facturer		7/8			4.00
	3888	Lift Sub		facturer	PI Grade k	7/8		IV.	1.00
		Sinker Bar On Off Tool		facturer	Pi Giade r	1 1/4		\ \	150.0 0 0.50
		Rod Insert Pump		facturer		2 1/2			20.00
		Other In Hole	1 1-	facturer		2 1/2			20.00
		Description		OD (in)	Top (ff	tKB) Btm (tKB) R	un Date	
		Perforations					Shot		tered Shot
		Date 8/22/2006	Туре	To	3,674	tm (ftKB) Pro 3,856 N	p? (sho	ts/ft)	Total 17
		Plug Back Total Dept	ths		3,074	3,030 1	<u> </u>		17
		Date Date	Туре			Depth	(ftKB)	Depth (T	VD) (ftKB)
		Comments							
		Comment EUNICE (MILLS)							
- Constants	attendendens.	Comment 43789-1							
www.apachecorp.com		Page 1/2				Ren	ort Print	ted: 7/	24/2023
Palansad to Imaging · 8/8/202	1 (00 05 DM	•							



WBD Current

Well Name: AAO FEDERAL #012

API/Surface Loc 3001534998						Well Purpose Production
Spud Date 8/13/2006 00:00		Original KB Elevation (ft) 3,620.0	Ground Elevation (ft) 3,607.0		KB-Ground Dista 13.0	nce (ft)
PBTD (All) (ftKB)			Total Depth All (TVD) (ftKB)			





WBD Proposed - TA

Well Name: AAO FEDERAL #012

API/Surface Loc 3001534998	Surface Legal Location									Well Purpose Production
Spud Date 8/13/2006 00:00		Original KB Elevation (ft) 3,620.0			KB-Ground Distar	nce (ft)				
PBTD (All) (ftKB)			Total Depth All (TVD) (ftKB)							

	Production, AAO FEDERAL 12 - Original Hole, 7/25/202 9:24:56 AM	Surface	ction Des			Size (in) 12 1		Top (ftKB) 13.0	Act Btm (ftKB)	Start Date 8/13/2006	;
ИD		Prod 1				77		353.0		8/18/2006	
tK	Vertical schematic (proposed)	Casing Strings					, •	000.0	1,010.0	07.1072000	
B)	,	Csg Des		OD (in)	Т	Wt/Len	(lb/ft)	\top	Grade	Set Depth (fth	KB)
		Surface			8 5/8		24.0	0 J-55		35	50.
96.9		Prod 1			5 1/2		17.0	0 J-55		4,06	68.
	Casing Joints;	Cement Stages									
13.1	Γ 5/8; 24.00; J-55	Des Des		Surfac		oftKB, 8	5/8	Top (ftKB 13.0			.e
	/ 13.00-350.00					00ftKB, 5		13.0		I	
42.1	/_ Cement; 13.00- 353.00					00ftKB, 5		3,589.0			_
71.0	333.00	Tubing Strings							•	•	
		Tubing Description		Run Date			String Lei	ngth (ft)	Set I	Depth (ftKB)	
10.5				1 14	I s.4 . 1 /s.4			te de la	L op (%) L w	(II. (B) C 1. I	
		Item Des		Jts	Make/Ma	anufacturer	IV	lodel	OD (in) Wt	(lb/ft) Grade L	Len
50.1		Dad Otning					<u> </u>				
51.5		Rod Strings Rod Description	Ti-	Run Date			String Lei	nath (ft)	Set I	Depth (ftKB)	
853.0		Item Des		Jts	Mak	e/Mfg.	M	odel	OD (in) Wt	(lb/ft) Grade L	Len
		Other In Hole									
40.0		Des	Ico	n	OD) (in)	Тор	(ftKB)	Btm (ftKB)	Run Da	ate
26.9		CIBP	H			89		524	3,628	7/25/20	
		Perforations				·					
22.5		Date		Turn			Top (ftKB) Ptm /ft	tKB) Prop?	Shot Dens Ent (shots/ft) Sho	ntere
		8/22/2006		Тур	-		3,67		856 No	(\$11015/11) 3110	טו זכ
118.1 -	Cooling Jointon	Plug Back Total	I Depth:	S			•				
534.6	Casing Joints;					Time			Depth (ft	Depth (T KB) (ftKB	TVD
	/ 13.00-4,068.00	Buto				Туре			Deptii (it	KB) (IIKB	>)
951.1	/_ Cement; 13.00-	Schematic Anno	otations	3							
	4,075.00	Start Date	Depth (ft	KB)				Annota	tion		
726.0											
501.0											
544.9											
	Cement; 3,589.	00									
588.9	-3,624.00										
606.5											
	M										
624.0											
	CIBP; 3,624.00	1									
626.0	3,628.00; 4.89										
628.0											
	9000 100000 100000										
847.9	700 1 100 1										
067.9											
071.5											
,075.1											
,177.1 -											
	apachecorp.com	Page 1	/1						Report F	Printed: 7/25/	/20

Apache

WBD Proposed - TA

Well Name: AAO FEDERAL #012

API/Surface Loc 3001534998	Surface Legal Location									Well Purpose Production
Spud Date 8/13/2006 00:00		Original KB Elevation (ft) 3,620.0			KB-Ground Distar	nce (ft)				
PBTD (All) (ftKB)			Total Depth All (TVD) (ftKB)							

Pr		AL 12 - Original Hole, 7/25/2023 24:56 AM		ction Des			Size (in)			Act Btm (f		Start Date	te
			Surface			\perp	12 1/		13.0			3/2006	
MD			Prod 1				7 7/	/8	353.0	4,07	5.0 8/1	18/2006	
ftK	Vertical s	chematic (proposed)	Casing Strings										
B)			Csg Des	(OD (in)		Wt/Len			Grade		Set Depth (fi	
			Surface			8 5/8		24.00	J-55			3	350.0
-96.9			Prod 1			5 1/2		17.00	J-55			4,0	068.0
			Cement Stages										
13.1	rvatovantnisooniiniiniiniiniiniiniiniiniiniiniiniini	Casing Joints; 8	D.:			Strin	ng		Top (ftKB)	Btm (ftKB)	Start Da	ate
13.1		_ 5/8; 24.00; J-55;		S	Surface	e, 350.00	OftKB, 8	5/8	13.00	35	3.00		
142.1		/ 13.00-350.00		F	Prod 1,	4,068.0	00ftKB, 5	1/2	13.00	4,07	5.00		
142.1		/ Cement; 13.00-		F	rod 1,	4,068.0	00ftKB, 5	1/2 :	3,589.00	3,62	4.00		
		353.00	T. 1.1 Ot 1										
271.0			Tubing Strings	In.	D-4-		l c	National Lauren	41- / 5 4\		C-4 D4	(AICD)	
			Tubing Description	Ru	ın Date		5	String Leng	th (ft)		Set Depth	i (πKΒ)	
310.5			Item Des		Jts	Make/Mar	nufacturer	Mo	del	OD (in)	Wt (lb/ft) Grade	Len (
			Rolli Bee		0.0	Wate/Wai	nunuotur cr	1410	301	OD (III)	VVC (IB/IC) Crade	LOII (
350.1													
			Rod Strings										
351.5			Rod Description	Ru	ın Date		S	String Leng	th (ft)		Set Depth	(ftKB)	
			F		14.		/NAfa		lol I	OD (')	VV/+ (III 16)	\	1
353.0		550 Carrier (1997)	Item Des		Jts	Make/	riviig.	Mod	iei	OD (in)	Wt (lb/ft) Grade	Len (
			04										
440.0	······································		Other In Hole				<i>(</i> ,)		(B)		01(D)		
			Des	Icon		OD (Top (ft		Btm (,	Run Da	
526.9	······································					4.8	9	3,62	:4	3,6	28	7/25/20	:023
			Perforations										
822.5	······································	***	Date		T		١,	F== (ALCD)	Dáma (fill)	(D) D==			ntered
		₩	8/22/2006		Туре	,	'	3,674	Btm (ftK			3110	ot Tot
1,118.1	······	- XXX	Plug Back Total	Dontho				5,074	1 3,0	30 140			
		Casing Joints; 5	Flug Back Total	Deptilis								Depth ((T\/D)
1,534.6	······································		Date				Туре			Dep	th (ftKB)	(ftKI	
		/ 13.00-4,068.00											
1,951.1	······································	Cement; 13.00-	Schematic Anno	otations									
		4,075.00	Start Date	Depth (ftKE	3)				Annotatio	on			
2,726.0													
3,501.0													
3,544.9													
		0 10 700											
3,588.9		Cement; 3,589.00											
		-3,624.00											
3,606.5	······································	&											
3,624.0	·····												
3,626.0		CIBP; 3,624.00-											
		3,628.00; 4.89											
3,628.0		_											
	XXX	1200											
3,847.9	XXX												
4,067.9													
4,071.5													
1													
4,075.1													
+,075.1													
4,177.1													
			11										
			II.										

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 248856

CONDITIONS

Operator:	OGRID:
APACHE CORPORATION	873
303 Veterans Airpark Ln	Action Number:
Midland, TX 79705	248856
	Action Type:
	[C-103] NOI Temporary Abandonment (C-103I)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	8/8/2023