Form 3160-5 (June 2019)

# **UNITED STATES** DEPARTMENT OF THE INTERIOR

FORM APPROVED
OMB No. 1004-0137
Expires: October 31, 202

BUREAU OF LAND MANAGEMENT	
DRY NOTICES AND REPORTS ON WELLS	

BUREAU OF LAND MANAGEMENT			5. Lease Serial No.	NMNM014155	
Do not use this t	IOTICES AND REPORTS ON Vitor for proposals to drill or the Use Form 3160-3 (APD) for su	o re-enter an	6. If Indian, Allottee	or Tribe Name	
	TRIPLICATE - Other instructions on pa	ge 2	7. If Unit of CA/Agr	reement, Name and/or No.	
1. Type of Well  Oil Well  Gas W	Vell Other		8. Well Name and No	o. MARGARITA FEDERAL COM 13/2H	
2. Name of Operator ADVANCE ENERGY PARTNERS HAT MESA LLC			9. API Well No.	3002547196	
3a. Address 3b. Phone No. (include area code)					
C/O AMEREDEV OPERATING LLC 2901 VIA FORTUNA, STE. 600 AUSTIN, TX 78746  4. Location of Well (Footage, Sec., T,R,M., or Survey Description)  (346) 444-9739			, ,	Purple Sage/2ND BONE SPRING  11. Country or Parish, State	
SEC 13/T21S/R32E/NMP		LEA/NM			
12. CHE	CK THE APPROPRIATE BOX(ES) TO IN	NDICATE NATURI	E OF NOTICE, REPORT OR OT	THER DATA	
TYPE OF SUBMISSION		TY	PE OF ACTION		
Notice of Intent		pen Iraulic Fracturing	Production (Start/Resume) Reclamation	) Water Shut-Off Well Integrity	
Subsequent Report		v Construction	Recomplete	✓ Other	
Subsequent Report	Change Plans Plu	g and Abandon	Temporarily Abandon		
Final Abandonment Notice	Convert to Injection Plusteration: Clearly state all pertinent details,	g Back	Water Disposal		
completion of the involved operation completed. Final Abandonment Notis ready for final inspection.)  **SUNDRY CORRECTION**  Spud Date: 4/19/2022  Casing Ran: 20" 94# J-55 BTC  Surface Cement: Job Start 04/2 cement (100% Class C + 4% G (1150sx with yield of 1.8 cf/sx) V1A). Pump 85 bbls of 14.8 PP with 595 bbls of fresh water. Bu 14.8PPG Class C neat cement.  Casing Test: 1530 Psi (Good)		epth: 1,729' s of FW spacer at 0.005GPS NoFoastart Tail Cement of Start Tail Cement of Start 5 BPM. Scheck floats 5 bbls	sletion in a new interval, a Form nation, have been completed and 5 BPM. 8:37PM end spacer pm V1A). Pump 368 bbls of 13 (100% Class C + 1% CaCl2 + :36 PM End Tail. Dropped pluback. Run 85' of 1" pipe. Tog	3160-4 must be filed once testing has beel the operator has detennined that the site pump. 8:37 PM Start lead 8.5 PPG lead cement 0.005GPS NoFoam ug at 9:36PM. Displace	
4. I hereby certify that the foregoing is true and correct. Name (Printed/Typed)  CHRISTIE HANNA / Ph: (737) 300-4723  Senior Engineeric		gineering Technician			
Signature Christie Hann	а	Date 05/17/202	22		
	THE SPACE FOR FED	ERAL OR ST	ATE OFICE USE		
Approved by					
Jonathon W Shepard / Ph: (575) 2		Title	bleum Engineer	06/03/2022 Date	
	hed. Approval of this notice does not warra equitable title to those rights in the subject iduct operations thereon.		RLSBAD		
Fitle 18 U.S.C. Section 1001 and Title 4	3 U.S.C Section 1212, make it a crime for	any person knowing	ly and willfully to make to any o	department or agency of the United States	

any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

#### **GENERAL INSTRUCTIONS**

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

#### SPECIFIC INSTRUCTIONS

*Item 4* - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

#### **NOTICES**

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

**BURDEN HOURS STATEMENT:** Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

(Form 3160-5, page 2)

### **Additional Information**

### **Additional Remarks**

### **Location of Well**

0. SHL: NWNW / 1046 FNL / 675 FWL / TWSP: 21S / RANGE: 32E / SECTION: 13 / LAT: 32.483292 / LONG: -103.634753 ( TVD: 0 feet, MD: 0 feet ) PPP: NWSW / 2640 FSL / 990 FWL / TWSP: 21S / RANGE: 32E / SECTION: 24 / LAT: 32.46446 / LONG: -103.633763 ( TVD: 11715 feet, MD: 18629 feet ) PPP: NWNW / 0 FNL / 990 FWL / TWSP: 21S / RANGE: 32E / SECTION: 24 / LAT: 32.471671 / LONG: -103.633758 ( TVD: 11715 feet, MD: 15990 feet ) PPP: SWSW / 1320 FSL / 990 FWL / TWSP: 21S / RANGE: 32E / SECTION: 13 / LAT: 32.475319 / LONG: -103.633729 ( TVD: 11715 feet, MD: 14663 feet ) PPP: NWNW / 954 FNL / 990 FWL / TWSP: 21S / RANGE: 32E / SECTION: 13 / LAT: 32.4835435 / LONG: -103.6337343 ( TVD: 11544 feet, MD: 11638 feet ) BHL: SWNW / 2540 FNL / 990 FWL / TWSP: 21S / RANGE: 32E / SECTION: 25 / LAT: 32.450133 / LONG: -103.633751 ( TVD: 11715 feet, MD: 23833 feet )



U.S. Department of the Interior BUREAU OF LAND MANAGEMENT Sundry Print Rego

Well Name: MARGARITA FEDERAL

**COM 13** 

Well Location: T21S / R32E / SEC 13 /

NWNW / 32.483292 / -103.634753

County or Parish/State: LEA /

Well Number: 2H Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMNM14155 **Unit or CA Name: Unit or CA Number:** 

**US Well Number: 300254719600X1** Well Status: Drilling Well **Operator: ADVANCE ENERGY** 

PARTNERS HAT MESA LLC

## **Subsequent Report**

Sundry ID: 2672060

Type of Action: Drilling Operations Type of Submission: Subsequent Report

Date Sundry Submitted: 05/17/2022 Time Sundry Submitted: 07:54

**Date Operation Actually Began:** 05/28/2022

Actual Procedure: \*\*SUNDRY CORRECTION\*\*

Spud Date: 4/19/2022

Casing Ran: 20" 94# J-55 BTC Set @ 1,719' Hole Size: 24" Hole Depth: 1,729'

Surface Cement: Job Start 04/28/2022 8:00PM. 8:24PM Pump 40 bbls of FW spacer at 5 BPM. 8:37 PM end spacer pump. 8:37 PM Start lead cement (100% Class C + 4% Gel + 5% Salt + 0.25PPS Pol-E-Flake + 0.005 GPS NoFoam V1A). Pump 368 bbls of 13.5 PPG lead cement (1150 sx with yield of 1.8 cf/sx) at 7 BPM. 9:21 PM End lead. 9:22PM Start Tail Cement (100% Class C + 1% CaCl2 + 0.005 GPS NoFoam V1A). Pump 85 bbls of 14.8 PPG tail cement (360 sx with yield of 1.34 cf/sx) at 5 BPM. 9:36 PM End Tail. Dropped plug at 9:36 PM. Displace with 595 bbls of fresh water. Bumped plug at 11:40 PM with 1300 psi, check floats 5 bbls back. Run 85' of 1" pipe. Top off with 40 bbls of 14.8 PPG Class C neat cement. 7 bbls back to surface. Job Complete 04/29/2022 8:00AM.

Casing Test: 1530 Psi (Good)

Rig Release Date: 4/29/2022

eived by OCD: 6/3/2022 10:01:16 AM Well Name: MARGARITA FEDERAL

**COM 13** 

Well Location: T21S / R32E / SEC 13 / NWNW / 32.483292 / -103.634753

County or Parish/State: LEA?

NM

Well Number: 2H

Type of Well: OIL WELL

**Allottee or Tribe Name:** 

Lease Number: NMNM14155

**Unit or CA Name:** 

**Unit or CA Number:** 

**US Well Number: 300254719600X1** 

Well Status: Drilling Well

**Operator: ADVANCE ENERGY** PARTNERS HAT MESA LLC

## **Operator**

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Signed on: MAY 17, 2022 07:54 AM **Operator Electronic Signature: CHRISTIE HANNA** 

Name: ADVANCE ENERGY PARTNERS HAT MESA LLC

Title: Senior Engineering Technician

Street Address: 2901 VIA FORTUNA, SUITE 600

City: AUSTIN State: TX

Phone: (737) 300-4723

Email address: CHANNA@AMEREDEV.COM

### **Field**

Representative Name: Shane McNeely

Street Address: 2901 VIA FORTUNA STE. 600

City: AUSTIN State: TX **Zip:** 78746

Phone: (737)300-4729

Email address: smcneely@ameredev.com

### **BLM Point of Contact**

Signature: Jonathon Shepard

**BLM POC Name:** Jonathon W Shepard **BLM POC Title:** Petroleum Engineer

**BLM POC Phone:** 5752345972 BLM POC Email Address: jshepard@blm.gov

**Disposition:** Accepted Disposition Date: 06/02/2022

Page 2 of 2

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

CONDITIONS

Action 113444

### **CONDITIONS**

Operator:	OGRID:
ADVANCE ENERGY PARTNERS HAT MESA, LLC	372417
5400 LBJ Freeway, Suite 1500	Action Number:
Dallas, TX 75240	113444
	Action Type:
	[C-103] Sub. Drilling (C-103N)

#### CONDITIONS

Created By	Condition	Condition Date
nmurphy	None	8/8/2023