

Submit 1 Copy To Appropriate District
Office
District I – (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II – (575) 748-1283
811 S. First St., Artesia, NM 88210
District III – (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV – (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) 1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		WELL API NO. 30-025-47839
2. Name of Operator Kaiser-Francis Oil Company		5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input type="checkbox"/> FED <input type="checkbox"/>
3. Address of Operator P.O. Box 21468, Tulsa, OK 74121		6. State Oil & Gas Lease No.
4. Well Location Unit Letter <u>I</u> : <u>2180</u> feet from the <u>South</u> line and <u>1255</u> feet from the <u>East</u> line Section <u>1</u> Township <u>23S</u> Range <u>33E</u> NMPM County <u>Lea</u>		7. Lease Name or Unit Agreement Name Bell Lake Unit North
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3,506.2' GR		8. Well Number 223H
10. Pool name or Wildcat Ojo Chiso; Bone Spring, Southwest		9. OGRID Number 12361

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
 TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
 PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
 DOWNHOLE COMMINGLE ☐
 CLOSED-LOOP SYSTEM ☐
 OTHER: UPDATE DEDICATED ACREAGE ☒ OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
 COMMENCE DRILLING OPNS. ☐ P AND A ☐
 CASING/CEMENT JOB ☐
 OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Kaiser-Francis Oil Company requests to update the dedicated acreage for the Bell Lake Unit North 223H to 479.95 acres. An amended C-102 is attached.

Spud Date: 12/14/2020

Rig Release Date: 12/24/2020

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE *Christina Opfer*
 Type or print name Christina Opfer

TITLE Regulatory Manager
 E-mail address ChristinaO@kfoc.net

DATE 7/13/2023
 PHONE 918-491-4468

For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____

Conditions of Approval (if any):

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☒ AMENDED REPORT
AS-DRILLED

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-025-47839	² Pool Code 98259	³ Pool Name Ojo Chiso; Bone Spring, Southwest
⁴ Property Code 316707	⁵ Property Name BELL LAKE UNIT NORTH	⁶ Well Number 223H
⁷ OGRID No. 12361	⁸ Operator Name KAISER-FRANCIS OIL CO.	⁹ Elevation 3506.2

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
I	1	23 S	33 E		2180	SOUTH	1255	EAST	LEA

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
B	36	22 S	33 E		95	NORTH	1363	EAST	LEA

¹² Dedicated Acres 479.95	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No. R-14527-A
---	-------------------------------	----------------------------------	--------------------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

<p>NW CORNER SEC. 36 LAT. = 32.3553281°N LONG. = 103.5341635°W NMSP EAST (FT) N = 493904.97 E = 746781.72</p> <p>W/4 CORNER SEC. 36 LAT. = 32.3480672°N LONG. = 103.5341271°W NMSP EAST (FT) N = 491263.61 E = 746812.68</p> <p>NW CORNER SEC. 1 LAT. = 32.3408137°N LONG. = 103.5341220°W NMSP EAST (FT) N = 488624.85 E = 746833.93</p> <p>W/4 CORNER SEC. 1 LAT. = 32.3335567°N LONG. = 103.5341539°W NMSP EAST (FT) N = 485984.76 E = 746843.78</p> <p>SW CORNER SEC. 1 LAT. = 32.3263087°N LONG. = 103.5341442°W NMSP EAST (FT) N = 483348.00 E = 746866.46</p>		<p>N89°42'02"E 2649.25 FT N/4 CORNER SEC. 36 LAT. = 32.3553115°N LONG. = 103.5255865°W NMSP EAST (FT) N = 493918.80 E = 749430.39</p> <p>AS-DRILLED BOTTOM OF HOLE LAT. = 32.3550404°N LONG. = 103.5214481°W NMSP EAST (FT) N = 493829.83 E = 750709.12</p> <p>NOTE: LATITUDE AND LONGITUDE COORDINATES ARE SHOWN USING THE NORTH AMERICAN DATUM OF 1927 (NAD27). LISTED NEW MEXICO STATE PLANE EAST COORDINATES ARE GRID (NAD27). BASIS OF BEARING AND DISTANCES USED ARE NEW MEXICO STATE PLANE EAST (NAD83) COORDINATES MODIFIED TO THE SURFACE. ELEVATION VALUES ARE NAVD 88.</p> <p>N89°43'01"E 2641.32 FT N/4 CORNER SEC. 1 LAT. = 32.3407951°N LONG. = 103.5255721°W NMSP EAST (FT) N = 488637.90 E = 749474.69</p> <p>BELL LAKE UNIT NORTH 223H ELEV. = 3506.2' LAT. = 32.3322671°N (NAD27) LONG. = 103.5210861°W NMSP EAST (FT) N = 485545.95 E = 750883.75</p> <p>AS-DRILLED FIRST TAKE POINT 2523' FNL, 1296' FEL LAT. = 32.3338508°N LONG. = 103.5212200°W NMSP EAST (FT) N = 483360.27 E = 749509.65</p>		<p>N89°43'36"E 2640.45 FT BHL LTP 95'</p> <p>NE CORNER SEC. 36 LAT. = 32.3552910°N LONG. = 103.5170380°W NMSP EAST (FT) N = 493931.39 E = 752070.28</p> <p>E/4 CORNER SEC. 36 LAT. = 32.3480358°N LONG. = 103.5170241°W NMSP EAST (FT) N = 491292.03 E = 752094.69</p> <p>NE CORNER SEC. 1 LAT. = 32.3407766°N LONG. = 103.5170205°W NMSP EAST (FT) N = 488651.18 E = 752115.95</p> <p>E/4 CORNER SEC. 1 LAT. = 32.3335215°N LONG. = 103.5170243°W NMSP EAST (FT) N = 486011.84 E = 752134.87</p> <p>SE CORNER SEC. 1 LAT. = 32.3262658°N LONG. = 103.5170268°W NMSP EAST (FT) N = 483372.28 E = 752154.23</p>	
<p>AS-DRILLED 2095' FSL, 1148' FEL LAT. = 32.3320316°N LONG. = 103.5207398°W</p> <p>FTP SHL KOP 1255'</p>		<p>¹⁷ OPERATOR CERTIFICATION</p> <p>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.</p> <p>Christina Opfer 7/13/2023 Signature Date</p> <p>Christina Opfer Printed Name</p> <p>ChristinaO@kfoc.net E-mail Address</p>			
<p>¹⁸ SURVEYOR CERTIFICATION</p> <p>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.</p> <p>JULY 2, 2021 Date of Survey</p> <p>Signature and Seal of Professional Surveyor Certificate Number: FILMONT, JARILIMON E., PLS 12797 SURVEY NO. 7058B</p>					

Intent ☐ As Drilled ☒

API # 30-025-47839		
Operator Name: KAISER-FRANCIS OIL CO.	Property Name: BELL LAKE UNIT NORTH	Well Number 223H

Kick Off Point (KOP)

UL I	Section 1	Township 23S	Range 33E	Lot	Feet 2095	From N/S SOUTH	Feet 1148	From E/W EAST	County LEA
Latitude 32.3320316					Longitude 103.5207398			NAD 27	

First Take Point (FTP)

UL H	Section 1	Township 23S	Range 33E	Lot	Feet 2523	From N/S NORTH	Feet 1296	From E/W EAST	County LEA
Latitude 32.3338508					Longitude 103.5212200			NAD 27	

Last Take Point (LTP)

UL B	Section 36	Township 22S	Range 33E	Lot	Feet 283	From N/S NORTH	Feet 1354	From E/W EAST	County LEA
Latitude 32.3545231					Longitude 103.5214199			NAD 27	

Is this well the defining well for the Horizontal Spacing Unit? ☐Is this well an infill well? ☒

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API # 30-025-47773		
Operator Name: Kaiser-Francis Oil Company	Property Name: Bell Lake Unit North	Well Number 222H

KZ 06/29/2018

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office
☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-025-47839	² Pool Code 98259	³ Pool Name Ojo Chiso Bone Spring Southwest
⁴ Property Code 316707	⁵ Property Name BELL LAKE UNIT NORTH	⁶ Well Number 223H
⁷ OGRID No. 12361	⁸ Operator Name KAISER-FRANCIS OIL CO.	⁹ Elevation 3506.2

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
I	1	23 S	33 E		2180	SOUTH	1255	EAST	LEA

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
B	36	22 S	33 E		95	NORTH	1363	EAST	LEA
¹² Dedicated Acres	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No. R-14527						

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

<p>NW CORNER SEC. 36 LAT. = 32.3554518°N LONG. = 103.5346457°W NMSP EAST (FT) N = 493965.14 E = 787964.68</p> <p>W/4 CORNER SEC. 36 LAT. = 32.3481909°N LONG. = 103.5346090°W NMSP EAST (FT) N = 491323.69 E = 787995.70</p> <p>NW CORNER SEC. 1 LAT. = 32.3409374°N LONG. = 103.5346038°W NMSP EAST (FT) N = 488684.86 E = 788017.01</p> <p>W/4 CORNER SEC. 1 LAT. = 32.3336804°N LONG. = 103.5346354°W NMSP EAST (FT) N = 486044.69 E = 788026.92</p> <p>SW CORNER SEC. 1 LAT. = 32.3264324°N LONG. = 103.5346254°W NMSP EAST (FT) N = 483407.85 E = 788049.66</p>		<p>N89°42'02"E 2649.25 FT N89°43'36"E 2640.45 FT</p> <p>N/4 CORNER SEC. 36 LAT. = 32.3554352°N LONG. = 103.5260684°W NMSP EAST (FT) N = 493978.97 E = 790613.37</p> <p>AS-DRILLED BOTTOM OF HOLE LAT. = 32.3551641°N LONG. = 103.5219299°W NMSP EAST (FT) N = 493890.01 E = 791892.09</p> <p>NOTE: LATITUDE AND LONGITUDE COORDINATES ARE SHOWN USING THE NORTH AMERICAN DATUM OF 1983 (NAD83). LISTED NEW MEXICO STATE PLANE EAST COORDINATES ARE GRID (NAD83). BASIS OF BEARING AND DISTANCES USED ARE NEW MEXICO STATE PLANE EAST COORDINATES MODIFIED TO THE SURFACE. VERTICAL DATUM NAVD83.</p> <p>N89°43'01"E 2641.32 FT N89°42'43"E 2641.83 FT</p> <p>N/4 CORNER SEC. 1 LAT. = 32.3409188°N LONG. = 103.5260536°W NMSP EAST (FT) N = 488697.91 E = 790657.78</p> <p>BELL LAKE UNIT NORTH 223H ELEV. = 3506.2' LAT. = 32.3325909°N (NAD83) LONG. = 103.5215672°W NMSP EAST (FT) N = 485605.89 E = 792066.90</p> <p>AS-DRILLED FIRST TAKE POINT 2523' FNL, 1296' FEL LAT. = 32.3339746°N LONG. = 103.5217011°W NMSP EAST (FT) N = 483420.12 E = 790692.86</p> <p>S/4 CORNER SEC. 1 LAT. = 32.3264117°N LONG. = 103.5260688°W NMSP EAST (FT) N = 483420.12 E = 790692.86</p>		<p>NE CORNER SEC. 36 LAT. = 32.3554148°N LONG. = 103.5175197°W NMSP EAST (FT) N = 493991.56 E = 793253.27</p> <p>E/4 CORNER SEC. 36 LAT. = 32.3481596°N LONG. = 103.5175056°W NMSP EAST (FT) N = 491352.12 E = 793277.73</p> <p>NE CORNER SEC. 1 LAT. = 32.3409003°N LONG. = 103.5175017°W NMSP EAST (FT) N = 488711.19 E = 793299.05</p> <p>E/4 CORNER SEC. 1 LAT. = 32.3336453°N LONG. = 103.5175054°W NMSP EAST (FT) N = 486071.77 E = 793318.03</p> <p>SE CORNER SEC. 1 LAT. = 32.3263896°N LONG. = 103.5175076°W NMSP EAST (FT) N = 483432.13 E = 793337.44</p>	
<p>17 OPERATOR CERTIFICATION</p> <p>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.</p> <p>Eric Hansen 10/13/21</p> <p>Signature Date</p> <p>Eric Hansen</p> <p>Printed Name</p> <p>EricH@kfoc.net</p> <p>E-mail Address</p>		<p>18 SURVEYOR CERTIFICATION</p> <p>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.</p> <p>JULY 2, 2021</p> <p>Date of Survey</p> <p>Signature and Seal of Professional Surveyor</p> <p>Certificate Number: FILMONT, JARILIMON F., PLS 12797</p> <p>SURVEY NO. 7058B</p>			

Intent ☐ As Drilled ☒

API # 30-025-47839		
Operator Name: KAISER-FRANCIS OIL CO.	Property Name: BELL LAKE UNIT NORTH	Well Number 223H

Kick Off Point (KOP)

UL I	Section 1	Township 23S	Range 33E	Lot	Feet 2095	From N/S SOUTH	Feet 1148	From E/W EAST	County LEA
Latitude 32.3321554					Longitude 103.5212209			NAD 83	

First Take Point (FTP)

UL H	Section 1	Township 23S	Range 33E	Lot	Feet 2523	From N/S NORTH	Feet 1296	From E/W EAST	County LEA
Latitude 32.3339746					Longitude 103.5217011			NAD 83	

Last Take Point (LTP)

UL B	Section 36	Township 22S	Range 33E	Lot	Feet 283	From N/S NORTH	Feet 1354	From E/W EAST	County LEA
Latitude 32.3546468					Longitude 103.5219017			NAD 83	

Is this well the defining well for the Horizontal Spacing Unit? ☐Is this well an infill well? ☒

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API # 30-025-47773		
Operator Name: Kaiser-Francis Oil Company	Property Name: Bell Lake Unit North	Well Number 222H

KZ 06/29/2018

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 239605

CONDITIONS

Operator: KAISER-FRANCIS OIL CO PO Box 21468 Tulsa, OK 74121146	OGRID: 12361
	Action Number: 239605
	Action Type: [C-103] NOI Change of Plans (C-103A)

CONDITIONS

Created By	Condition	Condition Date
pkautz	None	8/11/2023