Form 3160-5 (June 2019)

# UNITED STATES DEPARTMENT OF THE INTERIOR

FORM APPROVED
OMB No. 1004-0137
Expires: October 31, 202

BUREAU OF LAND MANAGEMENT			5. Lease Serial No.	5. Lease Serial No. NMNM138898	
Do not use this t	IOTICES AND REPORTS ON W form for proposals to drill or t Use Form 3160-3 (APD) for su	o re-enter an	6. If Indian, Allottee	or Tribe Name	
SUBMIT IN T	TRIPLICATE - Other instructions on pag	ge 2	7. If Unit of CA/Agr	reement, Name and/or No.	
1. Type of Well			0. W. H.Y		
Oil Well Gas Well Other			8. Well Name and N	0. TRINITY FEDERAL/703H	
2. Name of Operator FRANKLIN MOUNTAIN ENERGY LLC			9. API Well No. 300	2548581	
3a. Address 2401 E 2nd Avenue, Suite 300, Denver, CO 8020 3b. Phone No. (include area code) (720) 414-7868			10. Field and Pool o		
			UPR WOLFCAM	P [98228]/WC-025 G-09 S253536D; U	
4. Location of Well (Footage, Sec., T.,R.,M., or Survey Description) SEC 24/T25S/R35E/NMP			11. Country or Paris	h, State	
12. CHE	CK THE APPROPRIATE BOX(ES) TO IN	DICATE NATURE O	F NOTICE, REPORT OR O	THER DATA	
TYPE OF SUBMISSION		ТҮРЕ	OF ACTION		
Notice of Intent	Acidize Dee	pen	Production (Start/Resume	) Water Shut-Off	
Notice of linear	Alter Casing Hyd	raulic Fracturing	Reclamation	Well Integrity	
Subsequent Report	Casing Repair New	V Construction	Recomplete	<b>V</b> Other	
		g and Abandon	Temporarily Abandon		
Final Abandonment Notice	Convert to Injection Plug	g Back	Water Disposal		
completion of the involved operation completed. Final Abandonment Not is ready for final inspection.)  Franklin Mountain Energy, LLC BLM record.  Set 1st Intermediate:  H&P 518 rigged up on the Trin construction details below:  Drilled 1st intermediate 12.25"  COLLAR, 1 JOINT, FILL PIPE FILL PIPE ON JT 62 (2,674.97 PICK UP WT, SLACK OFF WT CASING LANDED AND CEMBE Cemented 9.625" casing as fo Continued on page 3 additional	I be perfonned or provide the Bond No. on ons. If the operation results in a multiple contices must be filed only after all requirement it is consisted to the contices of the above caption of the ab	mpletion or recomplet ts, including reclamati ed wells, respectfully /9/21. Drilled and ca SERS, AND RUN 9 5 FS OF 9 5/8" 40# HC DING JOINT. RECO DP OF FLOAT COLL HNSON ON 12/11/2	ion in a new interval, a Form ion, have been completed and y submits the below drilling sed the 1st intermediate so 5/8" 40# HCL-80 FLOAT SCL-80 BTC, (TOTAL JOINT ORD CIRCULATING PRESLAR @ 4,910.63'. BLM NO 1 @ 05:50 VIA PHONE CA	3160-4 must be filed once testing has been the operator has detennined that the site operations notice for ection. Wellbore  HOE, 1 JOINT, FLOAT TS RAN 114 JOINTS). SURES. RECORD TIFICATION OF	
TRAVIS BIGGART / Ph: (830) 525-		Sr. Operation	ns Analyst		
	-0000	Title	·		
Signature		Date	03/24/	2022	
	THE SPACE FOR FED	ERAL OR STAT	TE OFICE USE		
Approved by					
Jonathon W Shepard / Ph: (575) 2	34-5972 / Accepted	Petrole Title	um Engineer	04/17/2022 Date	
	hed. Approval of this notice does not warran equitable title to those rights in the subject l duct operations thereon.		SBAD	,	

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

#### **GENERAL INSTRUCTIONS**

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

## SPECIFIC INSTRUCTIONS

*Item 4* - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

#### **NOTICES**

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

**BURDEN HOURS STATEMENT:** Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

# **Additional Information**

## **Additional Remarks**

MUDPUSH @ 5.5 BPM. PUMP 1,475 SXS (479.3 BBLS) OF 12.8 PPG LEAD CEMENT, @ 5.5 BPM. PUMP 291 SXS (68.8 BBLS) OF 14.8 PPG TAIL CEMENT, @ 5.5 BPM. DROP PLUG AND DISPLACE WITH 372 BBLS OF BRINE WATER @ 6.5 BPM. SLOW DOWN TO 3.0 BPM @ 330 BBLS AWAY, 1,103 PSI. BUMP PLUG @ 372 BBLS TO 1,525 PSI. FINAL CIRCULATION PRESSURE 915 PSI. RECIEVED 40 BBLS SPACER AND 200 BBLS CEMENT TO SURFACE. BLED PRESSURE BACK TO TUB, FLOATS HELD, 2.5 BBLS BACK. HAD STEADY LIFT PRESSURE THROUGHOUT CEMENT JOB. RIG DOWN CEMENTERS, AND TEST CASING TO 1,500 PSI FOR 30 MIN. (GOOD TEST)

## **Location of Well**

0. SHL: SESW / 710 FSL / 2619 FWL / TWSP: 25S / RANGE: 35E / SECTION: 24 / LAT: 32.110573 / LONG: -103.321324 ( TVD: 0 feet, MD: 0 feet )

PPP: SESW / 636 FSL / 2101 FWL / TWSP: 25S / RANGE: 35E / SECTION: 24 / LAT: 32.110366 / LONG: -103.322996 ( TVD: 12044 feet, MD: 12428 feet )

BHL: NENW / 150 FNL / 2102 FWL / TWSP: 25S / RANGE: 35E / SECTION: 13 / LAT: 32.137239 / LONG: -103.322969 ( TVD: 11925 feet, MD: 22206 feet )

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

CONDITIONS

Action 126900

# **CONDITIONS**

Operator:	OGRID:
Franklin Mountain Energy LLC	373910
44 Cook Street, Suite 1000	Action Number:
Denver, CO 80206	126900
	Action Type:
	[C-103] Sub. Drilling (C-103N)

### CONDITIONS

Created B	y Condition	Condition Date
nmurph	y None	8/24/2023