

Form 3160-5
(June 2019)UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTFORM APPROVED
OMB No. 1004-0137
Expires: October 31, 2021**SUNDRY NOTICES AND REPORTS ON WELLS**
Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

5. Lease Serial No. NMNM138898

6. If Indian, Allottee or Tribe Name

SUBMIT IN TRIPLICATE - Other instructions on page 2

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator FRANKLIN MOUNTAIN ENERGY LLC

3a. Address 2401 E 2nd Avenue, Suite 300, Denver, CO 80202
3b. Phone No. (include area code)
(720) 414-78684. Location of Well (Footage, Sec., T., R., M., or Survey Description)
SEC 24/T25S/R35E/NMP

7. If Unit of CA/Agreement, Name and/or No.

8. Well Name and No. TRINITY FEDERAL/703H

9. API Well No. 3002548581

10. Field and Pool or Exploratory Area
UPR WOLFCAMP [98228]/WC-025 G-09 S253536D; U11. Country or Parish, State
LEA/NM

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION				
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off	
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity	
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other	
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon		
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal		

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has detennined that the site is ready for final inspection.)

Franklin Mountain Energy, LLC (FME), Operator of the above captioned wells, respectfully submits the below drilling operations notice for BLM record.

Set 2nd Intermediate:

Drilled 2nd intermediate 8.75" hole and land curve at 11,762' TD. RUN 7 5/8" 29.7# HCP-110 STINGER FLOAT SHOE, 1 JOINT, FLOAT COLLAR, 1 JOINT, FILL PIPE, AND TEST FLOATS. RUN 266 JOINTS OF 7 5/8" 29.7# HCP-110 STINGER. FILL PIPE ON JOINT 25 AND EVERY 48 JOINTS (2,092') TO KOP (11,500'). FILL PIPE AND BREAK CIRCULATION AND RECORD CIRCULATING PRESSURES. RECORD PICK UP WT, SLACK OFF WT. RUN JOINTS 267 TO 271, AND PICK UP LANDING JOINT. (TOTAL JOINTS RAN 271 JOINTS). SET CASING SHOE @ 11,749.04, TOP OF FLOAT COLLAR @ 11,700.53'.CIRCULATE CASING @ 4.0 BBLS/MIN @ 503 PSI. SEEN 100% LOSSES WHILE CIRCULATING. DECISION WAS MADE TO PUMP CEMENT WITH CEMNET. NOTIFY BLM OF 7 5/8" CASING ON BOTTOM AND CEMENT @ 02:00 HRS 11/17/21 VIA EMAIL AND CALL TO BLM OFFICE HOBBS, VOICEMAIL NM (RANDALL JOHNSON). RIG DOWN CASERS. WHILE CIRCULATING HJSM W/ SCHLUMBERGER CEMENT CREW.

Continued on page 3 additional information

14. I hereby certify that the foregoing is true and correct. Name (Printed/Typed)
TRAVIS BIGGART / Ph: (830) 525-8868

Sr. Operations Analyst
Title

Signature

Date 03/24/2022

THE SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Jonathon W Shepard / Ph: (575) 234-5972 / Accepted

Petroleum Engineer
Title

04/17/2022
Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office CARLSBAD

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c) and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

Additional Information**Additional Remarks**

Cemented 7.625" casing as follows: HJSM WITH CREWS AND SLUMBERGER. CEMENT 7 5/8" AS FOLLOWS. FILL LINES, PRESSURE TEST ALL SURFACE EQUIPMENT TO 5,000 PSI. MIX AND PUMP 40 BBLS MUD PUSH @ 9 PPG W/ 2 LB/BBL CEMNET. PUMP 154 BBLS (275 SKS, 3.15 YIELD) LEAD CEMENT @ 9.5 PPG. PUMP 51.5 BBLS (218 SKS, 1.33 YIELD) TAIL @ 14.8 PPG. DROP PLUG AND DISPLACE WITH 537 BBLS FRESH WATER @ 5 BPM, 350 PSI. SLOWED TO 4 BPM @ 270 BBLS AWAY, 550 PSI. SLOW TO 3 BPM @ 430 AWAY BUMP PLUG @ 537 BBLS, 2,500 PSI. FINAL CIRCULATING PRESSURE WAS 2,000 PSI. HELD FOR 5 MIN. BLEED BACK 4.5 BBLS. FLOATS HELD. 20 BBLS CONTAMINATED SPACER BACK AND NO CEMENT BACK TO SURFACE. CIP @ 06:00 HRS, ESTIMATED TOP OF LEAD @ 4,000'. RIG DOWN CEMENTERS.

Location of Well

0. SHL: SESW / 710 FSL / 2619 FWL / TWSP: 25S / RANGE: 35E / SECTION: 24 / LAT: 32.110573 / LONG: -103.321324 (TVD: 0 feet, MD: 0 feet)

PPP: SESW / 636 FSL / 2101 FWL / TWSP: 25S / RANGE: 35E / SECTION: 24 / LAT: 32.110366 / LONG: -103.322996 (TVD: 12044 feet, MD: 12428 feet)

BHL: NENW / 150 FNL / 2102 FWL / TWSP: 25S / RANGE: 35E / SECTION: 13 / LAT: 32.137239 / LONG: -103.322969 (TVD: 11925 feet, MD: 22206 feet)

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 126901

CONDITIONS

Operator: Franklin Mountain Energy LLC 44 Cook Street, Suite 1000 Denver, CO 80206	OGRID: 373910
	Action Number: 126901
	Action Type: [C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
nmurphy	Please clarify the cement type to avoid rejection.	8/24/2023