Form 3160-5 (June 2019)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0137
Expires: October 31, 202

DEI	THE THE HALL			I .		*		
BUR			5	. Lease Serial No.	NMNM	39880		
Do not use this t	NOTICES AND REPORTS ON W form for proposals to drill or to Use Form 3160-3 (APD) for suc	o re-e	enter an		. If Indian, Allottee	or Trib	e Name	
SUBMIT IN TRIPLICATE - Other instructions on page 2				7	. If Unit of CA/Agr	eement	, Name and/or No.	
1. Type of Well				8	Well Name and No	0		
✓ Oil Well Gas Well Other					A DY XXV 11 XV	GHO	OST RIDER 22 15 FEDERAL CO	
2. Name of Operator APACHE CORPORATION				9	. API Well No. 300	25493	58	
3a. Address 303 VETERANS AIRPARK LANE SUITE 3000, N 3b. Phone No. (i			de area code,	´	10. Field and Pool or Exploratory Area Sand Dunes/TRISTE DRAW BONE SPRING			
4. Location of Well (Footage, Sec., T.,R.,M., or Survey Description)				1	1. Country or Parish	ı, State		
SEC 15/T24S/R32E/NMP					LEA/NM			
12. CHE	CK THE APPROPRIATE BOX(ES) TO IN	DICAT	TE NATURE	OF NOTIC	E, REPORT OR OT	HER D	DATA	
TYPE OF SUBMISSION			TYP	PE OF ACTI	ON			
Notice of Intent	Acidize Deep			Produc	etion (Start/Resume)) [Water Shut-Off	
	Alter Casing Hydr	raulic F	Fracturing	Reclan	nation		Well Integrity	
Subsequent Report			ruction	Recom	plete	V	Other	
			bandon		rarily Abandon			
Final Abandonment Notice	Convert to Injection Plug	Back		Water	Disposal			
completed. Final Abandonment No is ready for final inspection.) 11/15/22: Notify BLM, Kevin, of 11/16/22: Displ w/9.1 BDU mu 297psi/30min 14.0ppg EMW-011/20/22: Notify BLM, Kevin, of 11/21/22: Run cmt 1st stage LCI C w/2% bentonite, 0.1% flu to 10,000psi/15min, WOC, per more cmt, WOC. 11/22/22: Pmp top off cmt w/1 1/9/23: Test BOP, PU 6-3/4: of 1/8758-8768', FIT test @ 8768 1/12/23: Drill 6-3/4" lateral f/96 Continued on page 3 additional	id, test csg 1500psi/30min-good, drill cm good, drill 9-7/8" vertical hole f/1175-875 of intent to run interm csg/cmt, run 7-5/8' EAD: 380sx Cl C w/18% bentonite, 1% id loss Lt, 0.15% fluid loss, gas migr, 0.2 rform bradenhead cmt sqz w/1000sx Cl 22sx Cl C (14.8ppg), circ 22sx to surf, N urve BHA, TIH w/curve assbly, tag FC @ ' 1223psi/30min 12.0ppg EMW-good, dr 557-17023' TD.	nt and 8'. " 29/7# gypsu 2% ant C (2.7 ID, ins	float equip f # HCL-80 B m, 0.2% an ti-foam, 0.26 6yld, 11.3pl stall TA cap, 3', test csg 2	f/1125-1169 TC csg to 8 tti-foam, 0.5 % retarder pg), RU WI , RR 11/22/ 2600psi/30	eeen completed and 9 and 10' of new for 8743'. 55% retarder (2.7y (1.23yld, 14.5ppg) 1 temp log, TOC e 22. min-good, drill sho	ormatic ld, 11.3 test u st @ 1	on, FIT test Sppg) TAIL: 220sx pper & lower seals 100', decision to run	
SORINA FLORES / Ph: (432) 818-	true and correct. Name (Printed/Typed) 1167			rilling Servi	ces			
		Title						
Signature Date 05/10/2023								
	THE SPACE FOR FED	ERA	L OR ST	ATE OF	CE USE			
Approved by								
JONATHON W SHEPARD / Ph: (575) 234-5972 / Accepted			Petro Title	leum Engir	neer	Date	05/17/2023	
	hed. Approval of this notice does not warran equitable title to those rights in the subject leaduct operations thereon.		Office CAI	RLSBAD				

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

Additional Information

Additional Remarks

1/22/23: LDDP, notify BLM, Kevin, of intent to run csg/cmt.

1/23/23: Run 5-1/2" P-110RY 20# Talon HTQ to 16994', cmt w/755sx Cl H w/7.0% bentonite, 0.2% thixotropic, 0.4% fluid loss, 0.2% anti-foam, 0.375% retarder (1.53yld, 13.2ppg) drop Innovex dart plug, displace w/376 bbls, blead back 4 bbls, no spacer or cmt to surf, Install 5-1/2" packoff, test to 5000psi, ND stack, Raise BOP, Install well cap, test to 10k-good, RR 1/25/23.

Location of Well

0. SHL: NESE / 2272 FSL / 600 FEL / TWSP: 24S / RANGE: 32E / SECTION: 15 / LAT: 32.2165794 / LONG: -103.6559047 (TVD: 0 feet, MD: 0 feet) PPP: NESE / 2472 FSL / 532 FEL / TWSP: 24S / RANGE: 32E / SECTION: 15 / LAT: 32.2171279 / LONG: -103.655684 (TVD: 9342 feet, MD: 9351 feet) PPP: SESE / 0 FSL / 505 FEL / TWSP: 24S / RANGE: 32E / SECTION: 15 / LAT: 32.2103352 / LONG: -103.6555963 (TVD: 9820 feet, MD: 12095 feet) BHL: SESE / 50 FSL / 1217 FEL / TWSP: 24S / RANGE: 32E / SECTION: 22 / LAT: 32.1959518 / LONG: -103.6579138 (TVD: 9820 feet, MD: 17325 feet)

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 217970

CONDITIONS

Operator:	OGRID:
APACHE CORPORATION	873
303 Veterans Airpark Ln	Action Number:
Midland, TX 79705	217970
	Action Type:
	[C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
plmartin	None None	9/1/2023