

Well Name: BILLARY	Well Location: T25N / R8W / SEC 31 / SWSW / 36.353948 / -107.727833	County or Parish/State: SAN JUAN / NM
Well Number: 90	Type of Well: OTHER	Allottee or Tribe Name:
Lease Number: NMNM56311	Unit or CA Name:	Unit or CA Number:
US Well Number: 300453024800S1	Well Status: Abandoned	Operator: DUGAN PRODUCTION CORPORATION

Subsequent Report

Sundry ID: 2674360

Type of Submission: Subsequent Report	Type of Action: Plug and Abandonment
Date Sundry Submitted: 06/01/2022	Time Sundry Submitted: 10:12
Date Operation Actually Began: 05/03/2022	

**Actual Procedure:** Dugan Production P&A'd well per the following procedure on 05/03/2022 to 05/04/2022: 1) MI&RU Aztec Well Service Rig 481 and Aztec cement services. Check pressures. Tubing 0 psi, Casing 5 psi, BH 0 psi. 2) Run 4-1/2" casing scraper to 1976'. Tally 2-3/8" tubing. 3) RIH & set 4-1/2" CR @ 1911'. Fruitland Coal perforations @ 1962'-1972'. Load hole. Pressure test casing to 600 psi for 30 mins. Casing tested good. 4) Run CBL from 1911' to surface. TOC from CBL @ 150' behind casing. Notified and sent copies of logs to BLM/NMOCD. 5) Spot inside Plug I above CIBP @ 1911' w/30 sks 34.5 cu ft Class G neat cement to 1526' (15.8#/gal, 1.15 cu ft/sk). Displace w/5 bbls fresh water. Plug I, inside 4-1/2" casing, 30 sks (34.5 cu ft), Fruitland 1526'-1911'. 6) Spot inside Plug II from 1466' w/36 sks Class G neat cement (41.4 cu ft) to 1004'. Displace w/3.2 bbls fresh water. Plug II, inside 4-1/2" casing, 36 sks, 41.4 cu ft, Kirtland-Ojo Alamo, 1004'-1466'. 7) LD all tubing. Perforate @ 130' w/3 squeeze holes. TIH to 181'. Spot and squeeze inside/outside Plug III from 181' to surface w/43 sks Class G neat cement (49.5 cu ft). Circulate cement to surface through BH. WOC 4 hrs. Cut wellhead off. TOC at surface both inside 4-1/2" and annulus. Install dry hole marker and top off cellar w/12 sks (13.8 cu ft) cement. Plug III, inside/outside 4-1/2" casing, 55 sks (63.25 cu ft), Surface plug, 0-181'. 8) Clean location. RD Aztec Well Service Rig 481 and move. Well P&A'd 05/04/2022. Mike Gilbreath w/BLM FFO witnessed job.

Well Name: BILLARY	Well Location: T25N / R8W / SEC 31 / SWSW / 36.353948 / -107.727833	County or Parish/State: SAN JUAN / NM
Well Number: 90	Type of Well: OTHER	Allottee or Tribe Name:
Lease Number: NMNM56311	Unit or CA Name:	Unit or CA Number:
US Well Number: 300453024800S1	Well Status: Abandoned	Operator: DUGAN PRODUCTION CORPORATION

SR Attachments

Actual Procedure

Billary\_90\_post\_PA\_schematic\_20220601100143.pdf

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: TYRA FEIL	Signed on: JUN 01, 2022 10:05 AM
Name: DUGAN PRODUCTION CORPORATION	
Title: Authorized Representative	
Street Address: PO Box 420	
City: Farmington	State: NM
Phone: (505) 325-1821	
Email address: tyrafeil@duganproduction.com	

Field

Representative Name: ALIPH REENA		
Street Address: PO BOX 420		
City: FARMINGTON	State: NM	Zip: 87499-0420
Phone: (505)325-1821		
Email address: Aliph.Reena@duganproduction.com		

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5055647742	BLM POC Email Address: krennick@blm.gov
Disposition: Accepted	Disposition Date: 06/02/2022
Signature: Kenneth Rennick	


**Completed P & A Wellbore Schematic**

Billary # 90

30-045-30248, Basin Fruitland

1280' FSL &amp; 1130' FWL

S31 T25N R8W, San Juan County



7" 23# J-55 casing @ 130'. Cemented with 70.8 Cu.ft Class B.  
Circulated 5 bbls cement to surface. Hole size 9-7/8".

Perforate @ 130'. Spot inside/outside plug III from 181' w/ 55 sks  
Class G Cement (63.2 cu.ft) Plug III, Surface, 0'-181'

**4 1/2" 10.5# casing @ 2097'. Hole size: 6-1/4"**

Cement production casing w/ 247 cu.ft Class B 2% Lodense followed by 94  
cu.ft Class B. Total 341.6 Cu.ft slurry. Circulated 4 bbls cement to surface.

Spot Inside Plug II with 36 sks (41.4 cu.ft) @ 1004'-1466' Class G cement.  
Plug II, Kirtland-Ojo-Alamo 1004'-1466'

Set 4 1/2" CR @ 1911'. Spot Inside Plug I with 30 sks (34.5 cu.ft)  
@ 1526'-1911' Class G cement. Plug I, Fruitland, 1526'-1911'

Fruitland Coal Perforated @ 1962' - 1972'

PBTD @ 2071', TD 2100'

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS

Action 263739

CONDITIONS

Operator: DUGAN PRODUCTION CORP PO Box 420 Farmington, NM 87499	OGRID: 6515
	Action Number: 263739
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
mkuehling	well plugged 5/4/2022	9/11/2023