

Submit 1 Copy To Appropriate District Office

District I – (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II – (575) 748-1283
811 S. First St., Artesia, NM 88210
District III – (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV – (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103
Revised July 18, 2013

WELL API NO.

30-015-04329

5. Indicate Type of Lease

STATE ☐ FEE ☐ FED

6. State Oil & Gas Lease No.

NMNM 2747

7. Lease Name or Unit Agreement Name

JACKSON B

8. Well Number 9

9. OGRID Number

03080

10. Pool name or Wildcat

GRAYBURG JACKSON; SR-Q-G-SA

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☒ Other

2. Name of Operator

Burnett Oil Co., Inc.

3. Address of Operator BURNETT PLAZA- SUITE 1500

801 CHERRY ST- UNIT 9

FORT WORTH, TX 76102

4. Well Location

Unit Letter F : 1980 feet from the NORTH line and 1980 feet from the WEST lineSection 25 Township 17S Range 30E NMPM County EDDY

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

3602 GL

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☒TEMPORARILY ABANDON ☐PULL OR ALTER CASING ☐DOWNHOLE COMMINGLE ☐CLOSED-LOOP SYSTEM ☐OTHER: ☐PLUG AND ABANDON ☐CHANGE PLANS ☐MULTIPLE COMPL ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐COMMENCE DRILLING OPNS. ☐CASING/CEMENT JOB ☐OTHER: ☐ALTERING CASING ☐P AND A ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

MIRU WSR, TOH with injection string and packer, TIH with plug and packer, isolate hole in casing, squeeze hole, drill cement, test casing, once casing holds, TIH with injection string and packer, flange up wellhead & conduct MIT.

Plan on moving in rig 8/16/2023.

Condition of Approval: notify
OCD Hobbs office 24 hours
prior of running MIT Test & Chart

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

Gretchen Ritchey

TITLE Sr Engineering Tech

DATE 8/14/2023

Type or print name

GRETCHEN RITCHEY

E-mail address: gritchey@burnettoil.com

PHONE: 817-583-8718

For State Use Only

APPROVED BY:

Kerry Fortner

TITLE

Compliance Officer A

DATE 8/14/23

Conditions of Approval

Form 3160-5
(June 2019)UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTFORM APPROVED
OMB No. 1004-0137
Expires: October 31, 2021**SUNDRY NOTICES AND REPORTS ON WELLS**
**Do not use this form for proposals to drill or to re-enter an
abandoned well. Use Form 3160-3 (APD) for such proposals.**5. Lease Serial No. **NMNM2747**
6. If Indian, Allottee or Tribe Name**SUBMIT IN TRIPLICATE - Other instructions on page 2**

1. Type of Well

☐ Oil Well ☐ Gas Well ☒ Other2. Name of Operator **BURNETT OIL COMPANY INCORPORATED**3a. Address **BURNETT PLAZA - SUITE 1500, 801 CHERRY** 3b. Phone No. (include area code)
(817) 583-87304. Location of Well (Footage, Sec., T., R., M., or Survey Description)
SEC 25/T17S/R30E/NMP

7. If Unit of CA/Agreement, Name and/or No.

8. Well Name and No. **JACKSON B/9**9. API Well No. **3001504329**10. Field and Pool or Exploratory Area
GRAYBURG/GRAYBURG11. Country or Parish, State
EDDY/NM**12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA**

TYPE OF SUBMISSION	TYPE OF ACTION				
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off	
<input type="checkbox"/> Subsequent Report	<input checked="" type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity	
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other	
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon		
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal		

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be perfonned or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has detennined that the site is ready for final inspection.)

MIRU WSR, TOH with injection string and packer, TIH with plug and packer, isolate hole in casing, squeeze hole, drill cement, test casing, once casing holds, TIH with injection string and packer, flange up wellhead & conduct MIT.

14. I hereby certify that the foregoing is true and correct. Name (Printed/Typed)
GRETCHEN RITCHEY / Ph: (817) 583-8718Title **Engineering Tech**

Signature

Date **08/10/2023****THE SPACE FOR FEDERAL OR STATE OFFICE USE**

Approved by

JONATHON W SHEPARD / Ph: (575) 234-5972 / ApprovedTitle **Petroleum Engineer**Date **08/11/2023**

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office **CARLSBAD**

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c) and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

Additional Information

Location of Well

0. SHL: SENW / 1980 FNL / 1980 FWL / TWSP: 17S / RANGE: 30E / SECTION: 25 / LAT: 0.0 / LONG: 0.0 (TVD: 0 feet, MD: 0 feet)

BHL: SENW / 1980 FNL / 1980 FWL / TWSP: 17S / SECTION: / LAT: 0.0 / LONG: 0.0 (TVD: 0 feet, MD: 0 feet)

BUREAU OF LAND MANAGEMENT

Carlsbad Field Office
620 East Greene Street
Carlsbad, New Mexico 88220
575-234-5972

Conditions of Approval for Workover/Deepening of a Well

1. Notification: Contact the appropriate BLM office at least 24 hours prior to the commencing of any operations. For wells in Eddy County, call 575-361-2822. For wells in Lea County, call 575-689-5981
2. Blowout Preventers: A blowout preventer (BOP), as appropriate, shall be installed before commencing any operation. The BOP must be installed and maintained as per API and manufacturer recommendations. The minimum BOP requirement is a 2M system for a well not deeper than 9,100 feet, a 3M system for a well not deeper than 13,600 feet, or a 5M system for a well not deeper than 22,700 feet (all depths are for measured well depth).
3. Cement: Notify BLM if cement fails to circulate.
4. Subsequent Reporting: Within 30 days after work is completed, file a Subsequent Report (Form 3160-5) to BLM. The report should give in detail the manner in which the work was carried out. Show date work was completed. If producing a new zone, submit a Completion Report (Form 3160-4) with the Subsequent Report.
5. Trash: All trash, junk and other waste material shall be contained in trash cages or bins to prevent scattering and will be removed and deposited in an approved sanitary landfill. Burial on site is not permitted.
6. If well location is within the Timing Limitation Stipulation Area for Lesser Prairie-Chicken: From March 1st through June 15th annually, activities will be allowed except between the hours from 3:00 am and 9:00 am. Normal vehicle use on existing roads will not be restricted.

WELL COMPLETION SKETCH

Date: 5/7/2020

WELL	Jackson B 9	FIELD	Grayburg Jackson	CO/ST	Eddy Co., NM
Location:	UNIT F, 1980' FNL, 1980' FWL, SEC 25, T17S, R30E				
<input checked="" type="checkbox"/>	PRESENT COMPLETION	<input type="checkbox"/>	RECOMMENDED COMPLETION	API #	30-015-04329
PERMANENT WELL BORE DATA			DATA ON THIS COMPLETION		

Spud: 6/1/1943

Elevation: 3602' KB
GL

Est TOC at 300' w/ 10" hole

Converted to injection 5-4-1966

8" @ 550'
Cmnt w/ 50 sx

INSTALLED: 6/9/10

2-3/8" 4.7# J-55 Ceramcote TBG (96 jts)
AD-1 PKR @ 3074'

TOC behind 7" estimated at 1800'

7" @ 3,032'
Cmnt w/ 100 sx
TOL 4.5" @ 3,032'

8/1/43

4-22-66: Sand Jet Perfs at
3188', 3190', 3217', 3219', 3221', 3223', 3240', 3242'
Treat w/ 1,000 gal 15% HCL and 10,000# 20/40 sand

4/1/66

4-1/2" 9.5# J-55 @ 3,270'
Cmnt w/ 110 sx
Circ out 12 sx

PBTD 3,270', 5-25-2010

TD 3,270'

WELL COMPLETION SKETCH

Date: 5/7/2020

WELL	Jackson B 9	FIELD	Grayburg Jackson	CO/ST	Eddy Co., NM
Location:	UNIT F, 1980' FNL, 1980' FWL, SEC 25, T17S, R30E				
<input checked="" type="checkbox"/>	PRESENT COMPLETION	<input type="checkbox"/>	RECOMMENDED COMPLETION	API #	30-015-04329
PERMANENT WELL BORE DATA			DATA ON THIS COMPLETION		

Spud: 6/1/1943

Elevation: 3602' KB
GL

Est TOC at 300' w/ 10" hole

Converted to injection 5-4-1966

8" @ 550'

Cmnt w/ 50 sx

INSTALLED: 6/9/10

2-3/8" 4.7# J-55 Ceramcote TBG (96 jts)
AD-1 PKR @ 3074'

TOC behind 7" estimated at 1800'

7" @ 3,032'
Cmnt w/ 100 sx

TOL 4.5" @ 3,037'

8/1/43

4-1/2" 9.5# J-55 @ 3,270'
Cmnt w/ 110 sx
Circ out 12 sx

4-22-66: Sand Jet Perfs at
3188', 3190', 3217', 3219', 3221', 3223', 3240', 3242'
Treat w/ 1,000 gal 15% HCL and 10,000# 20/40 sand

4/1/66

PBTD 3,270', 5-25-2010

TD 3,270'

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 251530

CONDITIONS

Operator: BURNETT OIL CO INC 801 Cherry Street Unit #9 Fort Worth, TX 76102	OGRID: 3080
	Action Number: 251530
	Action Type: [C-103] NOI Workover (C-103G)

CONDITIONS

Created By	Condition	Condition Date
kfortner	Run MIT test	8/14/2023