
Browning Relief Line to DCP\Drawings\08 - Plats\01 - Production Plats\BRRL-S9-T20S-R29E.dwg

EXHIBIT "A"

BROWNING RELIEF LINE TO DCP

IN A PART OF THE W 1/2 OF SECTION 9, TOWNSHIP 20 SOUTH, RANGE 29 EAST, NEW MEXICO P.M. EDDY COUNTY, NEW MEXICO



BUREAU OF LAND MANAGMENT PROPERTY IS 2,844.98 FEET (172.42 RODS).

THE TOTAL AREA OF THE EASEMENT SHOWN HEREON IS 85,349 SQUARE FEET, OR ±1.959 ACRES.

THE TOTAL AREA OF THE TEMPORARY WORKSPACE SHOWN HEREON IS 57,476 SQUARE FEET, OR ±1.319 ACRES.

P.O.B. POINT OF BEGINNING P.O.C. POINT OF COMMENCEMENT P.O.T. POINT OF TERMINUS ANGLE POINT FOUND MONUMENT SECTION LINE INTERIOR SECTION LINE **EASEMENT CENTERLINE** EASEMENT LIMITS P. PROPERTY LINE PROPERTY ADJOINER LINE

eleased to Imaging: 9/22/2023 4:30:34 PM

PARCEL DESCRIPTION

A STRIP OF LAND ON A PARCEL OF LAND OWNED BY THE BUREAU OF LAND MANAGMENT AND IS LOCATED IN A PART OF THE W 1/2 OF SECTION 9, TOWNSHIP 20 SOUTH, RANGE 29 EAST OF THE NEW MEXICO PRINCIPAL MERIDIAN, COUNTY OF EDDY, STATE OF NEW MEXICO;

A 30 FEET WIDE PERMANENT EASEMENT, BEING 15 FEET ON EACH SIDE OF THE FOLLOWING DESCRIBED CENTERLINE:

CENTERLINE DESCRIPTION

COMMENCING AT THE W 1/4 CORNER OF SAID SECTION 9, (AS MONUMENTED BY A FOUND 1" IRON PIPE W/ WASHER PS 22896), FROM WHICH THE SW CORNER OF SAID SECTION 9, (AS MONUMENTED BY A FOUND GLO BRASS CAP DATED 1916), BEARS S 00°06'01" E, A DISTANCE OF 2,639.98 FEET, FORMING THE **BASIS OF BEARINGS** USED IN THIS DESCRIPTION:

THENCE, N 52°47'28" E, A DISTANCE OF 1,106.79 FEET TO THE POINT OF BEGINNING;

THENCE, ALONG SAID CENTERLINE THE FOLLOWING ELEVEN (11) COURSES:

- 1) S 01°39'38" E, A DISTANCE OF 206.89 FEET;
- 2) S 71°21'49" E, A DISTANCE OF 98.77 FEET;
- 3) S 18°38'11" W, A DISTANCE OF 1,293.29 FEET;
- 4) S 71°21'49" E, A DISTANCE OF 130.10 FEET:
- 5) S 02°14'11" E, A DISTANCE OF 439.39 FEET;
- 6) N 87°45'49" E, A DISTANCE OF 179.99 FEET;
- 7) S 89°09'08" E, A DISTANCE OF 179.99 FEET;
- 8) S 69°59'46" E, A DISTANCE OF 49.96 FEET;
- 9) S 43°32'21" E, A DISTANCE OF 68.52 FEET;
- 10) S 46°27'39" W, A DISTANCE OF 276.71 FEET;
- 11) S 43°32'21" E, A DISTANCE OF 40.40 FEET TO THE **POINT OF TERMINUS**, FROM WHICH THE SAID SW CORNER OF SECTION 9, BEARS S 38°36'23" W, A DISTANCE OF 1,387.52 FEET.

THE SIDELINES OF SAID EASEMENT ARE LENGTHENED OR SHORTENED TO MEET AT ANGLE POINTS AND TO TERMINATE PERPINDICULAR TO THE POINTS OF BEGINNING AND TERMINUS.

THE TOTAL LENGTH OF THE ABOVE DESCRIBED CENTERLINE IS 2,844.98 FEET (172.42 RODS), CONTAINING AN AREA OF 85,349 SQUARE FEET OR 1.959 ACRES, MORE OR LESS.

TOGETHER WITH

A TEMPORARY WORKSPACE FOR CONSTRUCTION PURPOSES AS SHOWN ON THE ACCOMPANYING EXHIBIT.

SURVEYOR'S STATEMENT:

I, THOMAS G. CARLSON, A NEW MEXICO PROFESSIONAL SURVEYOR, HEREBY STATE THAT THIS LEGAL DESCRIPTION AND ACCOMPANYING EXHIBIT WERE PREPARED FROM AN ACTUAL GROUND SURVEY PERFORMED UNDER MY SUPERVISION, THAT THIS LEGAL DESCRIPTION AND EXHIBIT ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE, INFORMATION AND BELIEF AND THAT THE FIELD SURVEY ON WHICH IT IS BASED MEET THE MINIMUM STANDARDS FOR SURVEYING IN NEW MEXICO AND THAT THIS LEGAL DESCRIPTION AND EXHIBIT ARE NOT A LAND DIVISION OR SUBDIVISION AS DEFINED IN THE NEW MEXICO SUBDIVISION ACT.



THOMAS G. CARLSON, NM PS #22896 FOR AND ON BEHALF OF ENCOMPASS ENERGY SERVICES, LLC



U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Well Name	Well Number	US Well Number	Lease Number	Case Number	Operator
PERAZZI 9/10	1H	3001548723	NMNM0556290	NMNM0556290	MEWBOURNE
PERAZZI 9/10	1H	3001548166	NMNM17221	NMNM17221	MEWBOURNE
PERAZZI 9/10	1H	3001548173	NMNM17221	NMNM17221	MEWBOURNE
PERAZZI 9/10	1H	3001548949	NMNM0017221	NMNM0017221	MEWBOURNE
PERAZZI 9/10 B2LI	1H	3001548742	NMNM0556290	NMNM0556290	MEWBOURNE

Notice of Intent

Sundry ID: 2655277

Type of Submission: Notice of Intent

Type of Action: Other

Date Sundry Submitted: 02/01/2022 Time Sundry Submitted: 03:50

Date proposed operation will begin: 02/03/2022

Procedure Description: MOC would like to install 2,844.98' of surface poly gas line. This line follows existing

disturbances. See attached for plats.

Surface Disturbance

Is any additional surface disturbance proposed?: No

NOI Attachments

Procedure Description

Browning_Relief_Line_to_DCP___Plat_20220201155040.pdf

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: BRADLEY BISHOP Signed on: FEB 01, 2022 03:50 PM

Name: MEWBOURNE OIL COMPANY

Title: Regulatory

Street Address: PO Box 5270

City: Hobbs State: NM

Phone: (575) 393-5905

Email address: bbishop@mewbourne.com

Field Representative

Representative Name:

Street Address:

City: State: Zip

Phone:

Email address:

BLM Point of Contact

Signature: Cody R. Layton

BLM POC Name: Cody Layton **BLM POC Title:** Assistant Field Manager Lands & Minerals

BLM POC Phone: 5752345959 BLM POC Email Address: clayton@blm.gov

Disposition: Approved **Disposition Date:** 02/28/2022

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 267605

CONDITIONS

Operator:	OGRID:
MEWBOURNE OIL CO	14744
P.O. Box 5270	Action Number:
Hobbs, NM 88241	267605
	Action Type:
	[C-103] NOI General Sundry (C-103X)

CONDITIONS

Created By		Condition Date
dmcclure	ACCEPTED FOR RECORD	9/22/2023