

Submit 1 Copy To Appropriate District Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-38702
1. Type of Well: Oil Well ☐ Gas Well ☒ Other ☐		5. Indicate Type of Lease STATE ☒ FEE ☐
2. Name of Operator CROSS TIMBERS ENERGY, LLC		6. State Oil & Gas Lease No.
3. Address of Operator 400 W 7TH ST, FORT WORTH, TX 76102		7. Lease Name or Unit Agreement Name WHIRLWIND 25 STATE
4. Well Location Unit Letter <u>P</u> : <u>660</u> feet from the <u>S</u> line and <u>990</u> feet from the <u>E</u> line Section <u>25</u> Township <u>16S</u> Range <u>34E</u> NMPM County <u>LEA</u>		8. Well Number 001
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 4037 GL		9. OGRID Number 298299
		10. Pool name or Wildcat VACUUM; ATOKA-MORROW, NORTH

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK ☐	REMEDIAL WORK ☐
TEMPORARILY ABANDON ☐	CEMENT JOB ☐
PULL OR ALTER CASING ☐	MIT FOR TA STATUS EXTENSION ☒
DOWNHOLE COMMINGLE ☐	
CLOSED-LOOP SYSTEM ☐	
OTHER: ☐	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Cross Timbers Energy, LLC submits the attached passing MIT and requests TA Status extension.

MIT Start: 530 psi, End: 520 psi

A passing BHT has been submitted separately.

Last TA extension without a plan for putting well on line or PA

FINAL TA STATUS- EXTENSION

Approval of TA EXPIRES: 9/1/24
 Well needs to be **PLUGGED OR RETURNED**
 to **PRODUCTION**
 BY THE DATE STATED ABOVE: 9/1/24

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE _____ TITLE Regulatory Analyst DATE 09/28/2023

Type or print name Connie Blaylock E-mail address: cblaylock@txopartners.com PHONE: 817-334-7882


For State Use Only

APPROVED BY: Kerry Fortner TITLE Compliance Officer A DATE 9/29/23
 Conditions of Approv _____



Schematic & History

Well Name WHIRLWIND 25 STATE #1		API/UWI 3002538702	County Lea		State/Province New Mexico		Field Name VACUUM N	
Location NEAR BUCKEYE, NM			Township 16S	Range 34E	Section 25	Latitude (°) 32° 53' 16.217" N		Longitude (°) 103° 30' 31.93" W
Original KB Elevation (ft) 4,055.00		Ground/Corrected Ground Elevation (ft) 4,037.00		KB-Ground Distance (ft) 18.00		Spud Date 2/15/2008		

Vertical - Original Hole, 5/13/2015 10:17:53 AM**Jobs**

Type	Start Date	Summary
DRILLING ORIGINAL & INITIAL COMPLETION	2/15/2008	D&C Atoka/Morrow producer.
Open Additional Pay - OAP	1/20/2009	Shoot hole sin tbg, pl tbg & pkr, Set CIBP, dump cmt, perf Atoka, RDMO.
Upgrade Rods/Tubing	3/3/2009	
Production Test	6/15/2009	
Swab	6/18/2009	
Swab	7/20/2009	
Temporarily Abandon Well	5/4/2015	MIRU, kill well, POOH, flowing condensate, kill well, POOH, att. RIH GR to PBTD, tagged high 12,624', recieved approval from OCD to abandon adding cement over Morrow, set CIBP over Atoka, dump bail cement, RDMO, top off hole w/ pkr fluid, perform MIT, passed. FR wellbore TA'd.

Wellbore Sections

Section Des	Wellbore Name	Size (in)	Act Top (ftKB)	Act Btm (ftKB)	Start Date
SURFAC	Original Hole	17 1/2	18.0	425.0	2/15/2008
INTRM1	Original Hole	12 1/4	425.0	4,735.0	2/22/2008
PROD1	Original Hole	8.785	4,735.0	13,200.0	3/27/2008

Surface 421.0 ftKB 2/15/2008**Comment**

Csg on hand: 12 (506.97') Csg Left out: 2 (84.87)

OD (in)	Wt (lb/ft)	Grade	Top (ftKB)	Btm (ftKB)	Len (ft)	Item Des
13 3/8	48.00	H-40	18.1	377.6	359.5	Casing Joints
13 3/8			377.6	377.6	0	INSERT FLOAT
13 3/8	48.00	H-40	377.6	419.8	42.2	Casing Joints
13 3/8			419.8	421.0	1.3	Shoe

Intermediate 4,735.0 ftKB 2/22/2008**Comment**

Csg on hand: 113 (4908.23') Csg Left Out: 4 (172.99) CUT OFF: 20.5'

OD (in)	Wt (lb/ft)	Grade	Top (ftKB)	Btm (ftKB)	Len (ft)	Item Des
9 5/8	36.00	J-55	18.0	3,135.7	3117.7	Casing Joints
9 5/8	40.00	J-55	3,135.7	4,137.5	1001.8	Casing Joints
9 5/8	40.00	HC-J55	4,137.5	4,687.0	549.5	Casing Joints
9 5/8	40.00	HC-J55	4,687.0	4,688.2	1.2	FLOAT COLLAR
9 5/8	40.00	HC-J55	4,688.2	4,734.0	45.8	Casing Joints
9 5/8	36.00	H-40	4,734.0	4,735.0	1	Casing Joints

Production 13,195.0 ftKB 3/27/2008**Comment**

Csg on hand 300 jts 13,378.62' (4 joints left out 181.14') cut off 25.'

OD (in)	Wt (lb/ft)	Grade	Top (ftKB)	Btm (ftKB)	Len (ft)	Item Des
5 1/2	17.00	P-110	17.9	9,934.4	9916.5	Casing Joints
5 1/2	17.00	P-110	9,934.4	9,936.9	2.5	D.V. TOOL
5 1/2	17.00	P-110	9,936.9	11,458.7	1521.8	Casing Joints
5 1/2	17.00	P-110	11,458.7	11,472.6	13.9	MARKER JOINT
5 1/2	17.00	P-110	11,472.6	12,316.0	843.4	Casing Joints
5 1/2	17.00	P-110	12,316.0	12,330.0	14	MARKER JOINT
5 1/2	17.00	P-110	12,330.0	13,146.0	816	Casing Joints
5 1/2	17.00	P-110	13,146.0	13,147.5	1.5	FLOAT COLLAR
5 1/2	17.00	P-110	13,147.5	13,193.5	46	Casing Joints
5 1/2	17.00	P-110	13,193.5	13,195.0	1.5	FLOAT SHOE

Released to Imaging: 9/29/2023 2:45:21 PM

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

COMMENTS

Action 270318

COMMENTS

Operator: CROSS TIMBERS ENERGY, LLC 400 West 7th Street Fort Worth, TX 76102	OGRID: 298299
	Action Number: 270318
	Action Type: [C-103] Sub. Temporary Abandonment (C-103U)

COMMENTS

Created By	Comment	Comment Date
plmartinez	DATA ENTRY PM.	9/29/2023

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 270318

CONDITIONS

Operator: CROSS TIMBERS ENERGY, LLC 400 West 7th Street Fort Worth, TX 76102	OGRID: 298299
	Action Number: 270318
	Action Type: [C-103] Sub. Temporary Abandonment (C-103U)

CONDITIONS

Created By	Condition	Condition Date
kfortner	TA expires 9/1/24 Last TA extension without plan to put well on line or PA	9/29/2023