District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-144 Revised April 3, 2017

For temporary pits, below-grade tanks, and multi-well fluid management pits, submit to the appropriate NMOCD District Office.

For permanent pits submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Pit, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application

Proposed Alternative Method Permit or Closure Plan Application					
Type of action: Below grade tank registration Permit of a pit or proposed alternative method Closure of a pit, below-grade tank, or proposed alternative method Modification to an existing permit/or registration Closure plan only submitted for an existing permitted or non-permitted pit, below-grade tank, or proposed alternative method					
Instructions: Please submit one application (Form C-144) per individual pit, below-grade tank or alternative request					
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.					
Operator: Hilcorp Energy Company OGRID #: 372171					
Address: 382 Road 3100 Aztec, NM 87410					
Facility or well name: Huerfano Unit Com #97					
API Number: OCD Permit Number:					
U/L or Qtr/Qtr F Section 16 Township 26N Range 09W County: San Juan					
Center of Proposed Design: Latitude 36.490818 Longitude -107.797312 NAD27					
Surface Owner: Federal State Private Tribal Trust or Indian Allotment					
Pit: Subsection F, G or J of 19.15.17.11 NMAC Temporary: □ Drilling □ Workover Permanent □ Emergency □ Cavitation □ P&A □ Multi-Well Fluid Management					
Selow-grade tank: Subsection I of 19.15.17.11 NMAC Volume: bbl Type of fluid: Produced Water Tank Construction material: Metal Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off Visible sidewalls and liner Visible sidewalls only Other Liner type: Thickness mil HDPE PVC Other Unspecified					
4. Alternative Method: Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.					
5. Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify					

Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)	
☐ Screen ☐ Netting ☐ Other	
☐ Monthly inspections (If netting or screening is not physically feasible)	
7.	
Signs: Subsection C of 19.15.17.11 NMAC	
☐ 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers	
☐ Signed in compliance with 19.15.16.8 NMAC	
D.	
8. Variances and Exceptions:	
Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.	
Please check a box if one or more of the following is requested, if not leave blank: Variance(s): Requests must be submitted to the appropriate division district for consideration of approval.	
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	
9. State Catalanta (management and management and m	
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptance of the compliance of the complianc	otable source
material are provided below. Siting criteria does not apply to drying pads or above-grade tanks.	
General siting	
Ground water is less than 25 feet below the bottom of a low chloride temporary pit or below-grade tank.	☐ Yes ☐ No
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	⊠ NA
Ground water is less than 50 feet below the bottom of a Temporary pit, permanent pit, or Multi-Well Fluid Management pit.	Yes No
NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	⊠ NA
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	☐ Yes ☐ No
adopted pursuant to NMSA 1978, Section 3-27-3, as amended. (Does not apply to below grade tanks)	
- Written confirmation or verification from the municipality; Written approval obtained from the municipality	
Within the area overlying a subsurface mine. (Does not apply to below grade tanks)	☐ Yes ☐ No
- Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	
Within an unstable area. (Does not apply to below grade tanks) - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological	☐ Yes ☐ No
Society; Topographic map	
Within a 100-year floodplain. (Does not apply to below grade tanks)	☐ Yes ☐ No
- FEMA map	
Below Grade Tanks	
Within 100 feet of a continuously flowing watercourse, significant watercourse, lake bed, sinkhole, wetland or playa lake (measured	
from the ordinary high-water mark).	☐ Yes ⊠ No
- Topographic map; Visual inspection (certification) of the proposed site	
Within 200 horizontal feet of a spring or a fresh water well used for public or livestock consumption;.	☐ Yes ⊠ No
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	
<u>Temporary Pit using Low Chloride Drilling Fluid</u> (maximum chloride content 15,000 mg/liter)	
Within 100 feet of a continuously flowing watercourse, or any other significant watercourse or within 200 feet of any lakebed, sinkhole,	
or playa lake (measured from the ordinary high-water mark). (Applies to low chloride temporary pits.)	Yes No
- Topographic map; Visual inspection (certification) of the proposed site	
Within 300 feet from a occupied permanent residence, school, hospital, institution, or church in existence at the time of initial	☐ Yes ☐ No
 application. Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	
Within 200 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 300feet of any other fresh water well or spring, in existence at the time of the initial application.	☐ Yes ☐ No
NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	

Within 100 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No				
Temporary Pit Non-low chloride drilling fluid					
Within 300 feet of a continuously flowing watercourse, or any other significant watercourse, or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site					
 Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 					
Within 500 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 1000 feet of any other fresh water well or spring, in the existence at the time of the initial application; - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No				
Within 300 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No				
Permanent Pit or Multi-Well Fluid Management Pit					
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa					
lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No				
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No				
Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application.					
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No				
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No				
Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Number: or Permit Number: or Permit Number:					
11. Multi-Well Fluid Management Pit Checklist: Subsection B of 19.15.17.9 NMAC					
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the doc attached. □ Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC □ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC □ A List of wells with approved application for permit to drill associated with the pit. □ Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 and 19.15.17.13 NMAC □ Hydrogeologic Data - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC □ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC □ Previously Approved Design (attach copy of design) API Number: or Permit Number:					

Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC	1			
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan	documents are			
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC				
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Multi-well Flaternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method	uid Management Pit			
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be a closure plan. Please indicate, by a check mark in the box, that the documents are attached. □ Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC □ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.13 NMAC □ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) □ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC □ Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC				
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable sour provided below. Requests regarding changes to certain siting criteria require justifications and/or demonstrations of equivalency. P 19.15.17.10 NMAC for guidance.				
Ground water is less than 25 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA			
Ground water is between 25-50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells				
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells Yes NA NA				
Within 100 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site				
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No			
Within 300 horizontal feet of a private, domestic fresh water well or spring used for domestic or stock watering purposes, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	☐ Yes ☐ No			
Written confirmation or verification from the municipality; Written approval obtained from the municipality Yes No				
Within 300 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No			
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance				

adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality					
	☐ Yes ☐ No				
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No				
Within an unstable area.					
 Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geologic Society; Topographic map 					
Within a 100-year floodplain.	Yes No				
- FEMA map	☐ Yes ☐ No				
16. On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection E of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of Subsection K of 19.15.17.11 NMAC Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of 19.15.17.13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC					
17. Operator Application Certification:					
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge a	and belief.				
Name (Print): Title:					
Signature: Date:					
e-mail address: Telephone:					
18.					
OCD Approval: Permit Application (including closure plan)	ent)				
OCD Approval: Permit Application (including closure plan) (Solution Plan (bhly) OCD Conditions (see attachme					
OCD Approval: Permit Application (including closure plan) Closure Plan (bhly) OCD Conditions (see attachme OCD Representative Signature: Victoria Venegas Approval Date:					
OCD Approval: □ Permit Application (including closure plan) ☑ Closure Plan (bhly) □ OCD Conditions (see attachme OCD Representative Signature: Victoria Venegas Approval Date: Title: Environmental Specialist OCD Permit Number: BGT1					
OCD Approval: Permit Application (including closure plan) Closure Plan (bhly) OCD Conditions (see attachme OCD Representative Signature: Victoria Venegas Approval Date:	mitting the closure report. do not complete this				
OCD Approval: Permit Application (including closure plan) Closure Man (bhl) OCD Conditions (see attachme OCD Representative Signature: Victoria Venegas Approval Date:	mitting the closure report. do not complete this				

Operator Closure Certification:

I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.

Name (Print): Cherylene Weston Title: Operations/Regulatory Technician – Sr.

Signature: Cherylene Weston Date: 10/11/2023

e-mail address: cweston@hilcorp.com Telephone: (713) 289-2615

Form C-144
Released to Imaging: 10/17/2023 9:54:26 AM

Hilcorp Energy Company San Juan Basin Below Grade Tank Closure Report

Lease Name: Huerfano Unit Com 97

API No.: 30-045-05861

In accordance with Rule 19.15.17.13 NMAC the following information describes the closure of the below-grade tank referenced above. All proper documentation regarding closure activities is being included with the C-144.

General Plan:

1. HILCORP shall close a below-grade tank within 60 days of cessation of operations per Subsection G.4 of 19.15.17.13 NMAC. This will include a) below-grade tanks that do not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC or is not included in Paragraph (5) of Subsection I of 19.15.17.11 NMAC within five years, if not retrofitted to comply with Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC; b) an earlier date that the division requires because of imminent danger to fresh water, public health or the environment. For any closure, HILCORP will file the C144 Closure Report as required.

The below-grade tank referenced above was permitted and closed within 60 days of cessation of the below-grade tanks operation.

2. HILCORP shall remove liquids and sludge from a below-grade tank prior to implementing a closure method and shall dispose of the liquids and sludge in a division-approved facility. The facilities to be used will be Basin Disposal (Permit #NM-01-005), JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) and Envirotech Land Farm (Permit #NM-01-011). The liner after being cleaned well (Subsection D, Paragraph 1, Subparagraph (m) of 19.15.9.712 NMAC) will be disposed of at the San Juan County Regional Landfill located on CR 3100.

All recovered liquids were disposed of at Basin Disposal (Permit #NM-01-005) and any sludge or soil required to be removed to facilitate closure was hauled to Envirotech Land Farm (Permit #NM-01-011) and JFJ Landfarm % IEI (Permit #NM-01-0010B). The liner was cleaned per Subsection D, Paragraph 1, Subparagraph (m) of 19.15.9.712 NMAC was disposed of at the San Juan County Regional Landfill located on CR 3100.

3. HILCORP will receive prior approval to remove the below-grade tank and dispose of it in a division-approved facility or recycle, reuse, or reclaim it in a manner that the appropriate division district office approves.

The below-grade tank was disposed of in a division-approved manner.

4. If there is any on-site equipment associated with a below-grade tank, then HILCORP shall remove the equipment, unless the equipment is required for some other purpose.

All on-site equipment associated with the below-grade tank was removed.

5. HILCORP will test the soils beneath the below-grade tank to determine whether a release has occurred. HILCORP shall collect, at a minimum, a five point, composite sample; collect individual grab samples from any area that is wet, discolored or showing other evidence of a release; and analyzed for the constituents listed in Table I of 19.15.17.13 NMAC. Hilcorp shall notify the division of its results on form C-141.

A five point composite sample was taken of the below-grade tank using sampling tools and all samples tested per Subsection B of 19.15.17.1 3(B)(1)(b). (Sample results attached). Form C-141 is attached.

Components	Tests Method	Limit (mg/kg)
Benzene	EPA SW-846 8021B or 8260B	0.2
BTEX	EPA SW-846 8021B or 8260B	50
TPH	EPA SW-846 418.1	100
Chlorides	EPA 300.0	250

6. If HILCORP or the division determines that a release has occurred, then HILCORP shall comply with 19.15.3.116 NMAC and 19.15.1.19 NMAC, as appropriate.

A release was not determined for the above referenced well.

7. If the sampling program demonstrates that a release has not occurred or that any release does not exceed the concentrations specified in Table I of 19.15.17.13 NMAC, then HILCORP shall backfill the excavation with compacted, non-waste containing, earthen material; construct a division-prescribed soil cover; recontour and revegetate the site.

The below-grade tank area passed all requirements of Paragraph (4) of Subsection E of 19.15.17.13 NMAC and was backfilled with compacted, non-waste containing, earthen material.

- 8. Notice of Closure will be given prior to closure to the Aztec Division office between 72 hours and one week via email or verbally. The notification of closure will include the following:
 - i. Operator's name
 - ii. Location by Unit Letter, Section, Township, and Range. Well name and API number.

Notification is attached.

9. The surface owner shall be notified of HILCORP's closing of the below-grade tank 72 hours, but not more than one week, prior to closure as per the approved closure plan via certified mail, return receipt requested.

The closure process notification to the landowner was sent via email, certified mail. (See Attached) (Well located on Federal Land, certified mail is not required for Federal Land per BLM/OCD MOU.)

10. Re-contouring of location will match fit, shape, line, form and texture of the surrounding. Re-shaping will include drainage control, prevent ponding, and prevent erosion. Natural drainages will be unimpeded and water bars and/or silt traps will be place in areas where needed to prevent erosion on a large scale. Final re-contour shall have a uniform appearance with smooth surface, fitting the natural landscape.

The below-grade tank area was re-contoured to match fit, shape, line, form and texture of the surrounding area. Re-shaping including drainage control, to prevent ponding and erosion. Natural drainages were unimpeded and water bars and/or silt traps were placed in areas where needed to prevent erosion on a large scale. Final recontour has a uniform appearance with smooth surface, fitting the natural landscape.

11. HILCORP shall seed the disturbed areas the first favorable growing season following closure of a below-grade tank. Seeding will be accomplished via drilling on the contour whenever practical or by other division-approved methods. BLM stipulated seed mixes will be used on federally regulated lands and division-approved seed mixtures (administratively approved if required) will be utilized on all State or private lands. A uniform vegetative cover has been established that reflects a life-form ratio of plus or minus fifty percent (50%) of pre- disturbance levels and a total percent plant cover of at least seventy percent (70%) of pre-disturbance levels, excluding noxious weeds. If alternate seed mix is required by the state, private owner or tribe, it will be implemented with administrative approval if needed. Hilcorp will repeat seeding or planting will be continued until successful vegetative growth occurs.

10/11/2023

Provision 13 was accomplished through complying with BLM seeding requirements as allowed by the BLM/OCD MOU.

12. A minimum of four feet of cover shall be achieved and the cover shall include one foot of suitable material, with chloride concentrations less than 600 mg/kg as analyzed by EPA Method 300.0, to establish vegetation at the site, or the background thickness of topsoil, whichever is greater.

The below-grade tank area was backfilled and more than four feet of cover was achieved and the cover included one foot of suitable material to establish vegetation at the site.

- 13. All closure activities will include proper documentation and be available for review upon request and will be submitted to OCD within 60 days of closure of the below-grade tank. Closure report will be filed on C-144 and incorporate the following:
 - Soil Backfilling and Cover Installation (See Report)
 - Re-vegetation application rates and seeding techniques (See Report)
 - Photo documentation of the site reclamation (Included as an attachment)
 - Confirmation Sampling Results (Included as an attachment)
 - Proof of closure notice (Included as an attachment)

Kandis Roland

From: Wells, Shelly, EMNRD <Shelly.Wells@emnrd.nm.gov>

Sent: Friday, May 19, 2023 3:02 PM **To:** Kandis Roland; spills@slo.state.nm.us

Cc: Dale Crawford; Clara Cardoza; Mandi Walker; Keri Hutchins; Lisa Jones; Kate Kaufman

Subject: RE: [EXTERNAL] 72 Hour Notice - Huerfano Unit Com 97 (30-045-05861)

CAUTION: External sender. DO NOT open links or attachments from UNKNOWN senders.

Thank you Kandis,

Notice has been received and updated in epermitting.

Shelly

Shelly Wells * Environmental Specialist-Advanced Administrative Permitting Program EMNRD-Oil Conservation Division 1220 S. St. Francis Drive|Santa Fe, NM 87505 (505)469-7520|Shelly.Wells@emnrd.nm.govhttp://www.emnrd.state.nm.us/OCD/

From: Kandis Roland < kroland@hilcorp.com>

Sent: Friday, May 19, 2023 1:38 PM

To: Wells, Shelly, EMNRD <Shelly.Wells@emnrd.nm.gov>; spills@slo.state.nm.us

Cc: Dale Crawford <dcrawford@hilcorp.com>; Clara Cardoza <ccardoza@hilcorp.com>; Mandi Walker

<mwalker@hilcorp.com>; Keri Hutchins <khutchins@hilcorp.com>; Lisa Jones <ljones@hilcorp.com>; Kate Kaufman

<kkaufman@hilcorp.com>

Subject: [EXTERNAL] 72 Hour Notice - Huerfano Unit Com 97 (30-045-05861)

CAUTION: This email originated outside of our organization. Exercise caution prior to clicking on links or opening attachments.

Subject: 72 Hour BGT Closure Notification

Anticipated Start Date: Wednesday, May 24, 2023 at approximately 11:00 AM

The subject well has a below-grade tank that will be permanently removed. The BGT permit is attached. Please contact me at any time if you have any questions or concerns.

Well Name: HUERFANO UNIT COM 97

API#: 3004505861

Location: Unit F, Section 16, T026N, R009W

Footages: 1650' FNL & 1650' FWL

Operator: Hilcorp Energy Surface Owner: State

Reason: Well is to be P&A'd

Please forward to anyone that I may have missed.

Thanks

Kandis Roland
HILCORP ENERGY
San Juan East/South Regulatory
713.757.5246

kroland@hilcorp.com

The information contained in this email message is confidential and may be legally privileged and is intended only for the use of the individual or entity named above. If you are not an intended recipient or if you have received this message in error, you are hereby notified that any dissemination, distribution, or copy of this email is strictly prohibited. If you have received this email in error, please immediately notify us by return email or telephone if the sender's phone number is listed above, then promptly and permanently delete this message.

While all reasonable care has been taken to avoid the transmission of viruses, it is the responsibility of the recipient to ensure that the onward transmission, opening, or use of this message and any attachments will not adversely affect its systems or data. No responsibility is accepted by the company in this regard and the recipient should carry out such virus and other checks as it considers appropriate.



250 deg(T)

36.49086°N 107.79724°W ACCURACY 5 11 of 27 DATUM WGS84

10:34:40-06:00



BGT Closure





District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-141 Revised August 24, 2018 Submit to appropriate OCD District office

Incident ID	
District RP	
Facility ID	
Application ID	

Release Notification

Responsible Party

Responsible Party Hilcor	p Energy Com	oanv	OGRID	372171		
				t Telephone 713-289-2615		
				(assigned by OCD)		
		Aztec NM 87410	0			
		Location of	of Release So	ource		
Latitude 36.490818			Longitude _	-107.797312		
		(NAD 83 in decir	mal degrees to 5 decin			
Site Name Huerfano Unit	t Com 97		Site Type	Gas Well		
Date Release Discovered	N/A		API# (if app	olicable) 30-045-05861		
Unit Letter Section	Township	Range	Coun	, tr		
F 16	26N	05W	San Ju	_ -		
1 10	2011	05 11				
Surface Owner: ⊠ State □	Federal Tr	ibal Private (Na	ame:)		
		Nature and	Volume of 1	Release		
Material(s) I	Released (Select al	that apply and attach c	alculations or specific	justification for the volumes provided below)		
	olume Release		······································	Volume Recovered (bbls)		
Produced Water V	olume Release	d (bbls)		Volume Recovered (bbls)		
		ion of dissolved ch	loride in the	☐ Yes ☐ No		
	produced water >10,000 mg/l? Volume Released (bbls)			Volume Recovered (bbls)		
	Volume Released (Mcf)			Volume Recovered (Mcf)		
			Volume/Weight Recovered (provide units)			
Other (describe) Volume, Weight Released (provide diffus)		ames)	volume, weight necovered (provide units)			
Cause of Release				<u> </u>		
No release was encountered d	uning the DCT (Cloque				
No release was encountered di	uring the bG1 v	ciosure.				

Received by OCD: 10/13/2023 11:12:51 AM Form C-141 State of New Mexico Page 2 Oil Conservation Division

Page	17	of	2
1 1180		J	- ·

Incident ID	
District RP	
Facility ID	
Application ID	

Was this a major	If YES, for what reason(s) does the responsi	ble party consid	ler this a major release?
release as defined by 19.15.29.7(A) NMAC?			
19.13.29.7(A) NWIAC!			
☐ Yes ⊠ No	N/A		
If YES, was immediate n	otice given to the OCD? By whom? To whor	n? When and b	y what means (phone, email, etc)?
Not Required			
Not Required			
	Initial Res	nonse	
		_	
The responsible	party must undertake the following actions immediately u	nless they could cre	rate a safety hazard that would result in injury
The source of the rele	ease has been stopped.		
☐ The impacted area ha	s been secured to protect human health and th	e environment.	
Released materials ha	we been contained via the use of berms or dik	es, absorbent pa	nds, or other containment devices.
☐ All free liquids and re	ecoverable materials have been removed and r	nanaged approp	riately.
If all the actions describe	d above have <u>not</u> been undertaken, explain wh	y:	
		•	
Per 19 15 29 8 R (4) NM	[AC the responsible party may commence rem	ediation immed	liately after discovery of a release. If remediation
			successfully completed or if the release occurred
within a lined containment	nt area (see 19.15.29.11(A)(5)(a) NMAC), ple	ase attach all inf	formation needed for closure evaluation.
	rmation given above is true and complete to the best		
			n corrective actions for releases which may endanger the operator of liability should their operations have
failed to adequately investig	ate and remediate contamination that pose a threat	to groundwater, s	urface water, human health or the environment. In
addition, OCD acceptance o and/or regulations.	f a C-141 report does not relieve the operator of res	ponsibility for co	empliance with any other federal, state, or local laws
Printed Name: Cheryle	ene Weston	Title:	Operations/Regulatory Technician – Sr.
Signature: Chery	vlene Weston	Date:	09/19/2023
51511atare	TOTTO WOSCOTT		07/17/2025
email: cwesto	on@hilcorp.com	Telephone:_	(713) 289-2615
		- -	
OCD Only			
Received by:	I	Date:	
<u>-</u>			



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

June 05, 2023

Dale Crawford HILCORP ENERGY PO Box 4700 Farmington, NM 87499

TEL: (505) 564-0733

FAX:

RE: Huerfano Unit Com 97 BGT Closure OrderNo.: 2305C95

Dear Dale Crawford:

Hall Environmental Analysis Laboratory received 1 sample(s) on 5/25/2023 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

Andy Freeman

Laboratory Manager

Indest

4901 Hawkins NE

Albuquerque, NM 87109

Analytical Report

Lab Order **2305C95**

Hall Environmental Analysis Laboratory, Inc.

Date Reported: 6/5/2023

CLIENT: HILCORP ENERGY
Client Sample ID: 5-Point Composite

Project: Huerfano Unit Com 97 BGT Closure
Collection Date: 5/24/2023 11:00:00 AM

Lab ID: 2305C95-001
Matrix: SOIL
Received Date: 5/25/2023 6:45:00 AM

Analyses	Result	RL Qua	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	GANICS				Analyst: DGH
Diesel Range Organics (DRO)	ND	9.4	mg/Kg	1	5/30/2023 8:42:49 PM
Motor Oil Range Organics (MRO)	ND	47	mg/Kg	1	5/30/2023 8:42:49 PM
Surr: DNOP	95.2	69-147	%Rec	1	5/30/2023 8:42:49 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: KMN
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	6/1/2023 6:43:00 PM
Surr: BFB	90.3	15-244	%Rec	1	6/1/2023 6:43:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: KMN
Benzene	ND	0.025	mg/Kg	1	6/1/2023 6:43:00 PM
Toluene	ND	0.049	mg/Kg	1	6/1/2023 6:43:00 PM
Ethylbenzene	ND	0.049	mg/Kg	1	6/1/2023 6:43:00 PM
Xylenes, Total	ND	0.099	mg/Kg	1	6/1/2023 6:43:00 PM
Surr: 4-Bromofluorobenzene	83.3	39.1-146	%Rec	1	6/1/2023 6:43:00 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	ND	60	mg/Kg	20	5/31/2023 9:19:36 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 1 of 5

Hall Environmental Analysis Laboratory, Inc.

WO#: **2305C95**

05-Jun-23

Client: HILCORP ENERGY

Project: Huerfano Unit Com 97 BGT Closure

Sample ID: MB-75263 SampType: mblk TestCode: EPA Method 300.0: Anions

Client ID: PBS Batch ID: 75263 RunNo: 97118

Prep Date: 5/31/2023 Analysis Date: 5/31/2023 SeqNo: 3526736 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride ND 1.5

Sample ID: LCS-75263 SampType: Ics TestCode: EPA Method 300.0: Anions

Client ID: LCSS Batch ID: 75263 RunNo: 97118

Prep Date: 5/31/2023 Analysis Date: 5/31/2023 SeqNo: 3526737 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride 14 1.5 15.00 0 92.6 90 110

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 2 of 5

Hall Environmental Analysis Laboratory, Inc.

WO#: **2305C95**

05-Jun-23

Client: HILCORP ENERGY

Project: Huerfano Unit Com 97 BGT Closure

Sample ID: LCS-75217 SampType: LCS TestCode: EPA Method 8015M/D: Diesel Range Organics

Client ID: LCSS Batch ID: 75217 RunNo: 97083

Prep Date: 5/26/2023 Analysis Date: 5/30/2023 SeqNo: 3524873 Units: mg/Kg

Analyte Result **PQL** SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Diesel Range Organics (DRO) 10 0 61.9 43 50.00 85.7 130 Surr: DNOP 5.0 5.000 99.7 147

Sample ID: MB-75217 SampType: MBLK TestCode: EPA Method 8015M/D: Diesel Range Organics

Client ID: PBS Batch ID: 75217 RunNo: 97083

Prep Date: 5/26/2023 Analysis Date: 5/30/2023 SeqNo: 3524876 Units: mg/Kg

Analyte Result **PQL** SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Diesel Range Organics (DRO) ND 10 Motor Oil Range Organics (MRO) ND 50

Surr: DNOP 10 10.00 100 69 147

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 3 of 5

Hall Environmental Analysis Laboratory, Inc.

WO#: **2305C95**

05-Jun-23

Client: HILCORP ENERGY

Project: Huerfano Unit Com 97 BGT Closure

Sample ID: Ics-75194 SampType: LCS TestCode: EPA Method 8015D: Gasoline Range Client ID: LCSS Batch ID: 75194 RunNo: 97112 Prep Date: 5/25/2023 Analysis Date: 6/1/2023 SeqNo: 3527082 Units: mg/Kg %RPD Analyte Result **PQL** SPK value SPK Ref Val %REC LowLimit HighLimit **RPDLimit** Qual

 Gasoline Range Organics (GRO)
 20
 5.0
 25.00
 0
 79.3
 70
 130

 Surr: BFB
 1900
 1000
 189
 15
 244

Sample ID: mb-75194 SampType: MBLK TestCode: EPA Method 8015D: Gasoline Range

Client ID: PBS Batch ID: 75194 RunNo: 97112

Prep Date: 5/25/2023 Analysis Date: 6/1/2023 SeqNo: 3527083 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

 Gasoline Range Organics (GRO)
 ND
 5.0

 Surr: BFB
 870
 1000
 86.5
 15
 244

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 4 of 5

Hall Environmental Analysis Laboratory, Inc.

WO#: **2305C95**

05-Jun-23

Client: HILCORP ENERGY

Project: Huerfano Unit Com 97 BGT Closure

Sample ID: Ics-75194	SampT	SampType: LCS			TestCode: EPA Method 8021B: Volatiles					
Client ID: LCSS	Batcl	n ID: 751	194	F	RunNo: 97	7112				
Prep Date: 5/25/2023	Analysis Date: 6/1/2023			SeqNo: 3527087 Units: mg/Kg				(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.85	0.025	1.000	0	84.5	70	130			
Toluene	0.86	0.050	1.000	0	85.7	70	130			
Ethylbenzene	0.84	0.050	1.000	0	84.2	70	130			
Xylenes, Total	2.5	0.10	3.000	0	83.2	70	130			
Surr: 4-Bromofluorobenzene	0.86		1.000		85.6	39.1	146			

Sample ID: mb-75194	SampT	уре: МЕ	BLK	Tes	TestCode: EPA Method 8021B: Volatiles					
Client ID: PBS	Batcl	n ID: 75 ′	194	F	RunNo: 97	7112				
Prep Date: 5/25/2023	Analysis D	Date: 6/	1/2023	9	SeqNo: 3	527088	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	0.84		1.000		84.0	39.1	146			

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 5 of 5

Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109

TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

Sample Log-In Check List

Released to Imaging: 10/17/2023 9:54:26 AM

Client Name:	HILCORP E	NERGY	Work	Order Number	2305C95		RcptNo): 1
Received By:	Juan Roja	s	5/25/20	23 6:45:00 AM		Harray -		
Completed By:	Tracy Cas		5/25/20	23 8:13:27 AM				
Reviewed By:	•	5/25/2						
Chain of Cust								
1. Is Chain of Cu	stody compl	ete?			Yes 🔽	No 🗌	Not Present	
2. How was the s	sample delive	ered?			Courier			
<u>Log In</u>			_		🗔		.u. 🗆	
3. Was an attem	pt made to c	ool the sampl	es?		Yes 🗸	No 🗌	NA 🗌	
4. Were all samp	les received	at a temperat	ture of >0° C	to 6.0°C	Yes 🗹	No 🗆	na 🗆	
5. Sample(s) in p	roper contai	ner(s)?			Yes 🗹	No 🗆		
6 Sufficient sam	ole volume fo	or indicated te	est(s)?		Yes 🗸	No 🗌		
7. Are samples (e	except VOA	and ONG) pro	perly preserve	ed?	Yes 🗹	No 🗌		
8. Was preservat	ive added to	bottles?			Yes 🗌	No 🗹	NA 🗌	
9. Received at lea	ast 1 vial witl	h headspace	<1/4" for AQ \	/OA?	Yes 🗌	No 🗌	na 🗹	
10. Were any sam	ple containe	ers received b	roken?		Yes \square	No 🗹	# of preserved	
44 -						🗖	bottles checked	
11. Does paperwo (Note discrepa)		Yes 🗹	No 🗆	for pH: (<2 c	or >12 unless noted)
12. Are matrices c		-			Yes 🗹	No 🗆	Adjusted?	
13. Is it clear what	analyses we	ere requested	?		Yes 🗹	No 🗌		1-0/0-
14. Were all holdin (If no, notify cu	-				Yes 🗹	No 🗆	Checked by:	ons 25/23
Special Handli								
15. Was client no			vith this order	?	Yes 🗌	No 🗆	NA 🗹	
Person	Notified:			Date:				
By Who	m:			Via: [eMail] Phone [] Fax	☐ In Person	
Regardi	ng:						The second section and second and sec	
Client In	structions:							
16. Additional rer	narks:							
17. Cooler Inform	mation							
Cooler No	Temp ºC	Condition	Seal Intact		Seal Date	Signed By		
1	0.9	Good	Yes	Morty				

Received by OCD; 10	3/8/2023	Received Congnitudes Constitution Record	Turn-Around T	ime:			I	ALL	HALL ENVIRONMENTAL	Page 25 of 27
Hilcorp	Hilcorp Energy		X Standard	Rush			4	NAL	ANALYSIS LABORAT	FORY
			Project Name:					ww.hall	www.hallenvironmental.com	
Mailing Address: 38	82 CR 31	382 CR 3100 Aztec NM 87410	Huerfano Unit Com 97 BGT Closure	Com 97 BG	T Closure	490	4901 Hawkins NE	ıs NE -	Albuquerque, NM 87109	
			Project #:			⊣el.	505-34	505-345-3975		
Phone #:	505.596	505.599.3400						Ā	Analysis Request	
email or Fax#:	kkaufm: dcrawfo	kkaufman@hilcorp.com dcrawford@hilcorp.com	Project Manager:	jer:		M				
QA/QC Package:		:	Dale Crawford			8019				
□ Standard		☐ Level 4 (Full Validation)				'O'				
Accreditation:	□ Az Co □ Other	☐ Az Compliance ☐ Other	Sampler: (C Cardoza	oN □			(tivit)		
EDD (Type)			# of Coolers:	1	Month	8 1		npu		
			Cooler Temp(Including CF).	naluding CF):	1.000°	208		იე :		
Date Time	Matrix	Sample Name	Container Type and #	Preservativ e Type	HEAL No. 2305095	м нч т ,хэтв	Chlorid RCRA	Electric SAR		
5/24/2023 11:65	Soil	5-Point Composite	4 oz Glass/1 Cold	Cold	001	× ×				
						i,				
							1			
	//	(
Date: Time:	Refinduished by	shed by:	Received by:	Via:	Date Time 5/24/23 /50/	Remarks: BGT		losure fo	Closure for P&A work	
Time:	Relinquished by:	shed by:	Received by:	Via:	Date Time					
04/25 1800)		A CONNET S	1952 EV	_				Ch-9 67(C)	1



District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 274753

CONDITIONS

Operator:	OGRID:
HILCORP ENERGY COMPANY	372171
1111 Travis Street	Action Number:
Houston, TX 77002	274753
	Action Type:
	[C-144] Below Grade Tank Plan (C-144B)

CONDITIONS

Created By	Condition	Condition Date
vvenegas	Closure Approved	10/17/2023