District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

BGT1

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, below-grade tanks, and multi-well fluid management pits, submit to the appropriate NMOCD District Office. For permanent pits submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

<u>Pit, Below-Grade Tank, or</u> Proposed Alternative Method Permit or Closure Plan Application

Type of action: Below grade tank registration

Permit of a pit or proposed alternative method

Closure of a pit, below-grade tank, or proposed alternative method

Modification to an existing permit/or registration

Closure plan only submitted for an existing permitted or non-permitted pit, below-grade tank,

or proposed alternative method

Instructions: Please submit one application (Form C-144) per individual pit, below-grade tank or alternative request

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.

L.
Operator: Hilcorp Energy Company OGRID #: 372171
Address: 382 Road 3100 Aztec, NM 87410
Facility or well name: <u>Huerfano Unit Com #551</u>
API Number: 30-045-30453 OCD Permit Number:
U/L or Qtr/Qtr <u>A Section 16 Township 26N Range 9W County: San Juan</u>
Center of Proposed Design: Latitude <u>36.492203°</u> Longitude <u>-107.787462°</u> NAD27
Surface Owner: 🔲 Federal 🖂 State 🗌 Private 🗌 Tribal Trust or Indian Allotment
2.
<u>Pit</u>: Subsection F, G or J of 19.15.17.11 NMAC
Temporary: Drilling Workover
Permanent Emergency Cavitation P&A Multi-Well Fluid Management Low Chloride Drilling Fluid yes no
Lined Unlined Liner type: Thicknessmil LLDPE HDPE PVC Other
String-Reinforced
Liner Seams: Welded Factory Other Volume: bbl Dimensions: L x W x D
Below-grade tank: Subsection I of 19.15.17.11 NMAC
Below-grade tank: Subsection I of 19.15.17.11 NMAC Volume: 120 bbl Type of fluid: Produced Water
Below-grade tank: Subsection I of 19.15.17.11 NMAC Volume: 120 bbl Type of fluid: Produced Water Metal
Below-grade tank: Subsection I of 19.15.17.11 NMAC Volume: 120 bbl Type of fluid: Produced Water
Below-grade tank: Subsection I of 19.15.17.11 NMAC Volume: 120 bbl Type of fluid: Produced Water Metal
Below-grade tank: Subsection I of 19.15.17.11 NMAC Volume: 120 bbl Type of fluid: Produced Water Tank Construction material: Metal Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off
Below-grade tank: Subsection I of 19.15.17.11 NMAC Volume: 120 bbl Type of fluid: Produced Water Tank Construction material: Metal Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off Visible sidewalls and liner Visible sidewalls only Other
Below-grade tank: Subsection I of 19.15.17.11 NMAC Volume: 120 bbl Type of fluid: Produced Water Tank Construction material: Metal Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off Visible sidewalls and liner Visible sidewalls only Other
Below-grade tank: Subsection I of 19.15.17.11 NMAC Volume: 120 bbl Type of fluid: Produced Water Tank Construction material: Metal Secondary containment with leak detection I Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off Visible sidewalls and liner Visible sidewalls only Other Liner type: Thickness mil HDPE PVC I Other Unspecified Alternative Method:
Below-grade tank: Subsection I of 19.15.17.11 NMAC Volume: 120 bbl Type of fluid: Produced Water Tank Construction material: Metal Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off Visible sidewalls and liner Visible sidewalls only Other Liner type: Thickness mil HDPE PVC Other Unspecified Atternative Method: Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.
☑ Below-grade tank: Subsection I of 19.15.17.11 NMAC Volume: 120 bbl Type of fluid: Produced Water Tank Construction material: Metal ☐ Secondary containment with leak detection ✓ Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off ☐ Visible sidewalls and liner ✓ Visible sidewalls only Other ☐ Visible sidewalls and liner ✓ Visible sidewalls only Other Liner type: Thickness mil HDPE PVC Other Unspecified 4. Alternative Method: Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. s. Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks) ☐ Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital,
Below-grade tank: Subsection I of 19.15.17.11 NMAC Volume: 120 bbl Type of fluid: Produced Water Tank Construction material: Metal Secondary containment with leak detection I Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off Visible sidewalls and liner Visible sidewalls only Other Unspecified Alternative Method: Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Section D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)

Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)

Screen Netting Other_

Monthly inspections (If netting or screening is not physically feasible)

Signs: Subsection C of 19.15.17.11 NMAC

12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers

Signed in compliance with 19.15.16.8 NMAC

Variances and Exceptions:

7.

Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.

Please check a box if one or more of the following is requested, if not leave blank:

□ Variance(s): Requests must be submitted to the appropriate division district for consideration of approval.

Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

<u>Siting Criteria (regarding permitting)</u>: 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Siting criteria does not apply to drying pads or above-grade tanks.

General siting	
<u>Ground water is less than 25 feet below the bottom of a low chloride temporary pit or below-grade tank.</u> - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ⊠ NA
Ground water is less than 50 feet below the bottom of a Temporary pit, permanent pit, or Multi-Well Fluid Management pit. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	$\begin{array}{ c c c } \square & Yes \square & No \\ \hline \boxtimes & NA \end{array}$
 Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. (Does not apply to below grade tanks) Written confirmation or verification from the municipality; Written approval obtained from the municipality 	🗌 Yes 🗌 No
 Within the area overlying a subsurface mine. (Does not apply to below grade tanks) Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division 	□ Yes □ No
 Within an unstable area. (Does not apply to below grade tanks) Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	□ Yes □ No
 Within a 100-year floodplain. (Does not apply to below grade tanks) FEMA map 	Yes No
Below Grade Tanks	
 Within 100 feet of a continuously flowing watercourse, significant watercourse, lake bed, sinkhole, wetland or playa lake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site 	🗌 Yes 🛛 No
 Within 200 horizontal feet of a spring or a fresh water well used for public or livestock consumption;. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site 	🗌 Yes 🛛 No
Temporary Pit using Low Chloride Drilling Fluid (maximum chloride content 15,000 mg/liter)	
 Within 100 feet of a continuously flowing watercourse, or any other significant watercourse or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). (Applies to low chloride temporary pits.) Topographic map; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No
Within 300 feet from a occupied permanent residence, school, hospital, institution, or church in existence at the time of initial application.	□ Yes □ No
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	
Within 200 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 300feet of any other fresh water well or spring, in existence at the time of the initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	□ Yes □ No

<i>Received by OCD: 10/25/2025 11:15:11 AM</i>	Page 3 of 2			
 Within 100 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site 	Yes No			
<u>Temporary Pit Non-low chloride drilling fluid</u>				
 Within 300 feet of a continuously flowing watercourse, or any other significant watercourse, or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No			
 Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	🗌 Yes 🗌 No			
 Within 500 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 1000 feet of any other fresh water well or spring, in the existence at the time of the initial application; NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No			
 Within 300 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No			
<u>Permanent Pit or Multi-Well Fluid Management Pit</u>				
 Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No			
 Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	🗌 Yes 🗌 No			
 Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No			
 Within 500 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No			
10. Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC Previously Approved Design (attach copy of design) API Number: or Permit Number:				
11. Mark Will Flat Management Pt Charletter, School and De Choles 17.0 NDAAC				
Multi-Well Fluid Management Pit Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the dot attached.				
Previously Approved Design (attach copy of design) API Number: or Permit Number:				

.

12. Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the orattached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Errosion Control Plan Closure Plan - based upon the appropriate requirements of 19.15.17.9 NMAC and 19.15.17.13 NMAC	documents are			
13. Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Multi-well FI Alternative Alternative Proposed Closure Method: Waste Excavation and Removal On-site Closure Method (Closed-loop systems only) In-place Burial On-site Trench Burial Alternative Closure Method	luid Management Pit			
14. Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.				
15. <u>Siting Criteria (regarding on-site closure methods only)</u> : 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable sour provided below. Requests regarding changes to certain siting criteria require justifications and/or demonstrations of equivalency. P 19.15.17.10 NMAC for guidance.				
Ground water is less than 25 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No □ NA			
Ground water is between 25-50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No			
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	 □ Yes □ No □ NA			
Within 100 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark) Topographic map; Visual inspection (certification) of the proposed site				
 Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	🗌 Yes 🗌 No			
 Within 300 horizontal feet of a private, domestic fresh water well or spring used for domestic or stock watering purposes, in existence at the time of initial application. NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No			
Written confirmation or verification from the municipality; Written approval obtained from the municipality	🗌 Yes 🗌 No			
Within 300 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	🗌 Yes 🗌 No			
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance				
Form $C_{-1}44$ Oil Conservation Division Page 4 o	f 6			

Received	by	OCD:	10/23/	2023	11:15	5:11 AM

Received by OCD: 10/23/2023 11:15:11 AM	Page 5 of 2
adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	🗌 Yes 🗌 No
 Within the area overlying a subsurface mine. Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division 	🗌 Yes 🗌 No
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	🗌 Yes 🗌 No
Within a 100-year floodplain. - FEMA map	Yes No
 16. On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plane by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection E of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of Subsection K of 19.15.17.13 NMAC Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan - based upon the appropriate requirements of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards canned Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC 	11 NMAC 15.17.11 NMAC
 17. Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and believed. 	ef.
Name (Print): Title:	
Signature: Date:	
e-mail address: Telephone:	
18. OCD Approval: Permit Application (including closure plan) 🔀 Closure Plan/(ddb/) 🗌 OCD Conditions (see attachment)	
OCD Representative Signature: Victoria Venegas Approval Date:	1/2023
Title: Environmental Specialist OCD Permit Number: BGT1	
19. Closure Report (required within 60 days of closure completion): 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not section of the form until an approved closure plan has been obtained and the closure activities have been completed. Closure Completion Date: 5/24/2023	
20. Closure Method: ⊠ Waste Excavation and Removal □ On-Site Closure Method □ Alternative Closure Method □ Waste Removal (Closed-lo □ If different from approved plan, please explain.	op systems only)
 21. <u>Closure Report Attachment Checklist</u>: <i>Instructions: Each of the following items must be attached to the closure report. Please interpret in the box, that the documents are attached.</i> ☑ Proof of Closure Notice (surface owner and division) 	dicate, by a check

On-site Closure Location: Latitude

Longitude

NAD: 1927 1983

Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.				
Name (Print):	Cherylene Weston	Title:	Operations/Regulatory Technician – Sr.	
Signature: e-mail address:	Cherylene Weston cweston@hilcorp.com	Date: _Telephone:	10/23/2023 (713) 289-2615	

.

Hilcorp Energy Company San Juan Basin Below Grade Tank Closure Report

Lease Name: Huerfano Unit Com 551 API No.: 30-045-30453

In accordance with Rule 19.15.17.13 NMAC the following information describes the closure of the below-grade tank referenced above. All proper documentation regarding closure activities is being included with the C-144.

General Plan:

 HILCORP shall close a below-grade tank within 60 days of cessation of operations per Subsection G.4 of 19.15.17.13 NMAC. This will include a) below-grade tanks that do not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC or is not included in Paragraph (5) of Subsection I of 19.15.17.11 NMAC within five years, if not retrofitted to comply with Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC; b) an earlier date that the division requires because of imminent danger to fresh water, public health or the environment. For any closure, HILCORP will file the C144 Closure Report as required.

The below-grade tank referenced above was permitted and closed within 60 days of cessation of the below-grade tanks operation.

2. HILCORP shall remove liquids and sludge from a below-grade tank prior to implementing a closure method and shall dispose of the liquids and sludge in a division-approved facility. The facilities to be used will be Basin Disposal (Permit #NM-01-005), JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) and Envirotech Land Farm (Permit #NM-01-011). The liner after being cleaned well (Subsection D, Paragraph 1, Subparagraph (m) of 19.15.9.712 NMAC) will be disposed of at the San Juan County Regional Landfill located on CR 3100.

All recovered liquids were disposed of at Basin Disposal (Permit #NM-01-005) and any sludge or soil required to be removed to facilitate closure was hauled to Envirotech Land Farm (Permit #NM-01-011) and JFJ Landfarm % IEI (Permit #NM-01-0010B). The liner was cleaned per Subsection D, Paragraph 1, Subparagraph (m) of 19.15.9.712 NMAC was disposed of at the San Juan County Regional Landfill located on CR 3100.

3. HILCORP will receive prior approval to remove the below-grade tank and dispose of it in a division-approved facility or recycle, reuse, or reclaim it in a manner that the appropriate division district office approves.

The below-grade tank was disposed of in a division-approved manner.

4. If there is any on-site equipment associated with a below-grade tank, then HILCORP shall remove the equipment, unless the equipment is required for some other purpose.

All on-site equipment associated with the below-grade tank was removed.

5. HILCORP will test the soils beneath the below-grade tank to determine whether a release has occurred. HILCORP shall collect, at a minimum, a five point, composite sample; collect individual grab samples from any area that is wet, discolored or showing other evidence of a release; and analyzed for the constituents listed in Table I of 19.15.17.13 NMAC. Hilcorp shall notify the division of its results on form C-141.

A five point composite sample was taken of the below-grade tank using sampling tools and all samples tested per Subsection B of 19.15.17.1 3(B)(1)(b). (Sample results attached). Form C-141 is attached.

Components	Tests Method	Limit (mg/kg)
Benzene	EPA SW-846 8021B or 8260B	0.2
BTEX	EPA SW-846 8021B or 8260B	50
TPH	EPA SW-846 418.1	100
Chlorides	EPA 300.0	250

6. If HILCORP or the division determines that a release has occurred, then HILCORP shall comply with 19.15.3.116 NMAC and 19.15.1.19 NMAC, as appropriate.

A release was not determined for the above referenced well.

7. If the sampling program demonstrates that a release has not occurred or that any release does not exceed the concentrations specified in Table I of 19.15.17.13 NMAC, then HILCORP shall backfill the excavation with compacted, non-waste containing, earthen material; construct a division-prescribed soil cover; recontour and revegetate the site.

The below-grade tank area passed all requirements of Paragraph (4) of Subsection E of 19.15.17.13 NMAC and was backfilled with compacted, non-waste containing, earthen material.

- 8. Notice of Closure will be given prior to closure to the Aztec Division office between 72 hours and one week via email or verbally. The notification of closure will include the following:
 - i. Operator's name
 - ii. Location by Unit Letter, Section, Township, and Range. Well name and API number.

Notification is attached.

9. The surface owner shall be notified of HILCORP's closing of the below-grade tank 72 hours, but not more than one week, prior to closure as per the approved closure plan via certified mail, return receipt requested.

The closure process notification to the landowner was sent via email, certified mail. (See Attached) (Well located on Federal Land, certified mail is not required for Federal Land per BLM/OCD MOU.)

10. Re-contouring of location will match fit, shape, line, form and texture of the surrounding. Re-shaping will include drainage control, prevent ponding, and prevent erosion. Natural drainages will be unimpeded and water bars and/or silt traps will be place in areas where needed to prevent erosion on a large scale. Final re-contour shall have a uniform appearance with smooth surface, fitting the natural landscape.

The below-grade tank area was re-contoured to match fit, shape, line, form and texture of the surrounding area. Re-shaping including drainage control, to prevent ponding and erosion. Natural drainages were unimpeded and water bars and/or silt traps were placed in areas where needed to prevent erosion on a large scale. Final recontour has a uniform appearance with smooth surface, fitting the natural landscape.

11. HILCORP shall seed the disturbed areas the first favorable growing season following closure of a below-grade tank. Seeding will be accomplished via drilling on the contour whenever practical or by other division-approved methods. BLM stipulated seed mixes will be used on federally regulated lands and division-approved seed mixtures (administratively approved if required) will be utilized on all State or private lands. A uniform vegetative cover has been established that reflects a life-form ratio of plus or minus fifty percent (50%) of pre- disturbance levels and a total percent plant cover of at least seventy percent (70%) of pre-disturbance levels, excluding noxious weeds. If alternate seed mix is required by the state, private owner or tribe, it will be implemented with administrative approval if needed. Hilcorp will repeat seeding or planting will be continued until successful vegetative growth occurs.

Provision 13 was accomplished through complying with BLM seeding requirements as allowed by the BLM/OCD MOU.

12. A minimum of four feet of cover shall be achieved and the cover shall include one foot of suitable material, with chloride concentrations less than 600 mg/kg as analyzed by EPA Method 300.0, to establish vegetation at the site, or the background thickness of topsoil, whichever is greater.

The below-grade tank area was backfilled and more than four feet of cover was achieved and the cover included one foot of suitable material to establish vegetation at the site.

- 13. All closure activities will include proper documentation and be available for review upon request and will be submitted to OCD within 60 days of closure of the below-grade tank. Closure report will be filed on C-144 and incorporate the following:
 - Soil Backfilling and Cover Installation (See Report)
 - Re-vegetation application rates and seeding techniques (See Report)
 - Photo documentation of the site reclamation (Included as an attachment)
 - Confirmation Sampling Results (Included as an attachment)
 - Proof of closure notice (Included as an attachment)

Kandis Roland

From:	Kandis Roland
Sent:	Friday, May 19, 2023 4:18 PM
То:	Wells, Shelly, EMNRD; spills@slo.state.nm.us
Cc:	Dale Crawford; Clara Cardoza; Mandi Walker; Keri Hutchins; Lisa Jones; Kate Kaufman;
	Kandis Roland
Subject:	72 Hour Notice - Huerfano Unit Com 551 (30-045-30453)
Attachments:	Huerfano Unit Com 551 BGT Permit.pdf

Subject: 72 Hour BGT Closure Notification

Anticipated Start Date: Wednesday, May 24, 2023 at approximately 12:00 PM

The subject well has a below-grade tank that will be permanently removed. The BGT permit is attached. Please contact me at any time if you have any questions or concerns.

Well Name: HUERFANO UNIT COM 551

API#: 3004530453

Location: Unit A, Section 16, T026N, R009W

Footages: 1275' FNL & 660' FEL

Operator: Hilcorp Energy Surface Owner: State

Reason: Well is to be P&A'd

Please forward to anyone that I may have missed.

Thanks,

Kandis Roland HILCORP ENERGY San Juan East/South Regulatory 713.757.5246 <u>kroland@hilcorp.com</u> DIRECTION 0 deg(T)

36.49218°N 107.78747°W

ACCURACY 4⁴³m¹ 0/26 DATUM WGS84

Hilcorp Energy Company

HUERFANO UNIT COM 551 LAT: 36/491955, LONG: -107.786932 1275' FNL & 660' FEL NE/NE, SEC. 16, T26N, R9W B-40894-14 API NO. 30-045-30453 SAN JUAN COUNTY, NM ELEV 6342 EMERGENCY NUMBER: 505-324-5170 NO SMOKING NO TRESPASSING

Context Camera

Huerfano Unit

1 North

BGT Closure

2023-05-24 11:15:43-06:00 Received b) GCRE(CTION 359 deg(T)

36.49218°N 107.78745°W

ACCURACY 5 M DATUM WGS84



2023-05-24 11:15:58-06:00

Context Camera

1 34 225

· · · · · · · · ·

Released to Imoging: 15/51/2023 1:44:28 PM

BGT Closure



Released to Imaging: 15/31/2023 1

BGT Closure

11:32:44-06:00



Released to Imaging: 15/31/2023 1

BGT Closure

2023-05-24 11:32:44-06:00 District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-141 Revised August 24, 2018 Submit to appropriate OCD District office

Page 15 of 26

Incident ID	
District RP	
Facility ID	
Application ID	

Release Notification

Responsible Party

Responsible Party Hilcorp Energy Company	OGRID 372171
Contact Name Cherylene Weston	Contact Telephone 713-289-2615
Contact email cweston@hilcorp.com	Incident # (assigned by OCD)
Contact mailing address 382 Road 3100 Aztec NM 87410	

Location of Release Source

Latitude

36.492203

(NAD 83 in decimal degrees to 5 decimal places)

Site Name Huerfano Unit Com 551	Site Type Gas Well
Date Release Discovered N/A	API# (if applicable) 30-045-30453

ĺ	Unit Letter	Section	Township	Range	County
	А	16	26N	09W	San Juan

Surface Owner: State Federal Tribal Private (Name: _____)

Nature and Volume of Release

Material(s) Released (Select all that apply and attach calculations or specific justification for the volumes provided below)

Crude Oil	Volume Released (bbls)	Volume Recovered (bbls)
Produced Water	Volume Released (bbls)	Volume Recovered (bbls)
	Is the concentration of dissolved chloride in the produced water >10,000 mg/l?	Yes No
Condensate	Volume Released (bbls)	Volume Recovered (bbls)
Natural Gas	Volume Released (Mcf)	Volume Recovered (Mcf)
Other (describe)	Volume/Weight Released (provide units)	Volume/Weight Recovered (provide units)
Cause of Release		

No release was encountered during the BGT Closure.

eceived by OCD: 10/23/20	023 11:15:11 AM State of New Mexico		Page 16 of 2 (
orm C-141	State of New Mexico	Incident ID	
age 2	Oil Conservation Division	District RP	
		Facility ID	
		Application ID	
Was this a major release as defined by 19.15.29.7(A) NMAC? □ Yes ⊠ No	If YES, for what reason(s) does the responsible par N/A	ty consider this a major release?	
If YES, was immediate t	notice given to the OCD? By whom? To whom? Wh	en and by what means (phone, email, e	etc)?

Not Required

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury

The source of the release has been stopped.

The impacted area has been secured to protect human health and the environment.

Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices.

All free liquids and recoverable materials have been removed and managed appropriately.

If all the actions described above have not been undertaken, explain why:

Per 19.15.29.8 B. (4) NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please attach a narrative of actions to date. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see 19.15.29.11(A)(5)(a) NMAC), please attach all information needed for closure evaluation.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name:	Cherylene Weston	Title:	Operations/Regulatory Technician – Sr.
Signature:	Cherylene Weston	Date:	10/23/2023
email:	cweston@hilcorp.com	Telephone:	(713) 289-2615
OCD Only			
Received by:		Date:	



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

June 05, 2023

Dale Crawford HILCORP ENERGY PO Box 4700 Farmington, NM 87499 TEL: (505) 564-0733 FAX:

RE: Huerfano Unit Com 551 BGT Closure

OrderNo.: 2305C93

Dear Dale Crawford:

Hall Environmental Analysis Laboratory received 1 sample(s) on 5/25/2023 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

Ander

Andy Freeman Laboratory Manager 4901 Hawkins NE Albuquerque, NM 87109

CLIENT: HILCORP ENERGY

Project:

Analytical Report Lab Order 2305C93

Date Reported: 6/5/2023

Hall Environmental Analysis Laboratory, Inc.

Huerfano Unit Com 551 BGT Closure

Client Sample ID: 5-Point Composite Collection Date: 5/24/2023 11:37:00 AM Received Date: 5/25/2023 6:45:00 AM

Lab ID: 2305C93-001	Matrix: SOIL	Rece	eived Date:	5/25/2	023 6:45:00 AM
Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANG	E ORGANICS				Analyst: DGH
Diesel Range Organics (DRO)	11	9.0	mg/Kg	1	5/30/2023 8:21:06 PM
Motor Oil Range Organics (MRO)	ND	45	mg/Kg	1	5/30/2023 8:21:06 PM
Surr: DNOP	98.5	69-147	%Rec	1	5/30/2023 8:21:06 PM
EPA METHOD 8015D: GASOLINE RANG	GE				Analyst: KMN
Gasoline Range Organics (GRO)	ND	4.7	mg/Kg	1	6/1/2023 5:59:00 PM
Surr: BFB	87.0	15-244	%Rec	1	6/1/2023 5:59:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: KMN
Benzene	ND	0.024	mg/Kg	1	6/1/2023 5:59:00 PM
Toluene	ND	0.047	mg/Kg	1	6/1/2023 5:59:00 PM
Ethylbenzene	ND	0.047	mg/Kg	1	6/1/2023 5:59:00 PM
Xylenes, Total	ND	0.095	mg/Kg	1	6/1/2023 5:59:00 PM
Surr: 4-Bromofluorobenzene	83.9	39.1-146	%Rec	1	6/1/2023 5:59:00 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	ND	60	mg/Kg	20	5/31/2023 8:29:58 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level. D Sample Diluted Due to Matrix
- Н Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- % Recovery outside of standard limits. If undiluted results may be estimated. S
- в Analyte detected in the associated Method Blank
- Е Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- Р Sample pH Not In Range
- RL Reporting Limit

Page 1 of 5

*

QC SUMMARY REPORT Hall Environmental Analysis Laboratory, Inc.

Client: Project:		CORP ENERGY	-	GT Closure)						
Sample ID:	Sample ID: MB-75263 SampType: mblk					tCode: EP	PA Method	300.0: Anions	5		
Client ID:	ent ID: PBS Batch ID: 75263				F	RunNo: 97118					
Prep Date:	5/31/2023	Analysis D	ate: 5/3	31/2023	S	SeqNo: 35	526736	Units: mg/K	g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Chloride		ND	1.5								
Sample ID:	LCS-75263	SampT	ype: Ics		Tes	tCode: EP	A Method	300.0: Anions	6		
Client ID:	LCSS	Batch	ID: 752	263	F	RunNo: 97	'118				
Prep Date:	5/31/2023	Analysis D	ate: 5/3	31/2023	Ś	SeqNo: 35	26737	Units: mg/K	g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Chloride		14	1.5	15.00	0	92.6	90	110			

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 2 of 5

2305C93

05-Jun-23

WO#:

QC SUMMARY REPORT Hall Environmental Analysis Laboratory, Inc.

<u> </u>	a		
Quali	fiers:		
*	Value exceeds Maximum Contaminant Level.	В	Analyte detected in the associated Method Blank
D	Sample Diluted Due to Matrix	E	Above Quantitation Range/Estimated Value
Н	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
ND	Not Detected at the Reporting Limit	Р	Sample pH Not In Range

PQL Practical Quanitative Limit

- ng
- P Sample pH Not I RL Reporting Limit

.

05-Jun-23

2305C93

WO#:

	RP ENERG o Unit Com	-	GT Closure	;								
Sample ID: LCS-75217 SampType: LCS					TestCode: EPA Method 8015M/D: Diesel Range Organics							
Client ID: LCSS Batch ID: 75217				F	RunNo: 9 7	7083						
Prep Date: 5/26/2023 Analysis Date: 5/30/2023				5	SeqNo: 3	524873	Units: mg/K	g				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual		
Diesel Range Organics (DRO)	43	10	50.00	0	85.7	61.9	130					
Surr: DNOP	5.0		5.000		99.7	69	147					
Sample ID: MB-75217	SampT	уре: МЕ	BLK	TestCode: EPA Method 8015M/D: Diesel Range Organics								
Client ID: PBS	Batcl	n ID: 752	217	F	RunNo: 9 7	7083						
Prep Date: 5/26/2023	Analysis E	Date: 5/ 3	30/2023	S	SeqNo: 3	524876	Units: mg/K	g				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual		
Diesel Range Organics (DRO)	ND	10										
Notor Oil Range Organics (MRO)	ND	50										
Surr: DNOP	10		10.00		100	69	147					

Released to Imaging: 10/31/2023 1:44:28 PM

Surr: BFB

Qualifiers: *

D

Н

QC SUMMARY REPORT Hall Environmental Analysis Laboratory, Inc.

870

ND	Not Detected at the Reporting Limit	Р	Sample pH Not In Range
PQL	Practical Quanitative Limit	RL	Reporting Limit
S	% Recovery outside of standard limits. If undiluted results may be estimated.		

Value exceeds Maximum Contaminant Level.

Holding times for preparation or analysis exceeded

Sample Diluted Due to Matrix

	RP ENERG o Unit Com	-	GT Closure	:							
Sample ID: Ics-75194	ble ID: Ics-75194 SampType: LCS				TestCode: EPA Method 8015D: Gasoline Range						
Client ID: LCSS	LCSS Batch ID: 75194			RunNo: 97112							
Prep Date: 5/25/2023	Analysis D	ate: 6/	1/2023	S	527082	Units: mg/K	g				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual	
Gasoline Range Organics (GRO)	20	5.0	25.00	0	79.3	70	130				
Surr: BFB	1900		1000		189	15	244				
Sample ID: mb-75194	SampT	уре: МЕ	BLK	Tes	tCode: EF	PA Method	8015D: Gaso	line Range	•		
Client ID: PBS	Batch	n ID: 75 1	194	F	RunNo: 9 7	7112					
Prep Date: 5/25/2023	Analysis D	ate: 6/	1/2023	SeqNo: 3527		527083	Units: mg/K	g			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual	
Gasoline Range Organics (GRO)	ND	5.0									

86.5

15

244

1000

WO#: 2305C93

05-Jun-23

Page 4 of 5

В Analyte detected in the associated Method Blank

- Е Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits

Client:

Project:

QC SUMMARY REPORT Hall Environmental Analysis Laboratory, Inc.

Huerfano Unit Com 551 BGT Closure

HILCORP ENERGY

Sample ID: Ics-75194	SampT	ype: LC	S	Tes	tCode: EF	PA Method	8021B: Volati	les		
Client ID: LCSS	Batc	n ID: 751	94	F	RunNo: 97	7112				
Prep Date: 5/25/2023	Analysis [Date: 6/1	/2023	S	SeqNo: 35	527087	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.85	0.025	1.000	0	84.5	70	130			
Toluene	0.86	0.050	1.000	0	85.7	70	130			
Ethylbenzene	0.84	0.050	1.000	0	84.2	70	130			
Xylenes, Total	2.5	0.10	3.000	0	83.2	70	130			
Surr: 4-Bromofluorobenzene	0.86		1.000		85.6	39.1	146			
Sample ID: mb-75194 SampType: MBLK										
Sample ID: mb-75194	Samp	уре: МВ	LK	Tes	tCode: EF	PA Method	8021B: Volati	les		
Sample ID: mb-75194 Client ID: PBS		ype: MB			tCode: EF RunNo: 97		8021B: Volati	les		
		n ID: 751	94	F		7112	8021B: Volati Units: mg/K			
Client ID: PBS	Batcl	n ID: 751	94 /2023	F	RunNo: 97	7112			RPDLimit	Qual
Client ID: PBS Prep Date: 5/25/2023	Batcl Analysis [n ID: 751 Date: 6/ 1	94 /2023	F	RunNo: 97 SeqNo: 35	7112 527088	Units: mg/K	g	RPDLimit	Qual
Client ID: PBS Prep Date: 5/25/2023 Analyte	Batcl Analysis I Result	n ID: 751 Date: 6/ 1 PQL	94 /2023	F	RunNo: 97 SeqNo: 35	7112 527088	Units: mg/K	g	RPDLimit	Qual
Client ID: PBS Prep Date: 5/25/2023 Analyte Benzene	Batcl Analysis I Result ND	n ID: 751 Date: 6/ 1 PQL 0.025	94 /2023	F	RunNo: 97 SeqNo: 35	7112 527088	Units: mg/K	g	RPDLimit	Qual
Client ID: PBS Prep Date: 5/25/2023 Analyte Benzene Toluene	Batch Analysis I Result ND ND	n ID: 751 Date: 6 /1 PQL 0.025 0.050	94 /2023	F	RunNo: 97 SeqNo: 35	7112 527088	Units: mg/K	g	RPDLimit	Qual

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- Н Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- % Recovery outside of standard limits. If undiluted results may be estimated. S
- В Analyte detected in the associated Method Blank
- Е Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- Р Sample pH Not In Range
- Reporting Limit RL

Page 5 of 5

WO#: 2305C93

05-Jun-23

ENVIRONMENTAL ANALYSIS LABORATORY	Environmental Albu Albu 505-345-3975 ebsite: www.hat	4901 Hawki querque, NM 6 FAX: 505-345	ns NE 87109 Sam -4107	ple Log-In Check List
Client Name: HILCORP ENERGY Work O	order Number:	2305C93		RcptNo: 1
,	3 6:45:00 AM 3 8:08:20 AM		Wandy g	
<u>Chain of Custody</u>1. Is Chain of Custody complete?2. How was the sample delivered?		Yes ☑ <u>Courier</u>	No 🗌	Not Present
<u>Log In</u> 3. Was an attempt made to cool the samples?		Yes 🗹	No 🗌	na 🗌
4. Were all samples received at a temperature of $>0^{\circ}$ C to	6.0°C	Yes 🗹	No 🗌	na 🗌
5. Sample(s) in proper container(s)?		Yes 🗹	No 🗍	
6. Sufficient sample volume for indicated test(s)?		Yes 🗹	No 🗌	
7. Are samples (except VOA and ONG) properly preserved	1?	Yes 🗹	No 🗌	
8. Was preservative added to bottles?		Yes 🗌	No 🗹	NA 🗌
9. Received at least 1 vial with headspace <1/4" for AQ VC	DA?	Yes 🗌	No 🗌	NA 🔽
10. Were any sample containers received broken?		Yes 🗌	No 🗹	
11. Does paperwork match bottle labels? (Note discrepancies on chain of custody)		Yes 🗹	No 🗌	# of preserved bottles checked for pH: (<2 or >12 unless noted)
12. Are matrices correctly identified on Chain of Custody?		Yes 🗹	No 🗌	Adjusted?
13. Is it clear what analyses were requested?		Yes 🗹	No 🗌	
14. Were all holding times able to be met? (If no, notify customer for authorization.)		Yes 🗹	No 🗌	checked by: Jus 252
<u>Special Handling (if applicable)</u>				
15. Was client notified of all discrepancies with this order?		Yes 🗌	No 🗌	NA 🗹
Person Notified: By Whom: Regarding:	Date:) Via: [] eMail []	Phone 🗋 Fax	In Person
Client Instructions:				
16. Additional remarks:				
	Seal No S Morty	Seal Date	Signed By	

Released to Imaging: 10/31/2023 1:44:28 PM

Page 23 of 26

2	
-	
20	
~	
N.	
• •	
-	
- i.	
-	
5	
1.1	
N	
N	
-	
N	
· · ·	
Personal Property lies:	
3	
3	
-	
•	
•	
1	
50	
50	
20	
ng:	
ng:	
:Sui	
:Sui	
:Sui	
Sung:	
:Sui	
aging:	
aging:	
aging:	
naging:	
naging:	
maging:	
maging:	
naging:	
Imaging:	
Imaging:	
o Imaging:	
o Imaging:	
o Imaging:	
to Imaging:	
to Imaging:	
to Imaging:	
d to Imaging:	
d to Imaging:	
d to Imaging:	
ed to Imaging:	
ed to Imaging:	
sed to Imaging:	
ised to Imaging:	
ased to Imaging:	
ased to Imaging:	
ased to Imaging:	
eased to Imaging:	
leased to Imaging:	
leased to Imaging:	
leased to Imaging:	
eleased to Imaging:	
eleased to Imaging:	
eleased to Imaging:	
leased to Imaging:	

\$ þ

Received	R.1883C	Sus-	Received Charlen - 1883 Clastoldy Record	Turn-Around Ti	Time:				2						Pag	Page 24 of 26	of 26
Client: Hild	Hilcorp Energy	gy		X Standard	Bush		Л			AL	ANALYSIS		ABO	LABORATORY	O C	- ×	
				Project Name					5	ww.ha	www.hallenvironmental.com		al.com				
Mailing Address:	s: 382 CR	3100	3100 Aztec NM 87410	Huerfano Uni	t Com 551 B(GT Closure	v	106	4901 Hawkins NE		- Albuquerque, NM 87109	Inerqu	e, NM 8	37109			
				Project #:				Tel. 5	05-34(505-345-3975	Fax	x 505-	505-345-4107	07			
Phone #:	505.	599.3	505.599.3400							1	Analysis	s Request	lest				200
email or Fax#:	<u>kka</u> u dcra	<u>ufmar</u> awforo	kkaufman@hilcorp.com dcrawford@hilcorp.com	Project Manager:	ger:		M										
QA/QC Package:				Dale Crawford	σ		1910										
□ Standard			Level 4 (Full Validation)				8 'C										
Accreditation:	0 Y	□ Az Con □ Other	□ Az Compliance □ Other	Sampler: On Ice:	C Cardoza	D No)/BR	0		ctivity							
□ EDD (Type)				# of Coolers:		Worty				npu							
				Cooler Temp(Including CF):	(Including CF):	-9-020.91				<u>00</u> :							
Date	Time Matrix		Sample Name	Container Type and #	Preservativ e Type	HEAL No. 2305093	М НЧТ	Chlorid Chlorid	АЯЭЯ	Electric SAR							
5/24/2023 11:37	37 Soil		5-Point Composite	4 oz Glass/1	Cold	100	×	×									
																	1
																	1
								-		_			_				
						5											
							_			_							
										_							
		N	~							3							
5/24/23 (50	10	Refinduished by	Le Ca O	Received by:	4 the	5/24/23 (56)	Rema	rks: B	GT CI	osure 1	Remarks: BGT Closure for P&A work	work					
33		Relinduished by	d by her	Redeived by:	Via:	Date 7											· · · ·
lf neces	sarv. samples	s/submit	cessary samples submitted to Hall Environmental may be subcontracted to othera	ontracted to other a		ies. This ser	is possib	litv. Anv	sub-cor	tracted d	ata will be	clearly no	ptated on i	the analyti	cal repol	 ਦ	1



治一些自

12.24

District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3470 Fax: (505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Operator:	OGRID:
HILCORP ENERGY COMPANY	372171
1111 Travis Street	Action Number:
Houston, TX 77002	278328
	Action Type:
	[C-144] Below Grade Tank Plan (C-144B)
CONDITIONS	

Created By	Condition	Condition Date
vvenegas	None	10/31/2023

CONDITIONS

Page 26 of 26

.

Action 278328