Sundry Print Report

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Well Name: EMPIRE ABO S Well Location: T18S / R27E / SEC 17 / County or Parish/State: EDDY /

NWSE /

Well Number: 3 Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMNM29276 Unit or CA Name: EMPIRE ABO Unit or CA Number:

NMNM70945X

US Well Number: 3001500917 **Well Status:** Producing Oil Well **Operator:** APACHE

CORPORATION

Accepted for record –NMOCD gc11/3/2023

Notice of Intent

Sundry ID: 2747582

Type of Submission: Notice of Intent

Type of Action: Temporary Abandonment

Date Sundry Submitted: 08/23/2023 Time Sundry Submitted: 09:35

Date proposed operation will begin: 09/15/2023

Procedure Description: 1. Notify NMOCD of plan to conduct MIT prior to workover. 2. Disconnect, isolate, lock-out surface mechanical and electrical equipment. 3. POOH all equipment. 4. Set CIBP @ 5,428 ft. 5. Dump bail 35 ft of cement on top of CIBP. 6. Tag Cement – notify NMOCD ready to conduct MIT. 7. Circulate pkr fluid. 8. Conduct MIT, increase pressure within prod csg up to 500 psig, and hold for 30min.

Surface Disturbance

Is any additional surface disturbance proposed?: No

NOI Attachments

Procedure Description

WBD_Proposed_AND_CURRENT_TA_Empire_ABO_Unit_S__003A_30_015_00917_20230823093457.pdf

Page 1 of 2

eceived by OCD: 10/2/2023 1:02:53 PM Well Name: EMPIRE ABO'S Well Location: T18S / R27E / SEC 17 /

NWSE /

County or Parish/State: EDD 200

Well Number: 3 Type of Well: OIL WELL **Allottee or Tribe Name:**

Lease Number: NMNM29276 Unit or CA Name: EMPIRE ABO **Unit or CA Number:**

NMNM70945X

US Well Number: 3001500917 Operator: APACHE Well Status: Producing Oil Well

CORPORATION

Conditions of Approval

Specialist Review

TA_COA_20230929150649.pdf

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: ALICIA FULTON Signed on: AUG 23, 2023 09:35 AM

Name: APACHE CORPORATION

Title: Sr. Regulatory Analyst

Street Address: 303 Veterans Airpark Lane

City: Midland State: TX

Phone: (432) 818-1088

Email address: Alicia.fulton@apachecorp.com

Field

Representative Name:

Street Address:

City: State: Zip:

Phone:

Email address:

BLM Point of Contact

Signature: Jonathon Shepard

BLM POC Name: JONATHON W SHEPARD BLM POC Title: Petroleum Engineer

BLM POC Phone: 5752345972 BLM POC Email Address: jshepard@blm.gov

Disposition: Approved Disposition Date: 09/29/2023

Form 3160-5 (June 2019)

UNITED STATES DEPARTMENT OF THE INTERIOR

FORM APPROVED	į
OMB No. 1004-0137	
Expires: October 31, 20	2

	5.	Lease	Serial	No
--	----	-------	--------	----

BURI	EAU OF LAND MANAGEMENT		J. Lease Berrai No.	
Do not use this f	OTICES AND REPORTS ON Worm for proposals to drill or to Use Form 3160-3 (APD) for suc	re-enter an	6. If Indian, Allottee or	Tribe Name
abandonea wen.	ose reim eree e (Ar B) for suc	л ргорозию.	7 IfII.::4 -FCA/A	
	TRIPLICATE - Other instructions on page	9 2	/. If Unit of CA/Agree	ement, Name and/or No.
1. Type of Well			8. Well Name and No.	
Oil Well Gas W	Vell Other			
2. Name of Operator			9. API Well No.	
3a. Address	3b. Phone No.	(include area code)	10. Field and Pool or F	Exploratory Area
4. Location of Well (Footage, Sec., T.,R	.,M., or Survey Description)		11. Country or Parish,	State
12. CHE	CK THE APPROPRIATE BOX(ES) TO INI	DICATE NATURE OF NO	L ΓΙCE, REPORT OR OTH	IER DATA
TYPE OF SUBMISSION		TYPE OF A	CTION	
Notice of Intent	Acidize Deep		oduction (Start/Resume)	Water Shut-Off
		~ <u>=</u>	clamation	Well Integrity
Subsequent Report			complete	Other
Final Abandonment Notice	Change Plans Plug Convert to Injection Plug	_	mporarily Abandon ater Disposal	
_	peration: Clearly state all pertinent details, in		1	rk and approximate duration thereof. If
completed. Final Abandonment Not is ready for final inspection.)	ns. If the operation results in a multiple comices must be filed only after all requirements			
14. I hereby certify that the foregoing is	true and correct. Name (Printed/Typed)	Title		
Signature		Date		
	THE SPACE FOR FEDI	ERAL OR STATE O	FICE USE	
Approved by				
,		Title		Date
Conditions of approval, if any, are attacherify that the applicant holds legal or ewhich would entitle the applicant to con-	ned. Approval of this notice does not warrant quitable title to those rights in the subject leaduct operations thereon.	tor	-	
	3 U.S.C Section 1212, make it a crime for an		illfully to make to any de	partment or agency of the United States

(Instructions on page 2)

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

Additional Information

Location of Well

 $0. \ SHL: \ NWSE / 2310 \ FSL / 1650 \ FEL / TWSP: 18S / RANGE: 27E / SECTION: 17 / LAT: 0.0 / LONG: 0.0 (TVD: 0 \ feet, MD: 0 \ feet)$ $BHL: \ NWSE / 2310 \ FSL / 1650 \ FEL / TWSP: 18S / SECTION: / LAT: 0.0 / LONG: 0.0 (TVD: 0 \ feet, MD: 0 \ feet)$

Apache

WBD Proposed - TA

Well Name: EMPIRE ABO UNIT S #003A

Reference Datum: KB

API/Surface Loc 3001500917	Surface Legal Loc	ation		State/Province New Mexico		Well Purpose Production
Spud Date 6/3/1961 00:00		Original KB Elevation (ft) 3,447.0	Ground Elevation (ft) 3,435.0			nce (ft)
PBTD (All) (ftKB) Original Hole - 5,578			Total Depth All (TVD) (ftKB)			

Prod	duction, EMPIRE ABO UNIT PH-2 #S003A - Original H	ole, Wellbore Se	Section De	20		Size (in) Act	Top (ftKB)	Act Btm (fikB) I	Start Date
	8/8/2023 12:25:15 PM	Surface	Section De	55		Size (In	11 Act	12.0	1,50		Staft Date
		Prod 1				7		1,502.0	5,60		
ID tK	Vartical cohematic (proposed)					/	1/0	1,502.0	3,60	0.0	
th 3)	Vertical schematic (proposed)	Casing Strin	gs								
۱,۰		Csg Des		OI	D (in)		n (lb/ft)		Grade		Set Depth (f
		Surface			8 5			0 J-55			1,5
74.8		Prod 1			4 1	/2	9.50	0 J-55			5,6
		Cement Stag	jes								
		Des				String		Top (ftKB		(ftKB)	Start Da
81.3		Primary Cem	ent			1,502.00ftKB	, 8	12.0	00 1,50	02.00	
				5/8	8						
12.1		n Primary Cem	ent	Pr	od 1, 5,	600.00ftKB,	4 1/2	12.0	00 5,60	00.00	
	8 5/8; 24.00; J-	55;		Pr	od 1, 5,	600.00ftKB,	4 1/2	5,393.0	0 5,42	28.00	
08.7	12.00-1,502.00	- Live Of its									
	/ Cement; 12.00-			1_			1				
005.4	1,502.00	Tubing Description	n	Run	Date		String Ler	igth (ft)		Set Depth	(πKB)
		Item	Doo		Jts Ma	ake/Manufacturer		lodel	OD (in)	Wt (lb/ft)	Grade
502.0	4 1/2; 9.50; J-5	5;	Des	-	JIS IVIA	ake/iviariulaciulei	IVI	louei	OD (III)	VVI (ID/II)	Grade
	√ 12.00-5,600.00										
99.0		Rod Strings									
1	5,600.00	Rod Description		Run	Date		String Ler	ngth (ft)		Set Depth	(ftKB)
		~~~		Щ.							
196.0		Item	Des		Jts	Make/Mfg.	Me	odel	OD (in)	Wt (lb/ft)	Grade
	Cement; 5,393.	00									
393.0	-5,428.00	Other In Hole	е								
	-5,725.00	Des	le le	con		OD (in)		(ftKB)		(ftKB)	Run D
404.7		CIBP				4.09	5,4	128	5,4	32	8/8/20
		Perforations									
416.4		- Citoratione	1							Shot	Dens Er
		Date			Туре		Top (ftKB)		tKB) Pro		
428.1		6/29/1961	Cased I	Hole			5,47	8 5,	492 N	0	2.0
-20.1		6/29/1961	Cased I	Hole			5,51	4 5.	524 N	0	2.0
		Plug Back T									
129.5	CIBP; 5,428.00		upt	T							Depth (
	5,432.00	Date				Туре			Dep	oth (ftKB)	(ftK
430.8				Floa	at					5,578	
		Schematic A	nnotatio	ns							
432.1	······································	Start Date	Depth	(ftKB)				Annota	ition		
447.4			•		•						
462.7											
478.0	7770a										
	VIVANA NAMED IN THE REPORT OF THE PERSON OF										
511.4											
	(2000) (2000)										
544.7											
578.1											
1											
585.4											
592.7											
- 1											
ı,											
300.1											
500.1											
600.1											
693.2											
693.2											
893.2 786.4	pachecorp.com		e 1/1								ited: 8/8


# **A**pache

#### **WBD Current**

#### Well Name: EMPIRE ABO UNIT S #003A

Reference Datum: KB

API/Surface Loc 3001500917	Surface Legal Loc	ation	Field Name State/Province Empire (BP) New Mexico			Well Purpose Production
Spud Date 6/3/1961 00:00		Original KB Elevation (ft) 3,447.0	Ground Elevation (ft) 3,435.0		KB-Ground Distance (ft) 12.0	
PBTD (All) (ftKB) Original Hole - 5,578		Total Depth All (TVD) (ftKB)				



## **BUREAU OF LAND MANAGEMENT**

Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

# **Conditions of Approval for Temporary Abandonment of Wells**

**Definition:** A temporarily abandoned well is a completion that is not capable of production in paying quantities, but which may have future value. Pursuant to 43 CFR 3162.3-4 (c), no well may be temporarily abandoned for more than 30 days without the prior approval of the authorized officer.

- 1. TA status will be effective for a period of up to one year from the date of sundry approval and can be renewed annually thereafter per IM NM-2016-017.
- A bridge plug (CIBP) must be installed 50 to 100 feet above any open perforations or open hole. The CIBP must be capped with either a minimum of 25 sacks of cement if placed with tubing or 35 feet of cement if placed with a bailer. The top of the cement must be verified by tagging.
- 3. The wellbore must be filled with corrosion inhibited fluid and pressure tested to 500 psi. The casing shall be capable of holding this pressure for at least 30 minutes. If the well does not pass the casing integrity test, then the operator shall, within 30 days, submit a procedure to either repair the casing or to plug and abandon the well.
- 4. Contact the appropriate BLM office at least 24 hours prior to the scheduled Casing Integrity Test. For wells in Eddy County, 575-361-2822; Lea County 575-689-5981.
- 5. All downhole production/injection equipment (tubing, rods, etc.) shall be removed from the casing if it is not isolated by a packer.
- 6. A bradenhead test must be conducted. If the test indicates a problem, a remedial plan and time frame for remediation shall be submitted within ninety (90) days of the test.
- 7. Submit a subsequent Sundry Notice (Form 3160-5) with the following information:
  - a. A well bore diagram with all perforations, CIBP's, and tops of cement on CIBP's.
  - b. A description of the temporary abandonment procedure.
  - c. A clear copy or the original of the pressure test chart.

District III

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

CONDITIONS

Action 271356

#### **CONDITIONS**

Operator:	OGRID:
APACHE CORPORATION	873
303 Veterans Airpark Ln	Action Number:
Midland, TX 79705	271356
	Action Type:
	[C-103] NOI Temporary Abandonment (C-103I)

#### CONDITIONS

Created By	Condition	Condition Date
gcordero	None	11/3/2023