Form 3160-5 (June 2019)

UNITED STATES

FORM APPROVED OMI
No. 1004-0137 Expires:
December 31, 2024

(June 2019)	DEI	PARTMENT OF THE INTERIOR				December 31, 2024				
BUREAU OF LAND MANAGEMENT					5. Lease Se	5. Lease Serial No. NMSF078892				
	ot use this	NOTICES AND REPO form for proposals Use Form 3160-3 (A	to drill or to re	e-enter an	·	Allottee or T	ribe Name			
	SUBMIT IN	TRIPLICATE - Other instr	ructions on page 2		7. If Unit of	f CA/Agreem	ent, Name an	d/or No.		
1. Type of Well										
Oil Wel	I X Gas V	Well Other			8. Well Nar	ROSALIN	NIT 393A			
2. Name of Operator	ERATING, LLC	3			9. API Well	No. 30-039-29	9801			
2 111	TON PLACE	<u>~</u>	3b. Phone No. (inc	clude area cod		9. API Well No. 30-039-29801 10. Field and Pool or Exploratory Area				
	NGTON, NM 87	7401	(505) 278-8720		´	•	LAND COAL			
4. Location of Well (Fo	ootage, Sec., T.,I	R.,M., or Survey Description)		11. Country	11. Country or Parish, State				
SEC 15 T31N R04W	/ NWSE (J) 260	05 FSL 2520 FEL			RIO	RIO ARRIBA COUNTY, NM				
	12. CHE	ECK THE APPROPRIATE B	OX(ES) TO INDIC	ATE NATUR	E OF NOTICE, REPOR	T OR OTHE	R DATA			
TYPE OF SUBM	MISSION			TY	PE OF ACTION					
X Notice of Intent		Acidize	Deepen		Production (Start	/Resume)	Water S	hut-Off		
Notice of intent		Alter Casing	Hydrauli	ic Fracturing	Reclamation		Well Int	egrity		
Subsequent Rep	ort	Casing Repair		nstruction	Recomplete		X Other	Drill out CIBP		
Final Abandonn	ant Matica	Change Plans Convert to Injection		l Abandon	Temporarily Aba Water Disposal	ndon				
		Operation: Clearly state all pe								
temporarily aband	g LLC requests doned. The well	permission to mill out east i	ion for LOGOS to r					his well is currently		
	the foregoing is	s true and correct. Name (Pr	inted/Typed)							
Gwc "Vtwlkmq			Ti	Title Regulatory Specialist						
Signature	tta Truz	jillo	Da	ate 10/16	6/2023					
		THE SPACE	FOR FEDER	AL OR ST	ATE OFICE USE					
Approved by										
				Title		Da	te			
certify that the applican	t holds legal or	ched. Approval of this notice equitable title to those rights induct operations thereon.				,				
Title 19 H C C Section	1001 and Titl - 4	12 II C C Section 1212	it a anima fan a	organ Irmar-i	also and swillfully to1-	a ta anyı d	etena ant an			

(Instructions on page 2)

any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

(Form 3160-5, page 2)



Return to Production-NMOCD (2023)

Rosa Unit 393A
30-039-29801
2605' FSL & 2520' FEL
Section 15, T31N, R04W
Rio Arriba County, New Mexico
LAT: 36.89950° N LONG: -107.24188° W
Fruitland Coal

PROJECT OBJECTIVE:

This well is currently temporarily abandoned. The well must be returned to production for LOGOS to remain in compliance. In order to return the well to production, the cast iron bridge plug (CIBP) will be milled out and 2-3/8" tubing will be run with gas lift valves to return the well to production.

WORKOVER PROCEDURE:

- 1. Hold safety meeting. MIRU workover rig. Place fire and safety equipment in strategic locations. Comply with all LOGOS, BLM, and NMOCD rules and regulations.
- 2. Lay flow lines. Check and record casing and tubing pressures.
- 3. Nipple down wellhead and nipple up BOP.
- 4. Trip in hole and mill out cast iron bridge plug, then trip out of hole with mill.
- 5. Run 2-3/8" tubing with gas lift valves.
- 6. Rig down and move off location, returning the well to production.

Sundry Print Report

Page 4 of 8

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Well Name: ROSA UNIT Well Location: T31N / R4W / SEC 15 /

NWSE / 36.899463 / -107.241887

County or Parish/State: RIO

ARRIBA / NM

Well Number: 393A Type of Well: OTHER

Allottee or Tribe Name:

Lease Number: NMSF078892

Unit or CA Name:

Unit or CA Number:

US Well Number: 3003929801

Well Status: Temporarily Abandoned

Operator: LOGOS OPERATING

LLC

Notice of Intent

Sundry ID: 2756598

Type of Submission: Notice of Intent

Type of Action: Other

Date Sundry Submitted: 10/16/2023 Time Sundry Submitted: 02:37

Date proposed operation will begin: 10/16/2023

Procedure Description: LOGOS Operating LLC requests permission to mill out cast iron bridge plug (CIBP) and return well to production prior to 2023 winter closure. This well is currently temporarily abandoned. The well must be returned to production for LOGOS to remain in compliance. See attached operations plan.

Surface Disturbance

Is any additional surface disturbance proposed?: No

NOI Attachments

Procedure Description

3160_5_Rosa_Unit_393A_Return_well_to_Production_20231016_20231016143654.pdf

Received by OCD: Well Ward 3RTS IN 171M

Well Location: T31N / R4W / SEC 15 /

County or Parish/State: RIO ARRIBA / NM

NWSE / 36.899463 / -107.241887

Page 5 of 8

Well Number: 393A Type of Well: OTHER Allottee or Tribe Name:

Lease Number: NMSF078892 Unit or CA Name: **Unit or CA Number:**

US Well Number: 3003929801 Well Status: Temporarily Abandoned **Operator: LOGOS OPERATING**

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: ETTA TRUJILLO Signed on: OCT 16, 2023 02:37 PM

Name: LOGOS OPERATING LLC

Title: Regulatory Specialist

Street Address: 2010 AFTON PLACE

City: Farmington State: NM

Phone: (505) 324-4154

Email address: ETRUJILLO@LOGOSRESOURCESLLC.COM

Field

Representative Name:

Street Address:

City: State: Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647742 BLM POC Email Address: krennick@blm.gov

Disposition: Approved Disposition Date: 10/17/2023

Signature: Kenneth Rennick

Page 2 of 2



Wellbore Schematic

Well Name: Rosa Unit 393A Sec 15, T31N, R04W 2605' FSL & 2520' FEL Location: County: Rio Arriba API#: 30-039-29801 Lat 36.89950 Long -107.24188 Co-ordinates: Elevations: GROUND: 6891' KB. Depths (KB): PBTD: 4666'

 Date Prepared:
 6/8/2022 Gomez


 Reviewed by:
 6/14/2022 Peace

 Last Updated:
 8/28/2023 Moss

 Spud Date:
 8/8/2007


 Completion Date:
 8/31/2007

 Last Workover Date:
 8/6/2012





Wellbore Schematic



 Date Prepared:
 6/8/2022 Gomez

 Reviewed by:
 6/14/2022 Peace

 Last Updated:
 10/3/2023 Peace

 Spud Date:
 8/8/2007

 Completion Date:
 8/31/2007

 Last Workover Date:
 8/6/2012

Depths (KB): TD: 4675' **Proposed Wellbore Schematic** All Depths KB Hole Size Surface Casing: (8/9/2007) Surface Casing 12-1/4" Drilled a 12-1/4" surface hole to 392'. Set 8 jts 9-5/8", 36#, J-55 casing at 380' 9-5/8", 36#, J-55 0 - 392Cemented w/ 200 sx Type III cmt (14.5 PPG). Circ 16 BBL to surface 8 jts set @ 380' 200 sxs Intermediate Casing: (8/27/2007) Circ to surface TOC at surface (circ) Drilled a 8-3/4" intermediate hole to 3883' pumped cmt from 3836'-3105' Type III 191 sx 380 tag at 3105', pump 104 sx Type III from 3105'-2979'. WOC. Tag at 2979'. PU directional tools drill 2761'-4039'. Set 88 jts 7", 23#, K-55 at 4035'. Cmt w/ 575 sx PremLite (1201 cf) f/w 150 sx Type III (210 cf). Circ 87 bbls to surface 8-3/4" Production Liner: (8/30/2007) 392'-4039 Drilled a 6-1/4" production hole to 4675". Run 4-1/2" liner. 32 jts K-55 11.6# pre-perforated 1 blank K-55 11.6# jt. TOL at 3279'. Liner at 4668' TMD, 3765' TVD Perfs from 3330'-4666' Tubing: Length (ft) (1) 2-1/16" x 8' tubing sub (35) 2-1/16" 3.25# J-55 tbg jnts 1103 Intermediate Csg GLV # 4- 12/64" port/494 PSC/510 PSO/510 PTRO 4 set at 1176 7", 23#, K-55 (27) 2-1/16" 3.25# J-55 tbg jnts 6-1/4" 4 set at 1951 88 jts set @ 4035' GLV # 3 - 12/64" port/464 PSC/478 PSO/480 PTRO 725 sx 4039'-4675' -1/16" 3.25# J-55 tbg jnt Circ to surface GLV # 2- 12/64" port/434 PSC/447 PSO/450 PTRO 4 set at 2627 2-1/16" 3.25# J-55 tbg jnts GLV # 1- 12/64" port/404 PSC/416 PSO/415 PTRO 4 set at 3210 (13) 2-1/16" 3.25# J-55 tbg ints 410 2-1/16" 1.625" X-nipple (75 degree inclination) 1 set at 3935 -1/16" 3.25# J-55 tbg jnts 1.625" seat nipple w/ expendable check Set at: ~4310 Perforations: (8/30/2007) Fruitland Coal: Pre-perforated liner from 3330'-4666'. 37,408 0.5" holes **Production Liner** 4-1/2", 11.6#, K-55 Formations: 32 jts set at 4668' Nacimiento 1400' TOL at 3279' Ojo Alamo-3161 Did not cmt Kirtland-3286 Fruitland Coal-3662' Additional Notes: 8/6/2012- TOOH w/ prod tbg. Set 7" Owen CIBP at 3235'. Load hole w/ 15 gal corrosion inhibitor, 10 gal biocide. PT to 550 PSI, lost 10 psi in 30 min, good test. TIW JGS Liner Hanger 4-1/2" x 7" TOL at 3279' **Tubing** at 7.19 deg 2-3/8", 4.7#, J-55 125 jnts EOT at ~4310' (90°) 4035 TOC @Surface 4070' at 89.5 deg PBTD- 4666 Pre-Perforated Liner from 3330'-4666' TD - 4675'

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 276313

CONDITIONS

Operator:	OGRID:
LOGOS OPERATING, LLC	289408
2010 Afton Place	Action Number:
Farmington, NM 87401	276313
	Action Type:
	[C-103] NOI Workover (C-103G)

CONDITIONS

Created By	Condition	Condition Date
dmcclure	None	11/7/2023