

Form 3160-5
(June 2019)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0137
Expires: October 31, 2021

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instructions on page 2		5. Lease Serial No.
1. Type of Well <input type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other		6. If Indian, Allottee or Tribe Name
2. Name of Operator		7. If Unit of CA/Agreement, Name and/or No.
3a. Address	3b. Phone No. (include area code)	8. Well Name and No.
4. Location of Well (Footage, Sec., T.,R.,M., or Survey Description)		9. API Well No.
		10. Field and Pool or Exploratory Area
		11. Country or Parish, State

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA				
TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be perfonned or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleation in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has detennined that the site is ready for final inspection.)

14. I hereby certify that the foregoing is true and correct. Name (Printed/Typed)		
	Title	
Signature	Date	

THE SPACE FOR FEDERAL OR STATE OFFICE USE		
Approved by	Title	Date
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office	

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c) and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

Additional Information

Location of Well

0. SHL: NWNE / 660 FNL / 1980 FEL / TWSP: 23S / RANGE: 37E / SECTION: 28 / LAT: 32.280786 / LONG: -103.165756 (TVD: 0 feet, MD: 0 feet)

BHL: NWNE / 660 FNL / 1980 FEL / TWSP: 23S / SECTION: / LAT: 32.280786 / LONG: 103.165756 (TVD: 0 feet, MD: 0 feet)

<div style="display: flex; align-items: center;"> <div style="font-size: 2em; font-weight: bold; margin-right: 10px;">faeII</div> <div> WELLBORE DIAGRAM CE Lamunyon #23 </div> </div>				Date: 9/6/2023 OGRID# 330686																																				
Well Name: County Lea State NM Field				API# 30-025-22402																																				
Surf Location: SEC B28 T23S R37E 660FNL, 1980FEL				GL Elev: 3299'																																				
Wellhead				TVD: PBTD: 5133 TD: 5950																																				
Original Spud Date: 1/2/1968				Completed Pool: TEAGUE BLINBRY																																				
	Set Depth Surface 935' 8 5/8" 24# 500 sx	Csg Details Hole Size 11.00 inch	<div style="border: 1px solid black; padding: 10px; text-align: center; margin-bottom: 10px;"> CURRENT </div> <div> PERFORATIONS: 1/17/2004: YATES 2835-2523, 18 shots 11/27/2002: QUEEN 3381-3397, 2SPF 6/2/1969: BLINEBRY 5385-87, 5437-39, 4 SPF - UNDER BP 2/5/1968: BLINEBRY 5474-76, 5568-70 5672-74, 5738-40, 4 SPF - UNDER BP </div>	Prod 5950' 5.5" 15.5# 685 sx RBP @ 5133'	TD = 5950																																			
<div style="display: flex;"> <div style="flex: 1;"> Tubing Details: <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Description</th> <th>Qty</th> <th>Length</th> <th>Depth</th> </tr> </thead> <tbody> <tr><td>KB</td><td>1</td><td></td><td>0</td></tr> <tr><td>2 3/8" 4.7#</td><td>118</td><td>3,350.00</td><td>3,350</td></tr> <tr><td>TAC</td><td></td><td></td><td>3,350</td></tr> <tr><td>2 3/8" 4.7#</td><td></td><td>0.00</td><td>3,350</td></tr> <tr><td>SN</td><td>1</td><td>0.80</td><td>3,351</td></tr> <tr><td>MA</td><td>1</td><td>32.00</td><td>3,383</td></tr> <tr><td>End of Tubing</td><td></td><td></td><td>3,383</td></tr> </tbody> </table> </div> <div style="flex: 1;"> Run Date: 6/29/2006 </div> </div>						Description	Qty	Length	Depth	KB	1		0	2 3/8" 4.7#	118	3,350.00	3,350	TAC			3,350	2 3/8" 4.7#		0.00	3,350	SN	1	0.80	3,351	MA	1	32.00	3,383	End of Tubing			3,383			
Description	Qty	Length	Depth																																					
KB	1		0																																					
2 3/8" 4.7#	118	3,350.00	3,350																																					
TAC			3,350																																					
2 3/8" 4.7#		0.00	3,350																																					
SN	1	0.80	3,351																																					
MA	1	32.00	3,383																																					
End of Tubing			3,383																																					
<div style="display: flex;"> <div style="flex: 1;"> Pump Details: <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Description</th> <th>Size</th> <th>Qty</th> <th>Length</th> <th>Depth</th> </tr> </thead> <tbody> <tr><td>Pony Rods</td><td>7/8"</td><td>0</td><td></td><td>0</td></tr> <tr><td>1" Rods</td><td>1"</td><td>0</td><td></td><td>0</td></tr> <tr><td>7/8" Rods</td><td>7/8"</td><td>0</td><td></td><td>0</td></tr> <tr><td>3/4" rods</td><td>3/4"</td><td>0</td><td></td><td>0</td></tr> <tr><td>Sinker Bar 1 1/2"</td><td>1.5"</td><td>0</td><td></td><td>0</td></tr> <tr><td></td><td></td><td></td><td>0.00</td><td></td></tr> </tbody> </table> </div> <div style="flex: 1;"> Run Date: </div> </div>						Description	Size	Qty	Length	Depth	Pony Rods	7/8"	0		0	1" Rods	1"	0		0	7/8" Rods	7/8"	0		0	3/4" rods	3/4"	0		0	Sinker Bar 1 1/2"	1.5"	0		0				0.00	
Description	Size	Qty	Length	Depth																																				
Pony Rods	7/8"	0		0																																				
1" Rods	1"	0		0																																				
7/8" Rods	7/8"	0		0																																				
3/4" rods	3/4"	0		0																																				
Sinker Bar 1 1/2"	1.5"	0		0																																				
			0.00																																					
Pump Description																																								
Formation Tops																																								
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Formation</th> <th>Depth</th> <th>Formation</th> <th>Depth</th> <th>Formation</th> <th>Depth</th> </tr> </thead> <tbody> <tr> <td>YATES</td> <td>2,510</td> <td>SAN ANDRES</td> <td>3,795</td> <td>TUBB</td> <td></td> </tr> <tr> <td>7 RIVERS</td> <td>2,763</td> <td>GLORIETA</td> <td>4,950</td> <td></td> <td></td> </tr> <tr> <td>QUEEN</td> <td></td> <td>PADDOCK</td> <td></td> <td></td> <td></td> </tr> <tr> <td>PENROSE</td> <td>3,360</td> <td>BLINBRY</td> <td>5,315</td> <td></td> <td></td> </tr> </tbody> </table>						Formation	Depth	Formation	Depth	Formation	Depth	YATES	2,510	SAN ANDRES	3,795	TUBB		7 RIVERS	2,763	GLORIETA	4,950			QUEEN		PADDOCK				PENROSE	3,360	BLINBRY	5,315							
Formation	Depth	Formation	Depth	Formation	Depth																																			
YATES	2,510	SAN ANDRES	3,795	TUBB																																				
7 RIVERS	2,763	GLORIETA	4,950																																					
QUEEN		PADDOCK																																						
PENROSE	3,360	BLINBRY	5,315																																					
History																																								
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Date</th> <th>Description</th> </tr> </thead> <tbody> <tr><td>1/8/1968</td><td>Spud</td></tr> <tr><td>2/5/1968</td><td>Perf Blinebry 5474-5740, 4SPF, Acid 6500 gal, frac w/ 12,000 gal + 18,000# sd</td></tr> <tr><td>6/2/1969</td><td>Perf Blinebry 5385-5439, 4SPF. 2000gal 7.5% acid, frac w/ 12,000 gal + 18,000# sd</td></tr> <tr><td>6/1/1992</td><td>Perf Blinebry 5470-5330, 30 holes, 2 SPF. Frac 5330-5476 50,000 gal + 99,000# snd</td></tr> <tr><td>11/27/2002</td><td>Set RBP 5133'. Perf Queen 3381-97 2SPF. 1000 gal 15% NEFE. Frac w/ 42,000# 16/30 Ottawa + 24,360# 16/30 + 2250# mesh silica</td></tr> <tr><td>1/17/2004</td><td>Set RBP 3069' w/ 2 sx sd. Perf Yates 2835-2523 (18 holes) 1000 gal 15% acid. Frac w/ 120,600# 20/40 Brady + 30,000# 20/40 SLC</td></tr> <tr><td>1/11/2007</td><td>Release RBP @ 3069. Commingle all zones above</td></tr> </tbody> </table>						Date	Description	1/8/1968	Spud	2/5/1968	Perf Blinebry 5474-5740, 4SPF, Acid 6500 gal, frac w/ 12,000 gal + 18,000# sd	6/2/1969	Perf Blinebry 5385-5439, 4SPF. 2000gal 7.5% acid, frac w/ 12,000 gal + 18,000# sd	6/1/1992	Perf Blinebry 5470-5330, 30 holes, 2 SPF. Frac 5330-5476 50,000 gal + 99,000# snd	11/27/2002	Set RBP 5133'. Perf Queen 3381-97 2SPF. 1000 gal 15% NEFE. Frac w/ 42,000# 16/30 Ottawa + 24,360# 16/30 + 2250# mesh silica	1/17/2004	Set RBP 3069' w/ 2 sx sd. Perf Yates 2835-2523 (18 holes) 1000 gal 15% acid. Frac w/ 120,600# 20/40 Brady + 30,000# 20/40 SLC	1/11/2007	Release RBP @ 3069. Commingle all zones above																			
Date	Description																																							
1/8/1968	Spud																																							
2/5/1968	Perf Blinebry 5474-5740, 4SPF, Acid 6500 gal, frac w/ 12,000 gal + 18,000# sd																																							
6/2/1969	Perf Blinebry 5385-5439, 4SPF. 2000gal 7.5% acid, frac w/ 12,000 gal + 18,000# sd																																							
6/1/1992	Perf Blinebry 5470-5330, 30 holes, 2 SPF. Frac 5330-5476 50,000 gal + 99,000# snd																																							
11/27/2002	Set RBP 5133'. Perf Queen 3381-97 2SPF. 1000 gal 15% NEFE. Frac w/ 42,000# 16/30 Ottawa + 24,360# 16/30 + 2250# mesh silica																																							
1/17/2004	Set RBP 3069' w/ 2 sx sd. Perf Yates 2835-2523 (18 holes) 1000 gal 15% acid. Frac w/ 120,600# 20/40 Brady + 30,000# 20/40 SLC																																							
1/11/2007	Release RBP @ 3069. Commingle all zones above																																							
<div style="display: flex;"> <div style="flex: 1;"> Pumping Unit 160D-200-74 </div> <div style="flex: 1;"> SPM </div> <div style="flex: 1;"> Stroke Length Long hole </div> </div>																																								

History

1/8/1968	Spud
2/5/1968	Perf Blinebry 5474-5740, 4SPF, Acid 6500 gal, frac w/ 12,000 gal + 18,000# sd
6/2/1969	Perf Blinebry 5385-5439, 4SPF. 2000gal 7.5% acid, frac w/12,000 gal + 18,000# sd
6/1/1992	Perf Blinebry 5470-5330, 30 holes, 2 SPF. Frac 5330-5476 w/ 50,000 gal + 99,000# snd
11/27/2002	Set RBP 5133'. Perf Queen 3381-97 2SPF. 1000 gal 15% NEFE. Frac w/ 42,000# 16/30 Ottawa + 24,360# 16/30 + 2250# mesh silica
1/17/2004	Set RBP 3069' w/ 2 sx sd. Perf Yates 2835-2523 (18 holes) 1000 gal 15% acid. Frac w/ 120,600# 20/40 Brady + 30,000# 20/40 SLC
1/11/2007	Release RBP @ 3069. Commingle all zones above

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 262196

CONDITIONS

Operator: FAE II Operating LLC 11757 Katy Freeway, Suite 725 Houston, TX 77079	OGRID: 329326
	Action Number: 262196
	Action Type: [C-103] NOI Workover (C-103G)

CONDITIONS

Created By	Condition	Condition Date
kfortner	Like approval from BLM	11/8/2023