

Well Name: JICARILLA APACHE B	Well Location: T24N / R5W / SEC 30 / NESW / 36.2811 / -107.405875	County or Parish/State: RIO ARRIBA / NM
Well Number: 25	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name: JICARILLA APACHE
Lease Number: JIC11	Unit or CA Name:	Unit or CA Number:
US Well Number: 3003927722	Well Status: Abandoned	Operator: DJR OPERATING LLC

Subsequent Report

Sundry ID: 2758616

Type of Submission: Subsequent Report	Type of Action: Plug and Abandonment
Date Sundry Submitted: 10/30/2023	Time Sundry Submitted: 10:09
Date Operation Actually Began: 10/09/2023	

Actual Procedure: The subject well was Plugged & Abandoned on 10/09/2023 per the attached End of Well Report, As Plugged Wellbore Diagram, and Marker.

SR Attachments

Actual Procedure

EOWR_BLM_20231030100901.pdf

Received by OCD: 11/2/2023 8:51:41 AM

Page 2 of 7

Well Name: JICARILLA APACHE B	Well Location: T24N / R5W / SEC 30 / NESW / 36.2811 / -107.405875	County or Parish/State: RIO ARRIBA / NM
Well Number: 25	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name: JICARILLA APACHE
Lease Number: JIC11	Unit or CA Name:	Unit or CA Number:
US Well Number: 3003927722	Well Status: Abandoned	Operator: DJR OPERATING LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: SHAW-MARIE FORD	Signed on: OCT 30, 2023 10:09 AM
Name: DJR OPERATING LLC	
Title: Regulatory Specialist	
Street Address: 1 ROAD 3263	
City: AZTEC	State: NM
Phone: (505) 632-3476	
Email address: SFORD@DJRLLC.COM	

Field

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: MATTHEW H KADE	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5055647736	BLM POC Email Address: MKADE@BLM.GOV
Disposition: Accepted	Disposition Date: 10/30/2023
Signature: Matthew Kade	

DJR Operating, LLC
P&A End of Well Report
Jicarilla B 25
API # 30-039-27722
NE/SW, Unit K. Sec 30, T24N, R5W
Rio Arriba County, NM
Spud Date: 1-2-2005
Plug Date: 10-9-2023

10-5-2023:

MIRU rig and equipment. SITP = 210, SICP = 210, BH = 0. Blow down well. NDWH, NU BOP. TOOH with 64 jts 2 3/8" production string.

10-6-2023:

SITP = N/A, SICP = 200, BH = 0. Blow well down. TIH with workstring and 4 1/2" scraper to 2089'. TOOH. PU and TIH with 4 1/2" cement retainer, set retainer at 2074'. Load and roll hole. PT casing, good test.

P&A Plug 1: Pictured Cliffs perforations, Pictured Cliffs, Fruitland, Kirtland and Ojo Alamo formation tops: Mix and pump plug of 10 sx through retainer and into Pictured Cliffs perforations. Sting out of retainer and place 51 sx above retainer.

TOOH. WOC. TIH, tagged Plug 1 at 1578', 6' below Ojo Alamo top. PT casing, companion flange at WH leaking. Will replace tomorrow.

P&A Plug 2: Ojo Alamo formation top off: Mix and spot balanced plug of 13 sx from 1578'. WOC.

TOOH. ND BOP and companion flange, NU WH for weekend.

10-9-2023:

SITP = N/A, SICP = 0, BH = 0. PT casing, good test. NU new companion flange, NU BOP. TIH with workstring, tagged Ojo Alamo Plug 2 at 1442'. Pull up to 1006'.

P&A Plug 3: Nacimiento formation top: Mix and spot balanced plug of 14 sx from 1006' to 826'. TOOH. TIH to 324'.

P&A Plug 4: Surface casing shoe to surface: Mix and spot balanced plug of 32 sx, good cement returns at surface. TOOH.

Top off: ND BOP. Cut off WH. TOC in 4 1/2" casing at surface and 50' in 8 5/8" casing. Installed P&A marker, top off casing and cellar with 30 sx.

All cement used was Class G mixed at 15.8 ppg, yield 1.15 cu ft/sx.

Regulatory representative; Orrin Sandoval, Jicarilla BLM, Monica Kuehling, NMOCD via phone
GPS Coordinates: Lat; 36.28111 N , Long; 107.406111 W

DJR Operating, LLC
P&A Marker
Jicarilla B 25
API # 30-039-27722
NE/SW, Unit K. Sec 30, T24N, R5W
Rio Arriba County, NM
Spud Date: 1-2-2005
Plug Date: 10-9-2023





United States Department of the Interior

BUREAU OF INDIAN AFFAIRS

Jicarilla Agency

P.O. Box 167

Dulce, New Mexico 87528

IN REPLY REFER TO:

Branch of Real Estate Services

November 15, 2019

Memorandum

To: Robert Switzer, Environmental Protection Specialist
Bureau of Land Management, Farmington Field Office

From: Kurt Sandoval, Realty Officer
Bureau of Indian Affairs, Jicarilla Agency

Subject: BIA Concurrence concerning Well Pad Monument Makers

Let this serve as concurrence for the agreed upon preferred method to be used when constructing well pad monument markers on Jicarilla Apache Tribal Lands. We will eliminate the 6 ft. dry hole marker and use a permanent metal plate that will be installed at ground level, effective September 2019. The marker will contain the following information:

- Well Pad Lease Number
- Well Pad Location Name and Number
- Well Pad Legal Description, specifically Section, Township and Range
- Well Pad API Number
- Well Pad Plug Date
- Well Pad Operator Name

You may contact our office if you have any questions or concerns at (575) 759-3936. Thank you.


Realty Officer

cc: Jicarilla Oil and Gas Administration

12" x 18" MINIMUM

DJR Operating, LLC
End of Well Report
Jicarilla Apache B 25
API # 30-039-27722
NE/SW, Unit K, Sec 30, T24N, R5W
Rio Arriba County, NM

GL 6558'
KB 6570'
Spud Date 1/2/2005

SURF CSG

Hole size 12.25"
 Csg Size: 8.625"
 Wt: 24#
 Grade: J-55
 ID: 8.097"
 Depth 259'
 casing cap ft³/ft: 0.3575
 TOC: Circ. cement
 to surface.

FORMATION TOPS


San Jose	Surface
Nacimiento	952'
Ojo Alamo	1572'
Kirtland	1725'
Fruitland	1926'
Pictured Cliffs	2095'

PROD CSG

Hole size 7.875"
 Csg Size: 4.5"
 Wt: 10.5#
 Grade: J-55
 ID: 4.052"
 Depth 2449'
 casing cap ft³/ft: 0.0895
 Csg/csg Ann. ft3/ft 0.2471
 Csg/OH ft3/ft 0.2278
 TOC: Circ. cement
 to surface.

Pictured Cliffs perms 2096-2154'

PBTD 2410'
 TD 2459'



10-9-2023: Top off: Cut off WH. TOC at surface in 4 1/2" casing and 50' in 8 5/8" casing. Install P&A marker. Top off casing and cellar with 30 sx.

10-9-2023: Plug 4: Surface casing shoe to surface: Mix and spot a balanced plug of 32 sx from 324' to surface, good cement returns at surface.

10-9-2023: Plug 3: Nacimiento formation top: Mix and spot a balanced plug of 14 sx from 1006' to 826'.

10-6-2023: Plug 2: Ojo Alamo top off plug: Mix and spot balanced plug of 13 sx from 1578'. WOC. 10-9-2023: Tagged Plug 2 at 1442'.

10-6-2023: Plug 1: Pictured Cliffs perforations, Pictured Cliffs, Fruitland, Kirtland and Ojo Alamo formation tops: Set CR 2074'. Load and roll hole, PT casing, good test. Mix and pump plug of 61 sx,(10 sx through CR and into perforations. Sting out and place 51 sx above CR). WOC, tagged Plug 1 at 1578'.

All cement used was Class G mixed at 15.8 ppg, yield 1.15 cu ft/sx
 Regulatory representative: Orrin Sandoval, Jicarilla BLM, Monica Kuehling, NMOCD via phone
 GPS Coordinates: Lat; 36.28111 N, Long; 107.406111 W

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 282061

CONDITIONS

Operator: DJR OPERATING, LLC 1 Road 3263 Aztec, NM 87410	OGRID: 371838
	Action Number: 282061
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
mkuehling	well plugged 10/9/2023	11/14/2023