

Well Name: JICARILLA 55A	Well Location: T23N / R3W / SEC 26 / SWSE /	County or Parish/State: SANDOVAL / NM
Well Number: 7	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name: JICARILLA APACHE
Lease Number: JIC55A	Unit or CA Name:	Unit or CA Number:
US Well Number: 3004320028	Well Status: Abandoned	Operator: DJR OPERATING LLC

Subsequent Report

Sundry ID: 2758613

Type of Submission: Subsequent Report

Date Sundry Submitted: 10/30/2023

Date Operation Actually Began: 09/22/2023

Type of Action: Plug and Abandonment

Time Sundry Submitted: 10:04

Actual Procedure: The subject well was Plugged & Abandoned on 09/22/2023 per the attached End of Well Report, As Plugged Wellbore Diagram, and Marker.

SR Attachments

Actual Procedure

EOWR_BLM_20231030100359.pdf

Well Name: JICARILLA 55A	Well Location: T23N / R3W / SEC 26 / SWSE /	County or Parish/State: SANDOVAL / NM
Well Number: 7	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name: JICARILLA APACHE
Lease Number: JIC55A	Unit or CA Name:	Unit or CA Number:
US Well Number: 3004320028	Well Status: Abandoned	Operator: DJR OPERATING LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: SHAW-MARIE FORD	Signed on: OCT 30, 2023 10:04 AM
Name: DJR OPERATING LLC	
Title: Regulatory Specialist	
Street Address: 1 ROAD 3263	
City: AZTEC	State: NM
Phone: (505) 632-3476	
Email address: SFORD@DJRLLC.COM	

Field

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: MATTHEW H KADE	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5055647736	BLM POC Email Address: MKADE@BLM.GOV
Disposition: Accepted	Disposition Date: 10/30/2023
Signature: Matthew Kade	

DJR Operating, LLC
P&A End of Well Report
Jicarilla A 55 7
API # 30-043-20028
SW/SE, Unit O. Sec 26, T23N, R3W
Sandoval County, NM
Spud Date: 12-31-1968
Plug Date: 9-22-2023

9-18-2023:

MIRU rig and equipment. SITP = 15, SICP = 15, BH = 10. No tubing was in well.

9-19-2023:

SITP = N/A, SICP = 15, BH = 10. NDWH, NU BOP. TIH with 4 ½" casing scraper to 2945'.
TOOH.

TIH with 4 ½" cement retainer, set retainer at 2940'. Load and roll hole, PT casing, did not test.

P&A Plug 1: Pictured Cliffs perforations: Mix and pump plug of 10 sx through retainer and into Pictured Cliffs perforations. TOOH.

9-20-2023:

SITP = N/A, SICP = 5, BH = 10.

RIH, run CBL from 2922' to surface: TOC at 2430'. POOH.

P&A Plug 2: Pictured Cliffs, Fruitland, Kirtland and Ojo Alamo formation tops: Mix and pump a balanced plug of 35 sx from 2940'. TOOH. WOC. TIH, tagged Plug 2 at 2482'. TOOH.

9-20-2023:

RIH, perforate holes at 1506', establish rate into perforations. POOH

TIH, set cement retainer at 1456'.

P&A Plug 3: Nacimiento formation top: Mix and spot a plug of 42 sx, (24 sx outside casing, 4 under and 14 sx above retainer). TOOH, WOC.

9-21-2023:

TIH, tagged Plug 3 at 1279'. TOOH.

RIH, perforate holes at 150'. Established circulation down casing and out BH.

P&A Plug 4: Surface casing shoe: Mix and pump plug of 55 sx down casing and out BH. Good cement returns out BH. WOC ON.

9-22-2023:

Cut off WH. TOC at surface in both casings. Installed P&A marker, top off cellar with 18 sx.

All cement used was Class G mixed at 15.8 ppg, yield 1.15 cu ft/sx.

Regulatory representative; Jared Benally, Jicarilla BLM, Monica Kuehling, NMOCD via phone

GPS Coordinates: Lat; 36.18994 N , Long; 107.12412 W

DJR Operating, LLC
P&A Marker
Jicarilla A 55 7
API # 30-043-20028
SW/SE, Unit O. Sec 26, T23N, R3W
Sandoval County, NM
Spud Date: 12-31-1968
Plug Date: 9-22-2023





United States Department of the Interior

BUREAU OF INDIAN AFFAIRS

Jicarilla Agency

P.O. Box 167

Dulce, New Mexico 87528

IN REPLY REFER TO:

Branch of Real Estate Services

November 15, 2019

Memorandum

To: Robert Switzer, Environmental Protection Specialist
Bureau of Land Management, Farmington Field Office

From: Kurt Sandoval, Realty Officer
Bureau of Indian Affairs, Jicarilla Agency

Subject: BIA Concurrence concerning Well Pad Monument Makers

Let this serve as concurrence for the agreed upon preferred method to be used when constructing well pad monument markers on Jicarilla Apache Tribal Lands. We will eliminate the 6 ft. dry hole marker and use a permanent metal plate that will be installed at ground level, effective September 2019. The marker will contain the following information:

- Well Pad Lease Number
- Well Pad Location Name and Number
- Well Pad Legal Description, specifically Section, Township and Range
- Well Pad API Number
- Well Pad Plug Date
- Well Pad Operator Name

You may contact our office if you have any questions or concerns at (575) 759-3936. Thank you.


Realty Officer

cc: Jicarilla Oil and Gas Administration

12" x 18" MINIMUM

End of Well Report

DJR Operating, LLC

Jicarilla A 55 7

API # 30-043-20028

SW/SE, Unit O, Sec 26, T23N, R3W
Sandoval County, NM

GL 7372'
KB 7384'
Spud Date 12/31/1968

SURF CSG

Hole size 12"
Csg Size: 8.625"
Wt: 32#
Grade: N/A
ID: 7.921"
Depth 100'
cap cf/ft: 0.3422
TOC: N/A

FORMATION TOPS


San Jose	Surf
Nacimiento	1456'
Ojo Alamo	2630'
Kirtland	2729'
Fruitland	2862'
Pictured Cliffs	2994'

PROD CSG

Hole size 6.75"
Csg Size: 4.5"
Wt: 9.5"
Grade: J-55
ID: 4.09"
Depth 3112'
cap cf/ft: 0.0912
Csg/Csg Ann, cf/ft: 0.2318
Csg/OH Ann, cf/ft: 0.1381
TOC: (calc.) 2656'

Perfs 3010-20'

PBTD N/A
TD 3115'



9-22-2023: Cut off WH, TOC at surface in both casing strings: Install P&A marker, Top off cellar with 18 sx.

9-21-2023: Plug 4: Surface casing shoe to surface: Perforate holes at 150'. Establish circulation down casing and out BH. Mix and pump plug of 55 sx down casing and out BH. Good cement circulation out BH.

9-20-2023: Plug 3: Nacimiento formation top: Perforate holes at 1506'. Establish injection: Set CR at 1456'. Mix and pump plug of 42 sx, (24 sx outside casing, 4 sx under, and 14 sx above CR. WOC. 9-21-2023: Tagged Plug 3 at 1279'.

9-20-2023: Plug 2: Pictured Cliffs, Fruitland, Kirtland and Ojo Alamo formation tops: Mix and pump balanced plug of 35 sx from 2940'. WOC. Tagged TOC at 2482'.

9-20-2023: Run CBL from 2922' to surface: TOC at 2430'. POOH.

9-19-2023: Plug 1: Pictured Cliffs perforations: Set CR at 2940'. Load and roll hole. PT casing, did not test. Mix and pump plug of 10 sx through CR. TOOH.

All cement used was Class G mixed at 15.8 ppg, yield 1.15 cu ft / sx
Regulatory representative: Jared Benally, Jicarilla BLM, Monica Kuehling, NMOCD via phone
GPS Coordinates: Lat; 36.18994 N, Long; 107.12412 W

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 282059

CONDITIONS

Operator: DJR OPERATING, LLC 1 Road 3263 Aztec, NM 87410	OGRID: 371838
	Action Number: 282059
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
mkuehling	well plugged 9/22/2023	11/14/2023