## Sundry Print Report

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Well Name: GB JACKSON SA Well Location: T17S / R30E / SEC 24 / County or Parish/State: EDDY /

NENW /

Well Number: 5 Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMLC055264 Unit or CA Name: GRAYBURG Unit or CA Number:

JACKSON - SA NMNM70957X

US Well Number: 3001504311 Well Status: Temporarily Abandoned Operator: BURNETT OIL COMPANY INCORPORATED

Accepted for record –NMOCD gc11/21/2023

## **Subsequent Report**

**Sundry ID: 2757061** 

Type of Submission: Subsequent Report

Type of Action: Plug and Abandonment

Date Sundry Submitted: 11/03/2023 Time Sundry Submitted: 12:14

**Date Operation Actually Began: 10/16/2023** 

**Actual Procedure:** 10/16/23 - MIRU 10/19/23 - Perf @ 1535' - attempt inj rate, pressure to 750psi, no rate. Perf @ 1485' - pressure to 750psi, no rate. 10/20/23 - Perf @ 1495' w/ deep penetration shots, pressure to 750psi, no rate. Perf @ 1400', 1300' & 1200' - no inj rate. Spot 8sx cmt @ 1495'-1171' 10/23/23 - Tag TOC @ 1500'. Spot 8sx cmt @ 1495'-1171' 10/24/23 - Tag TOC @ 1470'. Spot 15sx cmt @ 1470'. WOC-Tag @ 1400'. Spot 15sx cmt @ 1400' 10/25/23 - Tag TOC @ 1335'. Spot 15sx cmt @ 1335'. WOC-Tag @ 870'. Perf @ 683' - Sqz 60sx cmt @ 683'-380' 10/26/23 - Tag TOC @ 310'. RIH WL - cut 2-7/8 Tbg @ 250', LD Tbg. Pump 15bbl, no circ. RIH w/ 7" pkr, multiple holes @ 240' to surf. RIH WL - cut 7" csg @ 230' - csg stuck. Perf @ 243' - Spot 25sx cmt @ 240' 10/27/23 - Tag TOC @ 140'. Pressure test csg @ 700psi, .16bpm. Perf @ 140', pressure test, sqz 30bbl @ 3bpm, no circ. Perf @ 100' - sqz 20bbl, no circ. Sqz 30sx cmt @ 140'. WOC-Tag @ 120'. Sqz 30bbl, no circ. NU flange, Sqz 30sx cmt. 10/30/23 - Tag TOC @ 35'. Pump 6sx cmt @ 35' to surf. RDMO 10/31/23 - Cut off WH & anchors. Install DH marker

County or Parish/State: EDDY 2 eived by OCD: 11/9/2023 2:49:47 PM Well Name: GB JACKSON SA Well Location: T17S / R30E / SEC 24 /

NENW /

Well Number: 5 Type of Well: OIL WELL **Allottee or Tribe Name:** 

Lease Number: NMLC055264 Unit or CA Name: GRAYBURG **Unit or CA Number:** 

JACKSON - SA NMNM70957X

**US Well Number:** 3001504311 Well Status: Temporarily Abandoned **Operator: BURNETT OIL** 

COMPANY INCORPORATED

## **Operator**

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Signed on: NOV 03, 2023 12:15 PM **Operator Electronic Signature: GREG BRYANT** 

Name: BURNETT OIL COMPANY INCORPORATED

Title: P & A Supervisor

Street Address: 11114 W I-20 E

City: ODESSA State: TX

Phone: (432) 235-7024

Email address: GREG@SENDEROWELL.COM

## **Field**

Representative Name: Tyler Deans Street Address: 87 Square Lake Rd

City: Loco Hills State: NM **Zip:** 88255

Phone: (575)677-2313

Email address: tdeans@burnettoil.com

## **BLM Point of Contact**

**BLM POC Name: JAMES A AMOS BLM POC Title:** Acting Assistant Field Manager

**BLM POC Phone:** 5752345927 BLM POC Email Address: jamos@blm.gov

**Disposition:** Accepted Disposition Date: 11/08/2023

Signature: James A Amos

Released to Imaging: 11/21/2023 10:57:22 AM

Form 3160-5 (June 2019)

# UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0137
Expires: October 31, 202

	Expires:	October	3
Lease Serial No	,		

BURI	EAU OF LAND MANAGEMENT	N	NMLC055264			
SUNDRY NOTICES AND REPORTS ON WELLS			6. If Indian, Allottee o	6. If Indian, Allottee or Tribe Name		
	form for proposals to drill or to					
abandoned well. l	Use Form 3160-3 (APD) for suc	ch proposals.				
SUBMIT IN 1	TRIPLICATE - Other instructions on page	e 2	_	ement, Name and/or No.		
1. Type of Well				SON - SA/NMNM70957X		
Oil Well Gas W	_		8. Well Name and No.	GB JACKSON SA/5		
2. Name of Operator BURNETT OIL (	COMPANY INCORPORATED		9. API Well No. 3001	504311		
3a. Address 801 CHERRY STREET		(include area code)	10. Field and Pool or I			
	(817) 332-510	08	GRAYBURG/GRA	YBURG		
4. Location of Well (Footage, Sec., T.,R	R.,M., or Survey Description)		11. Country or Parish,	State		
SEC 24/T17S/R30E/NMP			EDDY/NM			
12. CHE	CK THE APPROPRIATE BOX(ES) TO INI	DICATE NATURE OF	NOTICE, REPORT OR OTH	HER DATA		
TYPE OF SUBMISSION		TYPE O	F ACTION			
Notice of Intent	Acidize Deep	en	Production (Start/Resume)	Water Shut-Off		
Notice of Intent	Alter Casing Hydr	aulic Fracturing	Reclamation	Well Integrity		
Subsequent Report	Casing Repair New	Construction	Recomplete	Other		
Subsequent Report	Change Plans Plug	and Abandon	Temporarily Abandon			
Final Abandonment Notice	Convert to Injection Plug	Back	Water Disposal			
is ready for final inspection.)  10/16/23 - MIRU  10/19/23 - Perf @ 1535' - atter  10/20/23 - Perf @ 1495' w/ dec  1495'-1171'  10/23/23 - Tag TOC @ 1500'.  10/24/23 - Tag TOC @ 1335'.  10/26/23 - Tag TOC @ 310'. R  WL - cut 7" csg @ 230' - csg s  10/27/23 - Tag TOC @ 140'. P  20bbl, no circ. Sqz 30sx cmt @  10/30/23 - Tag TOC @ 35'. Pu	Spot 15sx cmt @ 1470'. WOC-Tag @ 1980 Spot 15sx cmt @ 1335'. WOC-Tag @ 88 RH WL - cut 2-7/8 Tbg @ 250', LD Tbg. tuck. Perf @ 243' - Spot 25sx cmt @ 249 Pressure test csg @ 700psi, .16bpm. Per @ 140'. WOC-Tag @ 120'. Sqz 30bbl, no ump 6sx cmt @ 35' to surf. RDMO	Perf @ 1485' - presson, no rate. Perf @ 14004400'. Spot 15sx cmt @ 70'. Perf @ 683' - Square pump 15bbl, no circ. 0' f @ 140', pressure te	ure to 750psi, no rate. 10', 1300' & 1200' - no inj ra 1400' 160sx cmt @ 683'-380' RIH w/ 7" pkr, multiple hol	ate. Spot 8sx cmt @ les @ 240' to surf. RIH		
Continued on page 3 additional						
4. Thereby certify that the foregoing is GREG BRYANT / Ph: (432) 235-70	true and correct. Name (Printed/Typed)  224	P & A Supervis	sor			
		Title				
Signature (Electronic Submission	on)	Date	11/03/20	023		
	THE SPACE FOR FEDI	ERAL OR STATE	OFICE USE			
Approved by						
JAMES A AMOS / Ph: (575) 234-5	927 / Accepted	Acting As	sistant Field Manager	11/08/2023 Date		
Conditions of approval, if any, are attack tertify that the applicant holds legal or each would entitle the applicant to con	hed. Approval of this notice does not warran equitable title to those rights in the subject leduct operations thereon.	t or ase Office CARLS	BAD			

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

#### **GENERAL INSTRUCTIONS**

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

#### SPECIFIC INSTRUCTIONS

*Item 4* - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

#### **NOTICES**

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

**BURDEN HOURS STATEMENT:** Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

### **Additional Information**

#### **Additional Remarks**

10/31/23 - Cut off WH & anchors. Install DH marker

#### **Location of Well**

 $0. \ SHL: \ NENW \ / \ 220 \ FNL \ / \ 2420 \ FWL \ / \ TWSP: \ 17S \ / \ RANGE: \ 30E \ / \ SECTION: \ 24 \ / \ LAT: \ 0.0 \ / \ LONG: \ 0.0 \ ( \ TVD: \ 0 \ feet, \ MD: \ 0 \ feet \ )$ 

 $BHL: NENW / 220 \ FNL / 2420 \ FWL / TWSP: 17S / SECTION: / \ LAT: 0.0 / \ LONG: 0.0 \ ( \ TVD: 0 \ feet, MD: 0 \ feet) \\$ 

Burnett Oil Co., Inc.

#### **WELL COMPLETION SKETCH** Date: 11/9/2023 Eddy Co., NM GJSAU #5 (fka Jackson B #1) **Grayburg Jackson** UNIT C, 220' FNL, 2420' FWL, SEC 24, T17S, R30E Location: ✓ PRESENT COMPLETION RECOMMENDED COMPLETION API# 30-015-04311 PERMANENT WELL BORE DATA DATA ON THIS COMPLETION 10/4/1939 perf 35', 10/30/23 Sqz 25 sx Class C, 10/30/23, cmnt fell back to 8', top off 10/30/23 Spud: perf 100', 10/27/23 Sqz 30 sx Class C, 10/27/23, tag @ 35', 10/30/23 ΚB perf 140', 10/27/23 Sqz 30 sx Class C, 10/27/23, tag @ 120', 10/27/23 Elevation: 3,728' GL perf 243', 10/26/23 25 sx Class C, 10/26/23, tag @ 140', 10/27/23 Jet Cut tbg @ 250', 10/26/23 5-3/4" wash pipe dn to 285', 2/14/19 Depth TVD Dev. MD 8-1/4" @ 578' Cmnt w/ 50 sx perf 683', 10/25/23 Sqz 60 sx, 10/25/23, tag @ 310', 10/26/23 Tag TOC @ 870', 10/25/23 perf tbg 1,200', 10/20/23, C/N pump in 15 sx Class C, 10/25/23, tag @ 870', 10/25/23 perf tbg 1,300', 10/20/23, C/N pump in 15 sx Class C, 10/24/23, tag @ 1,335', 10/25/23 15 sx Class C, 10/24/23, tag @ 1,400', 10/24/23 perf tbg 1,400', 10/20/23, C/N pump in 15 sx Class C, 10/23/23, tag @ 1,470', 10/24/23 perf tbg 1,485', 10/19/23, C/N pump in 8 sx Class C, 10/23/23, tag @ 1,500', 10/23/23 perf tbg 1,500', 10/20/23, C/N pump in 8 sx Class C, 10/20/23, tag @ 1,500', 10/23/23 perf tbg 1,535', 10/19/23, C/N pump in push obstruction to 1.537', 2/15/19 Calc TOC @ 1,692' 7" @ 2,946' Cmnt w/ 100 sx SN 1.15' (3,413.50') 10/25/07 Jackson pay 3,404-08' pay 3,435-52' 110 SX Plug set 2/8/19

TD 3,460'

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

CONDITIONS

Action 281869

#### **CONDITIONS**

Operator:	OGRID:
BURNETT OIL CO INC	3080
801 Cherry Street Unit #9	Action Number:
Fort Worth, TX 76102	281869
	Action Type:
	[C-103] Sub. Plugging (C-103P)

#### CONDITIONS

Created By	Condition	Condition Date
gcordero	None	11/21/2023