

Submit Copy To Appropriate District  
Office  
District I – (575) 393-6161  
1625 N. French Dr., Hobbs, NM 88240  
District II – (575) 748-1283  
811 S. First St., Artesia, NM 88210  
District III – (505) 334-6178  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV – (505) 476-3460  
1220 S. St. Francis Dr., Santa Fe, NM  
87505

State of New Mexico  
Energy, Minerals and Natural Resources

Form C-103  
Revised July 18, 2013

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

WELL API NO. 30-015-22647	
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>	
6. State Oil & Gas Lease No.	
7. Lease Name or Unit Agreement Name Pardue Farms '26'	
8. Well Number	2
9. OGRID Number 241333	
10. Pool name or Wildcat S. Culebra Bluff Bone Spring	
4. Well Location Unit Letter <u>D</u> : <u>760</u> feet from the <u>North</u> line and <u>990</u> feet from the <u>West</u> line Section <u>26</u> Township <u>23S</u> Range <u>28E</u> NMPM County <u>Eddy</u>	
11. Elevation (Show whether DR, RKB, RT, GR, etc.)	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐  
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐  
DOWNHOLE COMMINGLE ☐  
CLOSED-LOOP SYSTEM ☐  
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
COMMENCE DRILLING OPNS. ☐ P AND A ☒  
CASING/CEMENT JOB ☐  
OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

See attached plugging report and as plugged wellbore diagram.

Approved for plugging of well bore only. Liability under bond is retained pending Location cleanup & receipt of C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ [www.emnrd.state.nm.us](http://www.emnrd.state.nm.us)

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Mark Torres TITLE P&A Engineer DATE 11/10/2023

Type or print name Mark Torres E-mail address: marktorres@chevron.com PHONE: 989-264-2525

**For State Use Only**

APPROVED BY: [Signature] TITLE Staff Manager DATE 11/22/23  
Conditions of Approval (if any):



# P&A Operations Summary - External

Well Name PARDUE FARMS '26' 002	Field Name Loving East	Lease Pardue Farms	Area Delaware Basin
Business Unit Mid-Continent	County/ Parish Eddy	Global Metrics Region Lower 48	Surface UWI 3001522647
Basic Well Data			
Current RKB Elevation 3,043.00, <ElvDtTmStart>	Original RKB Elevation (ft) 3,036.00	Latitude (°) 32° 16' 53.724" N	Longitude (°) 104° 3' 46.8" W
Daily Operations			
Start Date	Summary		
10/24/2023	Review JSA cnheck well for pressure, blind sweep area, excavate and found cut casing, well was reworked, production had 1090 PSI and valves that werent working great so double valved well, surface had 0 PSI.		
11/1/2023	Move from Blast 2H to Pardue Frams 26-2 MIRU TOH with rods		
11/2/2023	Held safety meeting, check pressure TOH with rods ND WH NU BOP TOH with tubing		
11/3/2023	Held safety meeting, check pressure. RUWL set CIBP at 6350' TIH to 2000'		
11/4/2023	Held safety meeting, check pressure. TIH tag CIBP at 6350' Pump 25 sacks C cement at 6350-5975 TOH WOC tag at 5984' TOH RUWL set CIBP at 5916' RDWL TIH tag CIBP at 5916' Pump 25 sacks C cement at 5916'-5541' TOH WOC		
11/6/2023	Held safety meeting, check pressure. TIH tag TOC at 5600' TOH RUWL run CBL RDWL TIH to 4725'		
11/7/2023	Held safety meeting, check pressure. Pump mud and 25 sacks of cement at 4725-4351 TOH. Pump mud and 25 sacks of cement at 3463-3088 TOH. Pump mud and 45 sacks of cement at 2647-1964 TOH. Pump mud and 25 sacks of cement at 1550-1176 TOH RUWL Perf at 330 RDWL TIH to 550' Spot 110 sacks of cement at 550-0 TOH ND BOP NU WH		
11/8/2023	Held safety meeting, check pressure. NDWH R/D		

**AS PLUGGED WELLBORE DIAGRAM**

FIELD: Culebra Bluff, Bone Spring, South  
 LEASE/UNIT: Pardue Farms '26'  
 WELL NO.: 2  
 COUNTY: Eddy ST: New Mexico  
 LOCATION: 760' FNL & 990' FWL, Sec. 26, T-23S, R-28E

API NO.: 30-015-22647

CHEVNO:

PROD FORMATION:

STATUS: SI Oil Well

Spud Date: 8/9/1978

TD Date: 10/17/1980

Comp Date:

GL: 3,022.5'

KB:

Base of Fresh Water: 100'

**POTASH: NO****Surface Casing**

Size: 13-3/8"  
 Wt., Grd.: 48# H40 ST&C  
 Depth: 370'  
 Sxs Cmt: 425  
 Circulate: Yes, 40 sx  
 TOC: Surf  
 Hole Size: 17-1/2"

11/7/23: Perf @ 330'; circulate annulus clean  
 Spot 110 sx Class C f/ 550' - 0' and circulate  
 annulus full

**Intermediate Casing**

Size: 8-5/8"  
 Wt., Grd.: 24# K-55 ST&C  
 Depth: 2,599'  
 Sxs Cmt: 1000 sx  
 Circulate: Yes, 50 sx  
 TOC: Surf  
 Hole Size: 11"

11/7/23: Spot 25 sx Class C f/ 1,550' - 1,176'

**Production Casing**

Size: 4-1/2"  
 Wt., Grd.: 10.5# & 11.6#  
 Depth: 6,855'  
 Sxs Cmt: 850 sx  
 Circulate: No  
 TOC: 350' via CBL 11/6/23  
 Hole Size: 7-7/8"

11/7/23: Spot 45 sx Class C f/ 2,647' - 1,964'

11/7/23: Spot 25 sx Class C f/ 3,463' - 3,088'

TOC @ 4,290' via Temp Survey

Formation	Top (MD)
Top of Salt	Surface
Base of Salt	2,611'
Lamar Limestone	2,611'
Bell Canyon	2,647'
Cherry Canyon	3,463'
Brushy Canyon	4,725'
Bone Spring	6,256'
Avalon	6,303'

11/7/23: Spot 25 sx Class C f/ 4,725' - 4,351'

11/4/23: Spot 25 sx Class C f/ 5,916' - 5,541'  
 WOC & tag plug @ 5,600'

11/4/23: Set CIBP @ 5,916'

Brushy Canyon Perfs  
 6,016' - 6,232'

11/4/23: Spot 25 sx Class C f/ 6,350' - 5,975'  
 WOC & tag at 5,984'

Bone Springs Perfs  
 6,406' - 6,676'

11/3/23: Set CIBP @ 6,350'

6,790' PBTD  
 7,063' TD

**H2S Concentration >100 PPM? YES**  
**NORM Present in Area? NO**

**From:** [Alvarado, David, EMNRD](#)  
**To:** [Savala, Jorge \[Airswift\]](#)  
**Cc:** [Torres, Mark](#)  
**Subject:** **[\*\*EXTERNAL\*\*]** Re: [EXTERNAL] Change to Pardue Farms 26-2 Procedure  
**Date:** Monday, November 6, 2023 4:04:55 PM

---

CBL Shows as is I agree with your plan

Thanks,  
David.

---

**From:** Savala, Jorge [Airswift] <jorgesavala@chevron.com>  
**Sent:** Monday, November 6, 2023 3:02:42 PM  
**To:** Alvarado, David, EMNRD <David.Alvarado@emnrd.nm.gov>  
**Cc:** Torres, Mark <MarkTorres@chevron.com>  
**Subject:** [EXTERNAL] Change to Pardue Farms 26-2 Procedure

**CAUTION: This email originated outside of our organization. Exercise caution prior to clicking on links or opening attachments.**

Good evening, David.

Here is the proposed changes to the procedure after the CBL showed TOC at 350'

Spot 25 sacks C cement at 4725'-4351'

Spot 25 sacks C cement at 3463'-3088'

Spot 45 sacks C cement at 2647'-1964'

Spot 25 sacks C cement at 1550'-1176'

Perforate at 330' circulate 8-5/8 clean bubble test, then TIH to 500' Spot 110 sacks C cement from 500'-0' inside and out at 330'-0'

Please feel free to contact me if you have any questions thanks again.

**From:** [Alvarado, David, EMNRD](#)  
**To:** [Savala, Jorge \[Airswift\]](#)  
**Cc:** [Torres, Mark](#)  
**Subject:** **[\*\*EXTERNAL\*\*]** Re: [EXTERNAL] Pardue Farms 26-1 (3001522647)  
**Date:** Thursday, November 2, 2023 6:49:17 AM

---

**Be aware this external email contains an attachment and/or link.**

Ensure the email and contents are expected. If there are concerns, please submit suspicious messages to the Cyber Intelligence Center using the Report Phishing button.

I agree George 100%

Get [Outlook for iOS](#)

---

**From:** Savala, Jorge [Airswift] <jorgesavala@chevron.com>  
**Sent:** Wednesday, November 1, 2023 5:06:28 PM  
**To:** Alvarado, David, EMNRD <David.Alvarado@emnrd.nm.gov>  
**Cc:** Torres, Mark <MarkTorres@chevron.com>  
**Subject:** [EXTERNAL] Pardue Farms 26-1 (3001522647)

**CAUTION:** This email originated outside of our organization. Exercise caution prior to clicking on links or opening attachments.

Good evening David

As per our conversation. We would like approval to set the CIBP at 6350' and spot 25 sacks of class C cement at 6350'-5875'+- WOC and tag. Then set the second CIBP at the TOC

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720

**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720

**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170

**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS

Action 284617

CONDITIONS

Operator: CHEVRON U S A INC 6301 Deauville Blvd Midland, TX 79706	OGRID: 4323
	Action Number: 284617
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	11/22/2023