1625 N. French Dr., Hobbs, NM 88240 Phone: (575) 393-6161 Fax: (575) 393-0720

District II

811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

District III 1000 Rio Brazos Road, Aztec, NM 87410 Phone: (505) 334-6178 Fax: (505) 334-6170 District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

#### State of New Mexico

Form C-101 Revised July 18, 2013

**Energy Minerals and Natural Resources** 

**Oil Conservation Division** 

1220 South St. Francis Dr.

Santa Fe, NM 87505

□ AMENDED REPORT

Phone: (505) 476-3460 F			FOR PERM	IIT TO DRILL	L, RE-ENTI	ER, DEEP	EN, PLUC	BAC	K, OR ADI			
<sup>1.</sup> Operator Name and Address Empire New Mexico LLC 2200 S. Utica Place, Suite 150 Tulsa OK 74114 (918) 404-4202									<sup>2.</sup> OGRID Number 330679			
		2200	S. Utica Plac Tulsa OK 74 (918) 404-	e, Suite 150 4114 4202					<sup>3.</sup> API Number 30-025-34533			
* Property Code Service Property Name Service Monument 36 State Service 3 30854							II No. 3					
				<sup>7.</sup> Su	ırface Locat	tion						
	92006	ownship 18 S	Range 36 E	Lot Idn	Feet from 2178	N/	S Line N		et From 620	E/W Line E	County Lea	
				8. Propos	ed Bottom l	Hole Locat	ion					
		ownship 18 S	Range 36 E	Lot Idn	Feet from 2178	N/	S Line N		et From 620	E/W Line E	County Lea	
				9. Po	ool Informa	tion					r*	
				Pool N Goodwin;							Pool Code 28390	
<sup>11.</sup> Work Typ	10		2. Well Type		13. Cable/Rota	rv	Į.	4. Lease	Tyne	15. Grou	nd Level Elevation	
A O R							S			4078'		
<sup>16.</sup> Multiple Y							<sup>0.</sup> Spud Date C. <b>4,</b> 2023					
Depth to Ground water Distance from nearest fresh water well Distance to nearest surface w						vater						
100' in L 01108 POD 3 587' SW of L 011					L 01108	8 POD 3 ≈875' N of nameless playa				ess playa		
A closed-loop	system w	ill be used	instead of line	ed pits.								
			21.	Proposed Cas	sing and C	ement Pr	ogram				Г	
Туре	Hole Si		nsing Size	Casing Wei			g Depth	+	1000000	f Cement	Estimated TOC	
Surface	12.25		1.75"	42# H-	40		431'	-	4	00	GL	
Intermediate	11"	' {	3.625"	24# K-	55	GL -	2810'	_	9	00	GL	
Production	7.875	5"	5.5"	15.5# K	-55	GL –	7249'		8	00	2600'	
Open hole	7.87	5"	N/A	N/A		22 0.00 0.000	- 7468'		N	/A	N/A	
Will perforate	(0000)	C0 = 0'\		g/Cement Pro		AC 1201	20		Abo (ovice	ting porfo) wi	th Drinkard	
will perforate	(6650	- 6930 )		Proposed Blo				rigie	ADO (EXIS	ung pens) wi	ui Dilikalu.	
	Туре			Working Pressure		ention FT		ure (n	zi)	T M	anufacturer	
annular & double rams 5000				(psi)	Test Pressure (psi) 5000		.,	TBD				
<sup>23.</sup> I hereby certify of my knowledge	and belief.			1		OIL CONSERVATION DIVISION						
I further certify t 19.15.14.9 (B) NM	hat I have IAC □, i	e complied v f applicable	vith 19.15.14.9	(A) NMAC :	and/or	Approved B	y:					

Title:

Approved Date:

Conditions of Approval Attached

Expiration Date:

E-mail Address: brian@permitswest.com

Signature:

Printed name: Brian Wood

Title: Consultant

Date: 11-20-23

Halank

Phone: 505 466-8120

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3460 Fax: (505) 476-3462 State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102 Revised August 1, 2011 Submit one copy to appropriate District Office

☐ AMENDED REPORT

#### WELL LOCATION AND ACREAGE DEDICATION PLAT

	HISTORY TO THE PARTY OF THE PAR	Υ	A LLL L	CHIL	JIV I II VID II	CICEAGE DEDI	CATIONILA	<b>1</b>		
<sup>1</sup> API Number <sup>2</sup> Poo				<sup>2</sup> Pool Co	ode	<sup>3</sup> Pool Name				
30-025-34533 283					90	GOODWIN; DRINKARD				
<sup>4</sup> Property Code				5 Property Name					<sup>6</sup> Well Number	
330854				MONUMENT 36 STATE					3	
OGRID No.					8 Opera	ator Name			<sup>9</sup> Elevation	
330679 EMPIRE NEW MEXICO LLC						-				
<sup>10</sup> Surface Location										
UL or lot no.	Section	Township	Range	Lot Id	in Feet from	the North/South lin	e Feet from the	East/West	line County	
Н	36	18 S	36 E		2178	NORTH	620	EAST	LEA	
	" Bottom Hole Location If Different From Surface									
UL or lot no.	Section	Township	Range	Lot Id	in Feet from	the North/South lin	e Feet from the	East/West	line County	
Н	36	18 S	36 E		2178	NORTH	620	EAST	LEA	
12 Dedicated Acres	s 13 Joint o	r Infill	Consolidation	Code 15	Order No.					
40.00										

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

16				LOBERATOR CERTIFICATION
- 3			1	17 OPERATOR CERTIFICATION
-			1	I hereby certify that the information contained herein is true and complete
				to the best of my knowledge and belief, and that this organization either
				owns a working interest or unleased mineral interest in the land including
				the proposed bottom hole location or has a right to drill this well at this
				location pursuant to a contract with an awner of such a mineral or working
				interest, or to a soluntary pooling agreement or a compulsory pooling order herelofore entered by the division.
				Signature Date
				BRIAN WOOD
	- 4	2		Printed Name
		2	<b>Y</b> _	brian@permitswest.com
				E-mail Address
^				505 466-8120
				18SURVEYOR CERTIFICATION
				I hereby certify that the well location shown on this
				plat was plotted from field notes of actual surveys
				made by me or under my supervision, and that the
				same is true and correct to the best of my belief.
				10 Pt
				11-10-98
				Date of Survey
				Signature and Seal of Professional Surveyor:
				Original survey by Ron Eidson
				Original survey by Ron Eidson (3239) on file with NMOCD
				Transmission ( ) Transmiss and transmission of transmission ( )
	7			Certificate Number

I. Operator: EMPIRE NEW MEXICO LLC

### State of New Mexico Energy, Minerals and Natural Resources Department

Submit Electronically Via E-permitting

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

# NATURAL GAS MANAGEMENT PLAN

This Natural Gas Management Plan must be submitted with each Application for Permit to Drill (APD) for a new or recompleted well.

## Section 1 – Plan Description Effective May 25, 2021

OCRID: 330679

I. Operator: EMPIRE	E NEW MEXIC	COLLC	OGRID: <u>_</u> 3	30679		Date:	11 /	20 / 23
II. Type: ☑ Original [	☐ Amendment	due to □ 19.15.27.	9.D(6)(a) NMA	.C □ 19.15.27.9.D	(6)(b) N	IMAC □	Other.	
If Other, please describe	e:							
III. Well(s): Provide th	e following inf	ormation for each r	new or recomple	eted well or set of	wells p	roposed to	be dri	lled or proposed to
be recompleted from a s	single well pad	or connected to a c	entral delivery p	point.	Į.			ned or proposed to
Well Name	API	ULSTR	Footages	Anticipated Oil BBL/D		icipated MCF/D	P	Anticipated roduced Water BBL/D
MONUMENT 36 STATE 3	30-025-34533	H-36-18S-36E	2178 FNL	50	150		75	
			620 FEL					
V. Anticipated Schedu proposed to be recomple Well Name	API	gle well pad or com	TD Reached Date	Completion	1	Initial I Back I	Flow	First Production Date
MONUMENT 36 STATE 3	30-025-34533	6-2-99	6-16-99	12-4-23		12-11-23		12-18-23
VI. Separation Equipm VII. Operational Pract Subsection A through F VIII. Best Management during active and planne	tices:	n a complete descri NMAC. I Attach a complete	iption of the ac	tions Operator wil	l take t	o comply	with th	ne requirements of

<u>Section 2 — Enhanced Plan</u> <u>EFFECTIVE APRIL 1, 2022</u>								
Beginning April 1, 2022, an operator that is not in compliance with its statewide natural gas capture requirement for the applicable reporting area must complete this section.								
☑ Operator certific capture requiremen	es that it is not requir t for the applicable re	ed to complete this seconting area.	ction because Operator is in	compl	liance with its statewide natural gas			
IX. Anticipated Na	atural Gas Productio	n:						
W	Yell	API	Anticipated Average Natural Gas Rate MCF/D	)	Anticipated Volume of Natural Gas for the First Year MCF			
X. Natural Gas Ga	thering System (NG	GS):						
Operator	System	ULSTR of Tie-in	Anticipated Gathering Start Date					
KI. Map. $\square$ Attach an accurate and legible map depicting the location of the well(s), the anticipated pipeline route(s) connecting the production operations to the existing or planned interconnect of the natural gas gathering system(s), and the maximum daily capacity of the segment or portion of the natural gas gathering system(s) to which the well(s) will be connected.  KII. Line Capacity. The natural gas gathering system $\square$ will $\square$ will not have capacity to gather 100% of the anticipated natural gas production volume from the well prior to the date of first production.  KIII. Line Pressure. Operator $\square$ does $\square$ does not anticipate that its existing well(s) connected to the same segment, or portion, of the natural gas gathering system(s) described above will continue to meet anticipated increases in line pressure caused by the new well(s). $\square$ Attach Operator's plan to manage production in response to the increased line pressure.  KIV. Confidentiality: $\square$ Operator asserts confidentiality pursuant to Section 71-2-8 NMSA 1978 for the information provided in extended to Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and attaches a full description of the specific information								
or which confidentiality is asserted and the basis for such assertion.								

# Section 3 - Certifications Effective May 25, 2021

Operator certifies that, after reasonable inquiry and based on the available information at the time of submittal:

- Operator will be able to connect the well(s) to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system; or
- □ Operator will not be able to connect to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system. If Operator checks this box, Operator will select one of the following:

Well Shut-In. 

Operator will shut-in and not produce the well until it submits the certification required by Paragraph (4) of Subsection D of 19.15.27.9 NMAC; or

Venting and Flaring Plan. 

Operator has attached a venting and flaring plan that evaluates and selects one or more of the potential alternative beneficial uses for the natural gas until a natural gas gathering system is available, including:

- power generation on lease:
- power generation for grid; (b)
- (c) compression on lease;
- liquids removal on lease: (d)
- reinjection for underground storage; (e)
- (f) reinjection for temporary storage;
- (g) reinjection for enhanced oil recovery;
- (h) fuel cell production; and
- other alternative beneficial uses approved by the division. (i)

## Section 4 - Notices

- 1. If, at any time after Operator submits this Natural Gas Management Plan and before the well is spud:
- Operator becomes aware that the natural gas gathering system it planned to connect the well(s) to has become (a) unavailable or will not have capacity to transport one hundred percent of the production from the well(s), no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised venting and flaring plan containing the information specified in Paragraph (5) of Subsection D of 19.15.27.9 NMAC; or
- Operator becomes aware that it has, cumulatively for the year, become out of compliance with its baseline natural gas capture rate or natural gas capture requirement, no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised Natural Gas Management Plan for each well it plans to spud during the next 90 days containing the information specified in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and shall file an update for each Natural Gas Management Plan until Operator is back in compliance with its baseline natural gas capture rate or natural gas capture requirement.
- 2. OCD may deny or conditionally approve an APD if Operator does not make a certification, fails to submit an adequate venting and flaring plan which includes alternative beneficial uses for the anticipated volume of natural gas produced, or if OCD determines that Operator will not have adequate natural gas takeaway capacity at the time a well will be spud.

to the best of my knowledge and acknowledge that a false statement may be subject to civil and criminal penalties under the Oil and Gas Act. Signature: Printed Name: **BRIAN WOOD** Title: Consultant E-mail Address: brian@permitswest.com Date: 11-20-23 Phone: 505 466-8120 OIL CONSERVATION DIVISION (Only applicable when submitted as a standalone form) Approved By: Title: Approval Date: Conditions of Approval:

I certify that, after reasonable inquiry, the statements in and attached to this Natural Gas Management Plan are true and correct

# VI. Separation Equipment

Existing separation equipment on Empire's Monument 36 State 2 pad will be used. Separated gas will then be piped into an existing Targa pipeline on the same pad.

#### VII. Operational Practices

NMAC 19.15.27.8 (A) Venting & Flaring of Natural Gas

 Empire New Mexico LLC will comply with NMAC 19.15.27.8 – venting and flaring of gas during drilling, completion, or production that constitutes waste as defined in 19.15.2 is banned.

NMAC 19.15.27.8 (B) Venting & Flaring During Drilling

- 1. Empire New Mexico LLC will capture or combust gas if technically feasible during drilling operations using best industry practices.
- 2. A flare stack with a 100% capacity for expected volume will be set on the pad ≥100 feet from the nearest well head and storage tank.
- 3. In an emergency, Empire New Mexico LLC will vent gas in order to avoid substantial impact. Empire New Mexico LLC will report vented or flared gas to the NMOCD.

NMAC 19.15.27.8 (C) Venting & Flaring During Completion or Recompletion

- 1. Facilities will be built and ready from the first day of flowback
- 2. Test separator will be properly separate gas and liquids. Temporary test separator will be used initially to process volumes. In addition, separator will be tied into flowback tanks which will be tied into the gas processing equipment for sale down a pipeline.
- 3. Should the facility not be ready to process gas, or the gas does not meet quality standards, then storage tanks will be set that are tied into gas busters or a temporary flare to manage all gas. This flare would meet the following requirements:
  - a) An appropriately sized flare stack with an automatic igniter
  - b) Empire New Mexico LLC analyzes gas samples twice a week
  - Empire New Mexico LLC flows the gas into a gathering line as soon as the line specifications are met
  - d) Empire New Mexico LLC provides the NMOCD with pipeline specifications and natural gas data.

NMAC 19.15.27.8 (D) Venting & Flaring During Production Empire New Mexico LLC will not vent or flare natural gas except:



- 1. During an emergency or malfunction
- 2. To unload or clean-up liquid holdup in a well to atmospheric pressure, provided
  - Empire New Mexico LLC does not vent after the well achieves a stabilized rate and pressure
  - b) Empire New Mexico LLC will be on-site while unloading liquids by manual purging and take all reasonable actions to achieve a stabilized rate and pressure as soon as possible
  - c) Empire New Mexico LLC will optimize the system to minimize gas venting if the well is equipped with a plunger lift or auto control system
  - d) Best management practices will be used during downhole well maintenance.
- 3. During the first year of production from an exploratory well provided
  - a) Empire New Mexico LLC receives approval from the NMOCD
  - b) Empire New Mexico LLC stays in compliance with NMOCD gas capture requirements
  - c) Empire New Mexico LLC submits an updated C-129 form to the NMOCD
- 4. During the following activities unless prohibited
  - a) Gauging or sampling a storage tank or low-pressure production vessel
  - b) Loading out liquids from a storage tank
  - c) Repair and maintenance
  - d) Normal operation of a gas-activated pneumatic controller or pump
  - e) Normal operation of a storage tank but not including venting from a thief hatch
  - f) Normal operation of dehydration units
  - g) Normal operations of compressors, engines, turbines, valves, flanges, & connectors
  - h) During a bradenhead, packer leakage test, or production test lasting <24 hours
  - i) When natural gas does not meet the gathering line specifications
  - j) Commissioning of pipes, equipment, or facilities only for as long as necessary to purge introduced impurities.

#### NMAC 19.15.27.8 (E) Performance Standards

- 1. Empire New Mexico LLC will use a safety factor to design the separation and storage equipment. The equipment will be routed to a vapor recovery system and use a flare as back up for startup, shutdown, maintenance, or malfunction of the VRU system.
- 2. Empire New Mexico LLC will install a flare that will handle the full volume of vapors from the facility in case of VRU failure. It will have an auto-ignition system.
- 3. Flare stacks will be appropriately sized and designed to ensure proper combustion efficiency
  - a) Flare stacks installed or replaced will be equipped with an automatic ignitor or continuous pilot.
  - b) Previously installed flare stacks will be retrofitted within 18 months of May 25, 2021, with an automatic ignitor, continuous pilot, or technology that alerts Empire New Mexico LLC to flare malfunction.



- c) Flare stacks replaced after May 25, 2021, will be equipped with an automatic ignitor or continuous pilot if at a well or facility with an average production of ≤60 Mcfd of natural gas.
- d) Flare stacks will be located >100 feet from well head and tanks and securely anchored.
- 4. Empire New Mexico LLC will conduct an AVO inspection on all components for leaks and defects every week.
- 5. Empire New Mexico LLC will make and keep records of AVO inspections available to the NMOCD for at least 5 years.
- 6. Empire New Mexico LLC may use a remote or automated monitoring technology to detect leaks and releases in lieu of AVO inspections with prior NMOCD approval.
- 7. Facilities will be designed to minimize waste.
- 8. Empire New Mexico LLC will resolve emergencies as promptly as possible.

#### NMAC 19.15.27.8 (F) Measuring or Estimating Vented & Flared Natural Gas

- 1. Empire New Mexico LLC will have meters on both the low and high-pressure sides of the flares. Volumes will be recorded in the SCADA system.
- 2. Empire New Mexico LLC will install equipment to measure the volume of flared natural gas that has an average production of <a>>60</a> Mcfd.
- 3. Empire New Mexico LLC's measuring equipment will conform to industry standards.
- 4. Measurement system will be designed such that it cannot be bypassed except for inspections and servicing the meters.
- Empire New Mexico LLC will estimate the volume of vented or flared gas using a methodology that can be independently verified if metering is not practicable due to low flow rate or pressure.
- 6. Empire New Mexico LLC will estimate the volume of vented and flared gas based on the results of an annual GOR test for wells that do not require measuring equipment reported on form C-116.
- 7. Empire New Mexico LLC will install measuring equipment whenever the NMOCD determines that metering is necessary.

# VIII. Best Management Practices


Empire New Mexico LLC will minimize venting during maintenance by:

- 1. System will be designed and operated to route storage tank and process equipment emissions to the VRU. If the VRU is not operable, then vapors will be routed to the flare.
- 2. Scheduling maintenance for multiple tasks to minimize the need for blowdowns.
- 3. After completion of maintenance, gas will be flared until it meets pipeline specifications.



Empire New Mexico LLC Monument 36 State 3 30-025-34533 H-36-18s-36e Lea County, NM

# **Current WBD**



TD @ 7468'


Quaternary: GL Anhydrite: 1547' Salt top: 1647' Salt base: 2680' Yates: 2830' Seven Rivers: 3128' Queen: 3778' Grayburg: 4140' San Andres: 4596' Delaware: 4914'

Bone Springs: 5625' Drinkard: 6840' Abo: 7200' TD: 7468'

8-5/8" CSG @ 2810'

5-1/2" 15.5# CSG @ 7249'

OH 7249' - 7468' (ABO)



District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

CONDITIONS

Action 287581

#### **CONDITIONS**

Operator:	OGRID:		
Empire New Mexico LLC	330679		
2200 S. Utica Place	Action Number:		
Tulsa, OK 74114	287581		
	Action Type:		
	[C-101] Drilling Non-Federal/Indian (APD)		

#### CONDITIONS

Created By	Condition	Condition Date
pkautz	None	11/22/2023