

Submit 1 Copy To Appropriate District Office
District I – (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II – (575) 748-1283
811 S. First St., Artesia, NM 88210
District III – (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV – (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised August 1, 2011

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-041-10057
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator EOR OPERATING COMPANY		6. State Oil & Gas Lease No.
3. Address of Operator 575 N. DAIRY ASHFORD RD., EC II, SUITE 210, HOUSTON, TX 77079		7. Lease Name or Unit Agreement Name MILNESAND SAN ANDRES UNIT
4. Well Location Unit Letter B : 660 feet from the NORTH line and 1980 feet from the EAST line Section 18 Township 08S Range 35E NMPM ROOSEVELT County		8. Well Number 187
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 4,246' – DF		9. OGRID Number 257420
		10. Pool name or Wildcat CHAVEROO SAN ANDRES

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> TEMPORARILY ABANDON <input type="checkbox"/> CHANGE PLANS <input type="checkbox"/> PULL OR ALTER CASING <input type="checkbox"/> MULTIPLE COMPL <input type="checkbox"/> DOWNHOLE COMMINGLE <input type="checkbox"/> OTHER: <input type="checkbox"/>	SUBSEQUENT REPORT OF: REMEDIAL WORK <input type="checkbox"/> ALTERING CASING <input type="checkbox"/> COMMENCE DRILLING OPNS. <input type="checkbox"/> P AND A <input checked="" type="checkbox"/> CASING/CEMENT JOB <input type="checkbox"/> OTHER: <input type="checkbox"/>
---	--

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

SUBSEQUENT REPORT OF P&A ACTIVITY AND AFTER P&A WBD ATTACHED.

Approved for plugging of well bore only. Liability under bond is retained pending Location cleanup & receipt of C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE William Boyd TITLE: Land & Regulatory Manager DATE: 11/9/2023

Type or print name: William Boyd E-mail address: wboyd@pedevco.com PHONE: 713.574.7912
For State Use Only

APPROVED BY: [Signature] TITLE: Staff Manager DATE: 11/22/23
Conditions of Approval (if any):

Well Name: MSU #187

API: 30-041-10057

Operator: EOR Operating

Procedure to Plug & Abandon:

1. Notify NMOCD of upcoming operations.
2. Test anchors, hold safety meeting, MIRU, NU BOP's
3. RIH w/ 2-1/16" tbg and tag @3,903', notify NMOCD representative for approval of shallow tag.
4. Circulate well with M.L.F.
5. PU and RIH w/ 1" tbg workstring and tag @ 4,376'.
6. Spot 35 sxs Class C Cement, wait on cement.
7. Tag cement @ 3,074'
8. Perf @ 2,200', unable to pump into perforations.
9. RIH to 2,250' and pump 25 sxs Class C Cement, wait on cement.
10. Tag cement @ 1,297'
11. Perf @ 1,200', unable to pump into perforations.
12. Pump 15 sxs Class C Cement, wait on cement.
13. Tag cement @ 753'
14. Perf @ 600', unable to pump into perforations, notify NMOCD representative.
15. Perf @ 400', unable to pump into perforations, notify NMOCD representative.
16. RIH to 650' and fill up to surface with 20 sxs Class C Cement.
17. Dig Out X Cut Off Wellhead 3' B.G.L.; Verify cement to surface on all annuli; Weld on Steel Plate to casing. Install Below Ground Level Dry Hole Marker.

Well Name: MSU 187

Well API #: 30-041-10057

County, State: Roosevelt Co NM

Date:

After PA

Installation	Surface Casing	Make	Size	Wellhead Detail	OD	ID				
	OD: 8-5/8"									
	Weight: 24									
	Grade:									
	Top: 0									
	Bottom: 362									
	Intermediate Csg.									
	OD: 4.5									
	Weight: 10.5									
	Grade:									
	Top: 0									
	Bottom: 4720									
	Production Casing									
	OD: 2-7/8"									
	Weight: 6.5									
	Grade: J55/N80									
Top: 0										
Bottom: 4477'										
TOC										
surface (250 sxs)										
DV Tool										
	Count						Length	ROD DETAIL (Bottom Up)		
CIBP set @ 4,477' w/ 35' cmt										
Top Perf										
4575										
Bottom Perf										
4690										
TD										
4670										
PBTD										
4455										
	Pumping Unit Specs									
TVD	P.U. Make:	N/A								
4455										
	P.U. Size:	N/A								
	P.U. SL:	N/A								
	SPM:	N/A								
	Pump Details									
	PUMP SIZE:	N/A								
	PLUNGER:	N/A								
	STDG VALVE:	N/A								
	STROKE:	N/A								

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 284272

CONDITIONS

Operator: EOR OPERATING COMPANY 575 N Dairy Ashford Suite 210 Houston, TX 77079	OGRID: 257420
	Action Number: 284272
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	11/22/2023