

1625 N. French Dr., Hobbs, NM 88240

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Form C-104

Revised August 1, 2011

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address TAP ROCK OPERATING, LLC 523 PARK POINT DRIVE, SUITE 200 GOLDEN, CO 80401		² OGRID Number 372043
		³ Reason for Filing Code/ Effective Date NW
⁴ API Number 30 - 0 15-49179	⁵ Pool Name PURPLE SAGE; WOLFCAMP (GAS)	⁶ Pool Code 98220
⁷ Property Code 332044	⁸ Property Name HAMMS STATE	⁹ Well Number 213H

II. ¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
M	34	23S	27E	-	1096	SOUTH	495	WEST	EDDY

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
I	34	23S	27E	-	2274	SOUTH	264	EAST	EDDY
¹² Lse Code S	¹³ Producing Method Code F	¹⁴ Gas Connection Date 7/22/2022	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
373554	SALT CREEK MIDSTREAM, LLC 20329 STATE HIGHWAY 249 HOUSTON, TX U.S.A 77070	O
36785	DCP OPERATING COMPANY, LP 6900 E. LAYON AVE SUITE 900 DENVER, CO 90237	G

IV. Well Completion Data

²¹ Spud Date	²² Ready Date	²³ TD	²⁴ PBTB	²⁵ Perforations	²⁶ DHC, MC
2/7/2022	7/14/2022	13925'	13861'	9273 ft to 13776 ft	
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17.5"	13.375"	351'	450 sks		
9.875"	9.625"	8617'	1115 sks		
6.75"	5.5"	13910'	430 sks		

V. Well Test Data

³¹ Date New Oil	³² Gas Delivery Date	³³ Test Date	³⁴ Test Length	³⁵ Tbg. Pressure	³⁶ Csg. Pressure
7/22/2022	7/22/2022	8/2/2022	24 hrs.	0	1175
³⁷ Choke Size	³⁸ Oil	³⁹ Water	⁴⁰ Gas		⁴¹ Test Method
40/64	802	4372	1764		Flowing
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
Printed name: Jeff Trlica			Approved by: PATRICIA MARTINEZ		
Title: Regulatory Analyst			Title: PETROLEUM SPECIALIST		
E-mail Address: jtrlica@taprk.com			Approval Date: 11/28/2023		
Date: 8/25/2022		Phone: 720-771-5910			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources
Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

FORM C-102

Revised August 1, 2011

Submit one copy to appropriate

District Office

☐ AMENDED REPORT
As Drilled

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-015-49179	² Pool Code 98220	³ Pool Name PURPLE SAGE; WOLFCAMP (GAS)
⁴ Property Code 332044	⁵ Property Name HAMMS STATE	⁶ Well Number 213H
⁷ OGRID No. #372043	⁸ Operator Name TAP ROCK OPERATING, LLC.	⁹ Elevation 3189'

¹⁰Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
M	34	23-S	27-E	-	1096'	SOUTH	495'	WEST	EDDY


¹¹Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
I	34	23-S	27-E	-	2274'	SOUTH	264'	EAST	EDDY

¹² Dedicated Acres 320	¹³ Joint or Infill Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--------------------------------------	---	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.





INTERNAL
PRE-COMPLETION
PLAT



HAMMS STATE COM 213H PRE-COMPLETION	REVISION:		NOTES: 1. ORIGINAL DOCUMENT SIZE: 8.5" X 11" 2. ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREIN ARE GRID BASED UPON THE NEW MEXICO COORDINATE SYSTEM OF 1983, EAST ZONE, U.S. SURVEY FEET. 3. THIS WELL LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY TAP ROCK OPERATING, LLC. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.
	INT	DATE	
DATE: 06/17/2022			
FILE: C_HAMMS_STATE_213H			
DRAWN BY: CSG			
SHEET : 2 OF 2			



Operator: Tap Rock Resources, LLC.
Well Name: Hamms State W2 #213H
County: Eddy
State: New Mexico
Rig Name: H&P 466
API: 30-015-49179

Intrepid Directional Drilling Specialists certifies that the surveys performed on the above referenced well are true and correct MWD surveys, data provided as follows:

Surveyor: Intrepid Directional Drilling Specialists
Survey Depths: 140' MD – 13,847' MD
Projection to Bit: 13,925' MD
Dates Performed: 2/7/2022 – 3/17/2022
Type of Survey: MWD

Sincerely,

A handwritten signature in black ink, appearing to read "T. Henk".

Travis Henk
MWD Operations Manager
Intrepid Directional Drilling Specialists





Operator: Tap Rock Resources, LLC.

Well Name: Hamms State W2 213H

Job Number: ID3258

Survey Company: Intrepid Directional Drilling Specialists

Rig Name: H&P 466

Target KBTVD: 9180.00

Target Inclination: 89.50°

Declination Correction: 6.86°

DF Elevation: 3,215'

Vertical Section Calculated Along Azimuth: 89.74°

Survey Calculation Method: Minimum Curvature

TIE PT. TYPE	SVY #	Survey Depth	INC deg.	AZM deg.	Course Length	TVD Ft.	V'Sect FT.	+N/-S Ft.	+E/-W Ft.	Dogleg %/100'
Tie In	0	0	0.00	0.00	0	0	0	0	0	0.00
MWD	1	140	0.57	157.50	140	140.00	0.26	-0.64	0.27	0.41
MWD	2	237	0.75	192.92	97	236.99	0.30	-1.71	0.31	0.45
MWD	3	300	1.10	182.99	63	299.98	0.17	-2.71	0.19	0.61
MWD	4	417	1.32	120.68	117	416.96	1.27	-4.52	1.29	1.08
MWD	5	503	1.76	86.93	86	502.93	3.43	-4.96	3.46	1.15
MWD	6	590	1.41	84.56	87	589.90	5.83	-4.78	5.86	0.41
MWD	7	676	1.98	102.66	86	675.86	8.34	-5.01	8.36	0.90
MWD	8	770	1.49	348.14	94	769.84	9.67	-4.17	9.69	3.12
MWD	9	859	2.86	340.84	89	858.77	8.72	-0.94	8.73	1.57
MWD	10	949	3.38	342.69	90	948.64	7.22	3.71	7.20	0.59
MWD	11	1039	4.97	328.63	90	1038.40	4.42	9.58	4.38	2.09
MWD	12	1129	6.46	326.87	90	1127.95	-0.34	17.15	-0.42	1.67
MWD	13	1226	7.08	337.42	97	1224.28	-5.57	27.24	-5.69	1.43
MWD	14	1320	6.77	346.29	94	1317.59	-9.06	37.97	-9.23	1.18
MWD	15	1415	5.71	352.45	95	1412.03	-10.96	48.09	-11.18	1.32
MWD	16	1509	5.93	17.67	94	1505.56	-10.06	57.36	-10.32	2.71
MWD	17	1604	6.81	15.56	95	1599.97	-7.01	67.46	-7.32	0.96
MWD	18	1699	7.47	353.06	95	1694.25	-6.20	79.02	-6.55	3.00
MWD	19	1793	8.62	348.58	94	1787.33	-8.27	91.99	-8.69	1.39
MWD	20	1888	9.98	349.46	95	1881.08	-11.12	107.06	-11.60	1.44
MWD	21	1983	11.03	343.22	95	1974.49	-15.17	123.85	-15.73	1.63
MWD	22	2077	10.68	335.40	94	2066.81	-21.32	140.38	-21.96	1.61
MWD	23	2170	11.30	331.09	93	2158.11	-29.24	156.20	-29.95	1.11
MWD	24	2265	11.12	326.52	95	2251.29	-38.72	171.99	-39.50	0.95
MWD	25	2360	12.13	332.93	95	2344.35	-48.24	188.52	-49.10	1.72
MWD	26	2454	12.70	337.68	94	2436.15	-56.58	206.87	-57.52	1.24
MWD	27	2549	12.04	334.43	95	2528.95	-64.74	225.47	-65.76	1.01
MWD	28	2644	11.30	332.93	95	2621.98	-73.17	242.69	-74.27	0.84
MWD	29	2735	11.56	336.98	91	2711.18	-80.72	259.02	-81.89	0.93
MWD	30	2829	11.25	341.46	94	2803.33	-87.24	276.39	-88.49	1.00
MWD	31	2924	12.09	337.15	95	2896.36	-93.97	294.34	-95.30	1.27
MWD	32	3018	11.69	334.78	94	2988.35	-101.77	312.03	-103.18	0.67
MWD	33	3112	12.26	340.58	94	3080.30	-109.06	330.06	-110.56	1.42
MWD	34	3205	12.00	340.14	93	3171.23	-115.55	348.46	-117.13	0.30
MWD	35	3299	11.60	338.30	94	3263.24	-122.28	366.43	-123.94	0.58
MWD	36	3392	11.08	335.66	93	3354.43	-129.34	383.26	-131.08	0.79
MWD	37	3486	11.69	339.88	94	3446.58	-136.26	400.44	-138.08	1.10
MWD	38	3581	11.47	338.12	95	3539.64	-143.01	418.24	-144.91	0.44
MWD	39	3676	11.12	335.40	95	3632.80	-150.27	435.33	-152.25	0.67
MWD	40	3770	11.74	340.32	94	3724.94	-157.18	452.58	-159.24	1.23
MWD	41	3866	12.97	344.62	96	3818.72	-163.24	472.16	-165.39	1.60
MWD	42	3960	12.31	342.25	94	3910.44	-169.01	491.88	-171.24	0.89
MWD	43	4054	11.38	338.03	94	4002.44	-175.45	510.02	-177.76	1.35
MWD	44	4149	10.33	338.74	95	4095.74	-181.97	526.65	-184.36	1.11
MWD	45	4243	10.64	342.87	94	4188.17	-187.51	542.80	-189.97	0.86
MWD	46	4338	11.52	338.21	95	4281.40	-193.53	559.99	-196.08	1.32
MWD	47	4433	11.16	334.52	95	4374.55	-200.93	577.10	-203.55	0.85
MWD	48	4527	11.30	334.52	94	4466.75	-208.73	593.63	-211.43	0.15
MWD	49	4621	13.58	339.61	94	4558.54	-216.45	612.29	-219.24	2.69
MWD	50	4715	12.31	337.33	94	4650.15	-224.07	631.88	-226.94	1.46
MWD	51	4809	12.22	340.58	94	4742.00	-231.16	650.51	-234.11	0.74
MWD	52	4904	13.32	341.02	95	4834.65	-237.97	670.34	-241.02	1.16
MWD	53	4999	11.96	340.05	95	4927.35	-244.80	689.94	-247.93	1.45
MWD	54	5094	10.59	334.78	95	5020.51	-251.80	707.09	-255.01	1.80
MWD	55	5189	11.52	339.61	95	5113.75	-258.75	723.88	-262.04	1.38
MWD	56	5283	12.53	337.15	94	5205.69	-265.90	742.08	-269.27	1.20
MWD	57	5378	11.43	336.01	95	5298.62	-273.64	760.17	-277.10	1.18
MWD	58	5474	12.53	343.66	96	5392.53	-280.36	778.86	-283.89	2.01
MWD	59	5568	13.32	344.71	94	5484.15	-285.99	799.09	-289.62	0.88
MWD	60	5662	12.09	343.04	94	5575.85	-291.63	818.95	-295.35	1.37
MWD	61	5757	10.42	341.72	95	5669.02	-297.14	836.63	-300.94	1.78
MWD	62	5851	12.22	344.98	94	5761.19	-302.31	854.31	-306.19	2.03
MWD	63	5946	10.68	342.69	95	5854.29	-307.45	872.42	-311.41	1.69
MWD	64	6040	9.58	338.74	94	5946.83	-312.81	888.03	-316.84	1.38
MWD	65	6134	10.55	336.36	94	6039.38	-319.03	903.20	-323.13	1.12

MWD	66	6228	12.31	343.92	94	6131.52	-325.17	920.72	-329.36	2.46
MWD	67	6324	12.26	348.49	96	6225.32	-329.95	940.54	-334.22	1.01
MWD	68	6418	11.16	346.73	94	6317.36	-333.95	959.17	-338.30	1.23
MWD	69	6512	12.62	346.91	94	6409.34	-338.28	978.03	-342.72	1.55
MWD	70	6608	14.11	348.75	96	6502.74	-342.84	999.72	-347.38	1.61
MWD	71	6700	13.45	348.93	92	6592.09	-346.98	1021.22	-351.62	0.72
MWD	72	6794	12.79	347.08	94	6683.64	-351.31	1042.09	-356.04	0.83
MWD	73	6889	11.47	338.12	95	6776.52	-357.10	1061.11	-361.92	2.42
MWD	74	6983	10.29	330.82	94	6868.84	-364.60	1077.11	-369.49	1.93
MWD	75	7077	10.64	331.09	94	6961.27	-372.82	1092.04	-377.78	0.38
MWD	76	7171	10.02	341.81	94	7053.76	-379.50	1107.41	-384.53	2.15
MWD	77	7265	8.4	342.16	94	7146.54	-384.09	1121.71	-389.19	1.72
MWD	78	7361	6.33	343.83	96	7241.75	-387.66	1133.47	-392.81	2.17
MWD	79	7455	5.54	345.68	94	7335.24	-390.18	1142.85	-395.37	0.86
MWD	80	7550	5.1	345.15	95	7429.83	-392.36	1151.37	-397.59	0.47
MWD	81	7642	4.18	341.37	92	7521.53	-394.45	1158.50	-399.71	1.05
MWD	82	7737	3.74	321.24	95	7616.31	-397.47	1164.20	-402.76	1.53
MWD	83	7830	3.12	317.03	93	7709.14	-401.07	1168.41	-406.38	0.72
MWD	84	7925	3.56	314.65	95	7803.98	-404.92	1172.38	-410.24	0.49
MWD	85	8017	2.46	308.5	92	7895.85	-408.48	1175.62	-413.82	1.24
MWD	86	8112	1.19	276.07	95	7990.80	-411.05	1176.99	-416.39	1.67
MWD	87	8204	0.97	233.71	92	8082.79	-412.63	1176.63	-417.97	0.88
MWD	88	8298	1.23	200.22	94	8176.77	-413.62	1175.21	-418.96	0.72
MWD	89	8394	0.97	162.78	96	8272.76	-413.75	1173.47	-419.08	0.78
MWD	90	8488	1.45	175.79	94	8366.73	-413.43	1171.52	-418.75	0.59
MWD	91	8583	1.19	49.75	95	8461.72	-412.60	1170.96	-417.91	2.48
MWD	92	8644	1.67	43.33	61	8522.70	-411.50	1172.02	-416.82	0.83
MWD	93	8741	6.33	78.84	97	8619.45	-405.27	1174.08	-410.60	5.22
MWD	94	8835	22.99	77.79	94	8710.07	-382.06	1179.00	-387.41	17.72
MWD	95	8930	26.81	88.51	95	8796.27	-342.45	1183.49	-347.83	6.21
MWD	96	9025	34.24	89.21	95	8878.04	-294.24	1184.41	-299.62	7.83
MWD	97	9120	43.47	89.57	95	8951.94	-234.71	1185.03	-240.09	9.72
MWD	98	9213	52.53	91.41	93	9014.11	-165.68	1184.36	-171.06	9.85
MWD	99	9307	57.85	90.62	94	9067.75	-88.55	1183.01	-93.92	5.70
MWD	100	9401	64.66	88.86	94	9112.94	-6.19	1183.42	-11.56	7.43
MWD	101	9496	77.49	87.98	95	9143.68	83.47	1185.92	78.09	13.53
MWD	102	9590	86.59	88.07	94	9156.69	176.42	1189.13	171.03	9.68
MWD	103	9684	86.90	87.81	94	9162.02	270.22	1192.50	264.81	0.43
MWD	104	9780	90.20	89.57	96	9164.45	366.16	1194.69	360.74	3.90
MWD	105	9874	88.35	89.83	94	9165.64	460.15	1195.19	454.73	1.99
MWD	106	9968	90.64	90.27	94	9166.47	554.14	1195.10	548.72	2.48
MWD	107	10060	92.18	91.15	92	9164.21	646.09	1193.96	640.68	1.93
MWD	108	10155	89.76	91.32	95	9162.60	741.04	1191.92	735.64	2.55
MWD	109	10249	89.41	92.82	94	9163.28	834.96	1188.52	829.57	1.64
MWD	110	10343	86.64	91.50	94	9166.52	928.80	1184.98	923.44	3.26
MWD	111	10437	86.64	90.80	94	9172.03	1022.61	1183.10	1017.26	0.74
MWD	112	10532	89.32	92.11	95	9175.38	1117.50	1180.69	1112.16	3.14
MWD	113	10627	89.76	92.64	95	9176.14	1212.40	1176.75	1207.07	0.73
MWD	114	10722	85.89	91.24	95	9179.74	1307.24	1173.53	1301.93	4.33
MWD	115	10816	84.18	88.95	94	9187.88	1400.87	1173.38	1395.56	3.03
MWD	116	10911	86.55	88.95	95	9195.56	1495.55	1175.11	1490.23	2.49
MWD	117	11002	87.60	87.37	91	9200.20	1586.39	1178.03	1581.06	2.08
MWD	118	11096	87.30	86.93	94	9204.38	1680.20	1182.70	1674.85	0.57
MWD	119	11191	89.45	87.28	95	9207.08	1775.06	1187.50	1769.69	2.29
MWD	120	11286	89.10	87.28	95	9208.28	1869.96	1192.00	1864.57	0.37
MWD	121	11380	89.63	87.81	94	9209.32	1963.89	1196.03	1958.48	0.80
MWD	122	11475	88.92	87.46	95	9210.52	2058.81	1199.95	2053.39	0.83
MWD	123	11568	88.70	87.90	93	9212.45	2151.73	1203.71	2146.29	0.53
MWD	124	11664	90.59	88.42	96	9213.05	2247.69	1206.80	2242.24	2.04
MWD	125	11758	92.13	90.88	94	9210.82	2341.65	1207.37	2336.20	3.09
MWD	126	11852	92.13	90.88	94	9207.32	2435.57	1205.93	2430.12	0.00
MWD	127	11947	92.66	90.44	95	9203.35	2530.47	1204.83	2525.03	0.72
MWD	128	12042	88.57	90.88	95	9202.33	2625.44	1203.74	2620.00	4.33
MWD	129	12136	86.77	90.09	94	9206.16	2719.35	1202.94	2713.92	2.09
MWD	130	12231	85.71	88.86	95	9212.39	2814.14	1203.81	2808.70	1.71
MWD	131	12325	90.86	90.97	94	9215.20	2908.06	1203.95	2902.62	5.92
MWD	132	12419	90.51	90.97	94	9214.07	3002.03	1202.36	2996.60	0.37
MWD	133	12513	90.11	91.15	94	9213.57	3096.00	1200.62	3090.59	0.47
MWD	134	12607	93.49	91.15	94	9210.61	3189.91	1198.73	3184.51	3.60
MWD	135	12702	93.67	91.59	95	9204.68	3284.69	1196.47	3279.29	0.50
MWD	136	12796	91.65	91.06	94	9200.32	3378.55	1194.30	3373.16	2.22
MWD	137	12891	87.08	88.95	95	9201.37	3473.51	1194.29	3468.13	5.30
MWD	138	12983	85.89	88.16	92	9207.01	3565.32	1196.60	3559.92	1.55
MWD	139	13078	86.86	88.42	95	9213.02	3660.09	1199.43	3654.69	1.06
MWD	140	13171	86.42	88.07	93	9218.47	3752.90	1202.27	3747.48	0.60
MWD	141	13266	88.75	87.72	95	9222.47	3847.76	1205.76	3842.33	2.48
MWD	142	13360	89.98	89.39	94	9223.51	3941.73	1208.13	3936.29	2.21
MWD	143	13455	90.24	89.92	95	9223.33	4036.73	1208.70	4031.29	0.62
MWD	144	13549	91.16	90.00	94	9222.18	4130.72	1208.77	4125.28	0.98

MWD	145	13644	90.90	89.39	95	9220.48	4225.71	1209.27	4220.26	0.70
MWD	146	13738	90.29	89.21	94	9219.50	4319.70	1210.42	4314.25	0.68
MWD	147	13833	90.37	88.95	95	9218.95	4414.69	1211.95	4409.23	0.29
MWD	148	13847	90.02	88.95	14	9218.90	4428.69	1212.20	4423.23	2.50
PTB	149	13925	90.02	88.95	78	9218.88	4506.68	1213.63	4501.22	0.00

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017					
1. WELL API NO. 30-015-49179										
2. Type of Lease ☒ STATE ☐ FEE ☐ FED/INDIAN										
3. State Oil & Gas Lease No.										
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name HAMMS STATE		
								6. Well Number: 213H		
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator TAP ROCK OPERATING, LLC								9. OGRID 372043		
10. Address of Operator 523 PARK POINT DRIVE, SUITE 200, GOLDEN, CO								11. Pool name or Wildcat PURPLE SAGE; WOLFCAMP (GAS)		
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	M	34	23S	27E	-	1096	SOUTH	495	WEST	EDDY
BH:	I	34	23S	27E	-	2274	SOUTH	264	EAST	EDDY
13. Date Spudded 2/7/2022	14. Date T.D. Reached 3/17/2022		15. Date Rig Released 3/19/2022			16. Date Completed (Ready to Produce) 7/14/2022		17. Elevations (DF and RKB, RT, GR, etc.) 3189 GR		
18. Total Measured Depth of Well 13925 ft			19. Plug Back Measured Depth 13861 ft			20. Was Directional Survey Made? YES		21. Type Electric and Other Logs Run GAMMA		
22. Producing Interval(s), of this completion - Top, Bottom, Name 9273 ft to 13776 ft								WOLFCAMP		
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13.375"		54.5		351'		17.5"		450 sks		0
7.625"		29.7		8617'		9.875"		1115 sks		0
5.5"		20		13910'		6.75"		430 sks		0
24. LINER RECORD										
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		25. TUBING RECORD				
						SIZE		DEPTH SET		PACKER SET
26. Perforation record (interval, size, and number)						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.				
						DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED		
Perforate from 9273 ft to 13776 ft, 1 SPF, .55 inch holes with 234 total shots						9273 ft to 13776 ft		18 stage frac with 11,896,914 lbs of 100 mesh sand		
28. PRODUCTION										
Date First Production 7/22/2022		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing				Well Status (Prod. or Shut-in) Producing				
Date of Test 8/2/2022	Hours Tested 24 hrs	Choke Size 40/64	Prod'n For Test Period	Oil - Bbl 802	Gas - MCF 1764	Water - Bbl. 4372	Gas - Oil Ratio 2200			
Flow Tubing Press. 0	Casing Pressure 1175	Calculated 24-Hour Rate	Oil - Bbl. 802	Gas - MCF 1764	Water - Bbl. 4372	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold								30. Test Witnessed By		
31. List Attachments C-102, Directional Survey										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.								33. Rig Release Date:		
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude				Longitude				NAD83		
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature 			Printed Name Jeff Trlica			Title Regulatory Analyst		Date 8/25/2022		
E-mail Address jtrlica@taprock.com										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

[illegible]

No. 1, from.....to.....

No. 2, from.....to.....

No. 3, from.....to.....

No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology		From	To	Thickness In Feet	Lithology
0	304		Quaternary					
304	959		Rustler					
959	2012		Top of Salt					
2012	2239		Base of Salt					
2239	2270		Lamar					
2270	2997		Bell Canyon					
2997	4077		Cherry Canyon					
4077	5578		Brushy Canyon					
5578	5991		Bone Spring					
5991	6672		Avalon					
6672	7262		1st Bone Spring Sand					
7262	8665		2nd Bone Spring Sand					
8665	9021		3rd Bone Spring Sand					
9021			Wolfcamp A					

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 138428

ACKNOWLEDGMENTS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 138428
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 138428

CONDITIONS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 138428
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	11/28/2023